

Reinforced Concrete Pedestrian Tunnel Standards

General Notes:

- 1. The reinforced concrete pedestrian tunnel sections are designed for HL-93 live load and earth fills of varying heights.
- Vertical earth pressure, EV=0.120 kcf.
- Horizontal earth pressure, EHmax = 0.060 kcf max, EHmin = 0.030 kcf.
- The reinforced concrete pedestrian tunnel sections are designed for Class 1 exposure conditions except:
- Class 2 exposure condition is utilized for the slab design in 0' fill instances. All slab and floor reinforcing steel is to be supported at intervals of not more than 3'-0" in either direction as outlined in the Standard Specifications.
- The clear distance from face of concrete to near edge or end of reinforcing bar to be 2" unless otherwise noted.
- Except for dowel bars 5r1 in slab, longitudinal reinforcing is not to extend thru the construction joints.
- Floor of barrel shall receive a broomed finish meeting the requirements of Article 2511.03,B,3,b, of the Standard Specifications and meet the smoothness requirements of Article 2511.03,B,5,b, of the Standard Specifications. Sides of footing are to be formed to ensure correct line and grade. Following broom finishing of the sidewalk surface, apply white pigmented liquid curing compound to the sidewalk in accordance with Section 2301.03,K,2, of the Standard Specifications. Do not damage the broom finish by using additional curing methods that include fabric, plastic, or other covers during the initial curing period. Ensure that coverings will not damage the broom finish by waiting until surface has sufficiently set before application.
- The permissible construction joint at the top of the walls may be lowered at the Contractor's option with Engineer's approval.
- The reinforcement supplied for this structure shall be Grade 60 reinforcement in accordance with the Standard Specifications. The design stresses are based on Grade 60 reinforcement.
- 10. The vertical bars in the walls may be spliced above the footing at the Contractor's option as follows:

Bar Size Number	4	5	6	7
Minimum Splice Length	20"	24"	29"	34"

This splice, if used, will be at the Contractor's expense.

- 11. Reinforcing bar clearances will be as follows:
 - Edge clearances: 2" except

 $2\frac{1}{4}$ " to near transverse reinforcing bar

Top of floor

Bottom of floor 3½" to near transverse reinforcing bar

End clearances:

Vertical top

Vertical bottom 3" or $3\frac{1}{2}"$ if overall height of the

culvert is not to a full inch

12. These pedestrian tunnel standards label all reinforcing steel with English notation (5a1 is \% inch diameter bar). English reinforcing steel received may display the following "bar designation". The "bar designation" is the stamped impression on the reinforcing bars, and is equivalent to the bar diameter in millimeters.

English Size	4	5	6	7	8	9
Bar Designation	13	16	19	22	25	29

- 13. All reinforcing bars and bars noted as dowels supplied for this structure shall be deformed reinforcement unless otherwise noted or shown.
- All construction joints shall be formed with a beveled keyway except at bell joints.
- 15. All beveled keyways shall be centered.
- 16. Keyway size shall be 2"x4" except the keyway between the barrel floor and wall and the headwall apron and wingwall shall be 2"x6".

General Notes Continued:

- 17. Keyway dimensions shown on the plans are based on nominal dimensions unless stated otherwise. In addition, the bevel used on the keyway shall be limited to a maximum of 10 degrees from vertical.
- If O' of fill is specified, details for paving notch and reference to epoxy coating of slab reinforcing steel, if applicable, shall be included in the final plans.
- 19. All dimensions are in feet and inches unless otherwise noted or shown.
- 20. PVC waterstop shall be applied to the transverse construction joints in the slab, walls, and floor. PVC waterstop shall be installed in accordance with the Manufacturer's recommendations. Omit PVC waterstop when bell joints are used. The following is a listing of approved PVC waterstop:
 - 1. Greenstreak #738
 - 2. Southern Waterstops 25RCB
 - 3. Approved Equal
- 21. Bentonite waterstop shall be applied to the longitudinal construction joints at the top and bottom of the walls. Bentonite waterstop shall be installed with a Manufacturer's approved adhesive in accordance with the Manufacturer's recommendations. The following is a listing of approved bentonite waterstop:
 - 1. Greenstreak Swellstop
 - 2. Henry Hydro-Flex
 - 3. Approved Equal
- 22. Bentonite waterstop shall be protected from exposure to moisture prior to concrete placement. Bentonite waterstop that has swelled prior to concrete placement shall be replaced at no cost to the State.
- 23. Waterproof membrane shall be applied to the outside face of the transverse construction joints in the slab and walls. Waterproof membrane shall be installed with a Manufacturer's approved adhesive in accordance with the Manufacturer's recommendations. Omit waterproof membrane when bell joints are used. The following is a listing of approved waterproof membrane:
 - 1. W.R. Meadows Mel-Rol
 - 2. Grace Construction Products Bituthene 3000 (Below Grade)
 - 3. Approved Equal

Index for Pedestrian Tunnel Standards:

PT G1-20 PT G2-20	Index & General Notes Typical Tunnel Details
PT-RCB 12-11-20	Tunnel Details 12'-0" x 11'-4"
PT-RCB 12-12-20	Tunnel Details 12'-0" x 12'-4"
PT-RCB 14-12-20	Tunnel Details 14'-0" x 12'-4"
PT-FWH 0-1-20	Flared Wing Headwall Dimension Plan & Table
PT-FWH 0-2-20	Flared Wing Headwall Apron Layout & Curtain Wall Details
PT-FWH 0-3-20	Flared Wing Headwall Wing Layouts & Cross Section Details
PT-FWH 0-4-20	Flared Wing Headwall Quantity Tabulation
PT-CBJ 1-20	Pedestrian Tunnel Bell Joints
PT-CBJ 2-20	Pedestrian Tunnel Bell Joints
PT-SR 1-20	Safety Rail Details
PT-SR 2-20	Safety Rail Details
PT-AD 1-20	Aesthetic Treatment General Notes
PT-AD 2-20	Pedestrian Tunnel Textured Concrete

Specifications:

AASHTO LRFD Bridge Design Specifications, 8th Ed., Series of 2017.

Construction:

Iowa Department of Transportation Standard Specifications for Highway and Bridge Construction, current series, plus applicable General Supplemental Specifications, Developmental Specifications, Supplemental Specifications and Special Provisions.

Design Stresses:

Design stresses for the following materials are in accordance with the AASHTO LRFD Bridge Design Specifications, 8th Ed., Series of 2017: Reinforcing steel in accordance with AASHTO LRFD Section 5, Grade 60. Concrete in accordance with AASHTO LRFD Section 5, f'c = 4.0 KSI.






Cast-In-Place Standard Design - Walkways and Trails

Reinforced Concrete Pedestrian Tunnel

August, 2020


Index & General Notes

PT G1-20



Standard Section Plan View

(Keyway is to be omitted when bell joints are used)



Const. Jt. Span No. Weight (LB) 12'-0" 13 47

15

14'-0"

5r1 Bars - One

*The k9 and m9 bars are to be placed

in the top slab and bottom floor

unless the horizontal legs of the k2 and m2 bars touch or lap. The

pedestrian tunnel barrel standards

identify when the k9 and m9 bars

as typical because all transverse

repeats in 3'-0" intervals.

and vertical reinforcing steel spacing

are omitted.

Standard Section Plan View


(Keyway is to be omitted when bell joints are used)

**1'-6" Wide Waterproof Membrane,

Beveled 2"x4"

Keyway

Centered Over Joint



55


**1'-6" Wide Waterproof Membrane,

Slab Construction Joint Detail

Wall Construction Joint Detail

**PVC Waterstop -

Outside Face -



Floor Construction Joint Detail



Note:

*m9 Bar 3"

— ← Pedestrian Tunnel

41/2"-

*m9-

*k9-

D-

∗k9 Bar

m1 & m2 Bars

Floor

Slab

k1 & k2 Bars

a1 Bars

End Section Plan View

(Keyways not shown)

All longitudinal barrel steel shall extend at least to the

backface of parapet.

Var.

Var.

Dimensions listed on this sheet to be used in conjunction with dimensions and quantities for barrel section sheets.



Highway Division

Cast-In-Place Standard Design - Walkways and Trails

Reinforced Concrete Pedestrian Tunnel


August, 2020


Typical Tunnel Details

PT G2-20

**Note:

Omit PVC waterstop and waterproof membrane when bell joints are used.





12'-0" x 11'-4" Barrel Section

Notes:

- 1. Dimensions listed on this sheet to be used in conjunction with Sheet PT G2-20.
- 2. Horizontal legs for the k2 and m2 bars may lap in low fill situations.
- Dimensions "A", "B", "C", "D", and "Sp." listed in the bar list are in inches.
 Dimensions "S", "H", "L", and "V" listed in the bar
- Dimensions "S", "H", "L", and "V" listed in the bar list are in feet and inches



CIOWA**DOT**

Highway Division


Cast-In-Place Standard Design - Walkways and Trails

Reinforced Concrete Pedestrian Tunnel

August, 2020

Tunnel Details 12'-0" x 11'-4"

PT-RCB 12-11-20



Notes:

- 1. Dimensions listed on this sheet to be used in conjunction with Sheet PT G2-20.
- 2. Horizontal legs for the k2 and m2 bars may lap in low fill situations.
- 3. Dimensions "A", "B", "C", "D", and "Sp." listed in the bar list are in inches.

 Dimensions "S", "H", "L", and "V" listed in the bar
- list are in feet and inches





Highway Division

Cast-In-Place Standard Design - Walkways and Trails

Reinforced Concrete Pedestrian Tunnel

August, 2020


Tunnel Details 12'-0" x 12'-4"


PT-RCB 12-12-20

Construction Joint 10 Spa. @ 1'-0"; e1 Bars 1 -0" 4a1 4b1-"S" = 12'-0" 2"x6" Beveled Kevwav 10 Spa. @ 1'-0", 4f1 Bars with Bentonite Waterstop (Typ. Bottom of Walls) 4f2 Bar

12'-0" x 12'-4" Barrel Section

Permissible





Notes:

- 1. Dimensions listed on this sheet to be used in conjunction with Sheet PT G2-20.
- 2. Horizontal legs for the k2 and m2 bars may lap in low fill situations.
- 3. Dimensions "A", "B", "C", "D", and "Sp." listed in
- the bar list are in inches.
 4. Dimensions "S", "H", "L", and "V" listed in the bar list are in feet and inches

Highway Division

Cast-In-Place Standard Design - Walkways and Trails

Reinforced Concrete Pedestrian Tunnel


August, 2020

Tunnel Details 14'-0" x 12'-4"

PT-RCB 14-12-20

12:02:47 PM

bkloss



Dimension Table							
SxH	14' x 12'-4"	12' x 12'-4"	12' x 11'-4"				
А	37'-0"	37'-0"	34'-0"				
D	9'-3"	9'-3"	8'-6"				
Е	32'-6"	30'-6"	29'-0"				
G1	32'-6"	30'-6"	29'-0"				
G2 34'-5¾"		32'-5 ¾"	30'-9¾"				
G3	11¾"	11¾"	1'-0"				
Р	38'-1%"	38'-1%"	35'-0½"				
R	40'-1"	40'-1"	36'-10"				
Т	1'-2"	1'-2"	1'-2"				
Ш	1'-0"	1'-0"	11"				

Notes:

- 1. See Sheet PT G1-20 for General Information, Specifications, and Design Stresses.

 2. See Sheets PT-FWH 0-2-20 & PT-FWH 0-3-20 for
- location of certain dimensions tabulated.





Cast-In-Place Standard Design - Walkways and Trails Reinforced Concrete


Pedestrian Tunnel


August, 2020

Flared Wing Headwalls 0° SKEW


PT-FWH 0-1-20

W:\Highway\Bridge\Standards\Pedestrian Tunnels\EnglishSignedPedestrianTunnel.dgn PT-FWH 0-1-20 11x17_pdf.pltcfg







Typical View - Front Face Reinforcing




Typical View - Back Face Reinforcing



Typical Section - Near Center of Apron





Section thru Parapet



CIOWADOT Highway Division

Cast-In-Place Standard Design - Walkways and Trails Reinforced Concrete Pedestrian Tunnel


August, 2020

Flared Wing Headwalls 0° Skew

PT-FWH 0-3-20

Notes:

- 1. Bar spacing and positions shown are similar for all sizes of headwall in this standard.
- 2. For dimension table see Sheet PT-FWH 0-1-20.



Weight of bars over 40'-0" long includes an allowance of 2'-5" for lap. Lengths shown for bars over 40'-0" long do not include lap.

 Δ Includes top of wingwall quantities.

* Assumes apron and floor are equal thickness, adjust concrete quantities for transition where apron and floor thickness are not equal.

Headwall Notes:

- 1. See Sheet PT G1-20 for General Information, Specifications, and Design Stresses.
- 2. This headwall is based on a 3:1 slope normal to centerline of roadway. The sides of the apron are to be formed to ensure correct line and grade.
- 4. All slab and apron reinforcing steel is to be supported by bar chairs at intervals of not more than 3'-0" in either direction as outlined in the Standard Specifications.
- 5. Clear distance from face of concrete to near reinforcing bar is to be 2" unless otherwise noted or shown. Clearance to the bottom ends of vertical bars shall be 3 inches.
- Concrete quantities are estimated from back of parapet.
- 7. Horizontal tails of bars "b" & "s" estimated to extend 2'-5" beyond back of parapet (into end of barrel). Longitudinal bars "d" and "f" estimated to project into end section of barrel a minimum of 2'-5" beyond back of parapet. The "Length" column reflects total number of feet necessary to meet these requirements.
- 8. Dimensions are in feet and inches unless otherwise noted or shown.






Cast-In-Place Standard Design - Walkways and Trails

Reinforced Concrete Pedestrian Tunnel


August, 2020

Flared Wing Headwalls 0° Skew


PT-FWH 0-4-20




Joint Detail Section Thru Barrel




Longitudinal Section



8/2/2020 12:02:54 PM




Top & Sides - Bars 6y1



Bottom - Bars 6y2 & 6z

Est. of Quantities - One Joint											
	Bill of Reinforcing Ste	:el		14' x 12	2'-4"		12' x 12	2'-4"		12' x 1:	1'-4"
Bar	Location	Shape	No.	Length	Weight	No.	Length	Weight	No.	Length	Weight
6w1	Slab & Walls		4	28'-0"	168	4	26'-0"	156	4	25'-10"	155
6w2	Floor & Walls		4	27'-8"	166	4	25'-8"	154	4	25'-6"	153
6w3	Walls		8	11'-10"	142	8	11'-10"	142	8	10'-10"	130
6y1	Top & Sides		44	8'-0"	529	42	8'-0"	505	40	8'-0"	481
6y2	Bottom		16	9'-6"	228	14	9'-4"	196	14	9'-4"	196
6z	Bottom & Floor	Γ	16	3'-10"	92	14	3'-10"	81	14	3'-10"	81
Tc	otal Weight (LB)		\Box		1325			1234			1196
To	otal Concrete (CY)		9.9			9.2			8.9		

Concrete Placement								
Barrel	Barre	el Dime	nsion	Bell Joint Quantites (CY)				
Size	Α	В	С	Footing	Walls	Slab		
2' x 11'-4"	10.5"	13"	11"	3.089	3.140	2.652		
2' x 12'-4"	10.5"	13"	12"	3.118	3.426	2.677		
4' x 12'-4"	12"	14.5"	12"	3.497	3.426	3.002		



Notes:

- 1. Dimensions and quantities shown are based on slab, floor, and wall thicknesses (A, B, and C, respectively). Values for these dimensions, under varying fill conditions, can be found on the reinforced concrete pedestrian tunnel detail
- 2. Change lengths of bars 6w1, 6w2, 6z, and adjust reinforcing steel and concrete quantities accordingly for slab, wall, and floor thicknesses other than shown.
- 3. All bar lengths are estimated with a 2" clearance from concrete edge to outside of bar, except as noted.
- 4. Material and construction to be in accordance with the current Standard Specifications of I.D.O.T.
- 5. See Sheet PT-RCB G1-20 for General Information, Specifications, and Design
- 6. Barrel floor bars m1 & m9 are to be shortened 6" in length at bell joints.






Cast-In-Place Standard Design - Walkways and Trails


Reinforced Concrete Pedestrian Tunnel

August, 2020


Pedestrian Tunnel Bell Joints

PT-CBJ 1-20





PLAN VIEW - PHASE I (Showing Phase I of Floor Bell Joint Construction)



PLAN VIEW - PHASE II (Showing Phase II of Floor Bell Joint and Barrel Floor Construction)

-6w2 Bars Beveled Keyway - Phase II Be**ll** Joint and Barrel Floor Bentonite Waterstop or Approved Equal 6y2 Bar Phase I Bell Joint Floor 10"

SECTION B-B BELL JOINT AT FLOOR

NOTES:

- 1. The details shown on this sheet are an option for the contractor to construct the floor of the bell joint with a permissible construction joint as shown.
- 2. Reinforcing steel will be placed prior to placing the Phase I concrete.
- 3. The cost of the waterstop is considered incidental to the project. 4. A 2" x 6" beveled keyway will be formed to the distance shown and location noted before placing the concrete.
- 5. For details and dimensions of the bell joint refer to Sheet PT-CBJ 1-20.





Cast-In-Place Standard Design - Walkways and Trails

Reinforced Concrete Pedestrian Tunnel

August, 2020

Pedestrian Tunnel Bell Joints

PT-CBJ 2-20

End of Wingwall→

Highway Division

Safety Rail Details


PT-SR


1-20

W:\Highway\Bridge\Standards\Pedestrian Tunnels\EnglishSignedPedestrianTunnel.dgn PT-SR 1-20 11x17_pdf.pltcfg

8/2/2020 12:02:57 PM

bkloss






Provide $\frac{1}{16}$ " galvanized steel shim at each rail post. Use as required.

Post Base Plate and Shim Details

Pipe handrail assembly to be galvanized after fabrication. Drilled-in drain holes, to facilitate the hot dip galvanizing process, shall be indicated on the shop drawings.

Pipe Handrail Details



Rail Joint Detail

Pedestrian Hand Rail Notes:

- 1. The steel pipe pedestrian hand rail is to be bid on a linear foot basis measured end to end of rail. The price bid for "Steel Pipe Pedestrian Handrail" shall be full compensation for furnishing all material, including anchor bolts and shims, and all of the equipment and labor required to erect the rail in accordance with these Plans and Specifications.
- 2. The material for tube rails, posts and splice tubes shall be standard and extra strong steel pipe meeting the requirements of ASTM A53, Type E or S, Grade B. Base plates and shims shall meet the requirements of ASTM A36. Panels and end sections shall be galvanized, after fabrication, in accordance with the requirements of ASTM A123.
- 3. Ends of rail sections are to be sawed or milled. All cut ends are to be true, smooth, and free of burrs or ragged edges.
- 4. No painting will be required.
- 5. The stud concrete anchors shall be galvanized and have a minimum pull out strength of 8000 pounds based on 4000 PSI concrete.
- 6. Rail is to be centered along the Ç of wingwalls and parapets.
- 7. Posts shall be set plumb.



Cast-In-Place Standard Design - Walkways and Trails

Reinforced Concrete Pedestrian Tunnel

August, 2020

Safety Rail Details

PT-SR 2-20

End Rail Details

- 2. Form the textured concrete surface using a form liner system made of high-strength urethane elastomer, plastic or flexible foam materials capable of withstanding anticipated concrete pour pressures without leakage or causing physical defects. Form liners shall easily attach to forms and be removable without causing concrete surface damage. If recommended by the form liner Manufacturer, use structural backers to prevent deformation of the liner during loading of the forms. The liners shall be designed to form surfaces conforming to the design intent including the shape, lines and dimensions shown in the plans and to avoid visible pattern repeats. Match pattern features at form liner joints to minimize pattern repeats and make the formed concrete surface appear uniform and continuous without visible seams and form marks. When joints are unavoidable, make joints along main features of the pattern in accordance with Manufacturer's recommendations.
- 3. Form liner edges following curves are to be cut cleanly and parallel to the curve. Use adequate blocking, sealing and other means in order to maintain the appropriate depth and character of texture at cut edges of liners and to prevent mortar leakage.
- 4. During loading of forms with concrete, take extra care to adequately vibrate concrete in order to maintain all intended features of the form liner in the final surface and to prevent voids. Following removal of forms, finish minor defects to blend with the balance of the surface texture. The completed surface shall be free of blemishes, surface voids and conspicuous form marks to the satisfaction of the Engineer. The Contractor shall correct, at his own cost, any surface defects.
- 5. Verify that release agents used are compatible with form liner material, and are non-staining. Apply release agent in accordance with the form liner Manufacturer's recommendations.
- 6. If used, form ties shall be made of non-corrosive materials when the portion permanently embedded in the concrete is less ties and accessories in stone pattern mortar joints and at high points of finished wall.
- 7. If heating forms during cold weather construction, take special care to avoid damaging form liners. Overheating can warp or melt some form liner materials.
- 8. Strip formwork using techniques in accordance with liner manufacturer's recommendations after the concrete has achieved the strengths and cure times required by the plans and applicable Specifications. Clean and repair form liner surfaces prior to use. Do not use split, frayed, delaminated or otherwise damaged form
- 9. All costs associated with concrete texturing and form liners are to be included in the bid item "Structural Concrete (RCB Culvert)".

General Notes for Concrete Rustication:

- 1. Strips and panels used as inserts within concrete forms to create the rustication features may be made of wood, steel, plastic or other nonporous material capable of withstanding anticipated concrete pour pressures without physical defects. Wood inserts, if used, shall be free of warp, twist, checks or cracks, and shall be presoaked prior to placement of concrete in the forms.
- 2. Rustication inserts shall easily attach to forms and shall not allow leakage of concrete between the form and the insert. When steel forms are used, rustication strips may be rigidly attached to the inside surfaces of the forms. When steel forms are not used, rustication strips and other inserts for small recesses on exposed concrete surfaces shall be fastened to the forms in a manner that will permit them to remain in place when the forms are removed. Leave inserts in place until they can be removed without damage to the surrounding concrete.
- 3. The inserts shall be designed to form surfaces and features conforming to the design intent including the shape, lines, depths and dimensions shown in the plans. Create inserts using a minimum number of splice joints in their length. Splices, if used, shall be tightly joined so as not to allow gaps or leaks, and shall not create any change in alignment or shape of the rustication feature. Do not locate form ties within concrete rustications.
- 4. For rustication features following the perimeter of rounded surfaces, it may be necessary to use multiple layers of insert material in order to achieve the radius curve. This is acceptable, provided that the final shape, line, depth, and dimension of the features are maintained in the final result.
- 5. During loading of forms with concrete, take extra care to ensure proper consolidation of concrete around all rustication inserts to preserve the shape, line and depth of all intended features in the final concrete surface. Following removal of forms, repair all defects to achieve the rustication features as specified in the plans. Patch voids, honeycomb areas, etc., in accordance with the Standard Specifications. If surfaces will not receive a colored sealer coating, add white cement to the patching mortar to lighten it in order to match surrounding concrete when dry. Completed surface shall be free from blemishes, surface voids and conspicuous form marks to the satisfaction of the Engineer. The Contractor shall correct, at his own cost, any surface defects.
- 6. All costs associated with concrete rustication are to be included in the bid item "Structural Concrete (RCB Culvert)".

Anti-Graffiti Coating Notes:

- 1. Anti-graffiti surface preparation and application shall be in accordance with the "Special Provisions for Anti-Graffiti Coating" and material used shall be an approved type in accordance with Materials I.M. 491.23. Color shall be clear. Anti-graffiti coating must be compatible with other concrete coatings used on the project in accordance with the Manufacturer's recommendations.
- 2. Anti-graffiti coating shall be applied to all interior surfaces of the pedestrian tunnel except the walking surface, and all exposed vertical surfaces of the headwalls including the parapets. Anti-graffiti coating is not required on the top horizontal surfaces of the parapets. All costs for anti-graffiti coating shall be included in the bid item "Anti-Graffiti Coating" and is paid for on a square yard basis.

Tunnel Concrete Coating Notes:

- 1. All interior surfaces of the pedestrian tunnel except the walking surface, to the limits of the front face of parapets, shall be finished with a 100% acrylic, vapor permeable masonry coating. The coating used shall be certified to allow water vapor transmission in accordance with ASTM E96 or ASTM D1653.
- 2. The 100% acrylic, vapor permeable masonry coating shall be one of the following listed products:
 - A. TK Products Tri-sheen Acrylic
 - B. Sherwin Williams A-100
 - C. Chemrex Inc. Thorosheen
 - D. Edison Coatings Agryl-X 200
 - E. Approved equal; submit product information to the Iowa DOT, Bridges and Structures Bureau, Ames, IA 50010. Do not order materials prior to receiving approval for use on the project.
- 3. Prior to concrete coating application, prepare surfaces in accordance with the "Developmental Specifications for Concrete Surface Preparation and Testing Prior to Coating Application". Apply 100% acrylic, vapor permeable masonry coating in accordance with the "Developmental Specifications for Structural
- 4. One color of concrete coating is to be used on the pedestrian tunnel. The color shall be white matching SAE AMS-STD-595 color number 27925 (semi-gloss). Submit product specifications and color samples in accordance with the "Developmental Specifications for Structural Concrete Coating".
- 5. No coating overspray or other contamination shall be allowed on the floor surface of the pedestrian tunnel, on the adjacent parapets, headwalls, or on the approach pavement. Take special care to avoid contamination of adjacent surfaces.
- 6. All costs associated with surface preparation and application of 100% acrylic, vapor permeable masonry coating are to be included in the bid item "Structural Concrete Coating".



Cast-In-Place Standard Design - Walkways and Trails

Reinforced Concrete Pedestrian Tunnel

August, 2020

Aesthetic Treatment General Notes

PT-AD 1-20

2. The form liner used to produce the texture shown in the plan details shall produce a textured effect of a realistic, random drystacked stone masonry surface having stones of varying size and shape. Individual stone dimensions shall be between 3 and 42 inches. Maximum depth of texture shall be between $1\frac{1}{2}$ and $2\frac{1}{2}$ inches.

3. Obtain texture form liner materials from one of the following manufacturers:

A. Custom Rock International (Pattern Nos. 1203, 1208)

B. Fitzgerald Formliners (Pattern No. 17911)

C. Architectural Polymers (Pattern No. 911)

D. Other Manufacturers and patterns submitted to and approved by the Iowa Department of Transportation, Bridges and Structures Bureau

4. The pedestrian tunnel headwall surfaces as designated in the plans shall also receive concrete rustication. See "General Notes for Concrete Rustication" on Sheet PT-AD 1-20 for more information regarding approved techniques and methods of concrete rustication.


Texture Mockup Panel Notes:

1. Prior to beginning any production concrete work that includes texture, a textured concrete mockup panel must be reviewed and approved by the Engineer.


2. Construct a 3-foot high, by 6-inch wide (Min.), by 3-foot long mockup panel in accordance with the Standard Specifications and these plans. See mockup details on this design sheet.

3. Cast the mockup panel(s) on site, using the same forming methods, procedures, form liners, and concrete mixture(s) as are proposed for the production work. Textured face shall be vertical during the casting process. A single mat of No. 5 reinforcing bars in two directions shall be centered within the panel. If the mockup panel is rejected, construct a new mockup panel as directed by the Engineer. Begin textured concrete production work only after the mockup has been approved by the Engineer.

All costs associated with the textured concrete mockup panel(s) shall be included in the price bid for "Structural Concrete (RCB Culvert)".



Section A-A




Permissible Const. Jt. Textured Concrete

Typical Wingwall Elevation

Textured Concrete -One Headwall

Location	Quantitiy (CY)
12' x 11'-4" Headwa ll	1.9
12' x 12'-4" Headwa ll	2.2
14' x 12'-4" Headwa ll	2.2

Quantity is based on an average relief of $1\frac{1}{4}$ " over the surface area of the wingwall.



Texture Mockup Panel Details





Cast-In-Place Standard Design - Walkways and Trails

Reinforced Concrete Pedestrian Tunnel August, 2020

Pedestrian Tunnel Textured Concrete

PT-AD 2-20