ESTIMATED QUANTITIES (WITH CAST-IN-PLACE ABUTMENTS)										
	REINFOR	CED CONCRETE BO	X BEAMS	PRETENSIONED PRESTRESSED CONCRETE BOX BEAMS						
	SPAN	30'-0	40'-0	50'-0	30'-0	40'-0	50'-0	60'-0	70′-0	
UHPC JOINT FOR CONCRETE BOX BEAM BRIDGE	L.F.	219	289	359	219	289	359	429	499	
STRUCTURAL CONCRETE *	C.Y.	43.6	43.6	45.5	41.3	41.3	43.6	43.6	45.5	
EPOXY COATED REINFORCING STEEL *	LBS.	6,898	6,898	6,818	6,710	6,710	6,898	6,676	7,082	
STRUCTURAL STEEL **	LBS.	1,726	2,222	3,112	1,478	1,900	2,718	3,215	4,442	
REINFORCED CONCRETE BOX BEAM	NO.	8-27"x48"x30'-0 RCBB	8-27"×48"×40'-0 RCBB	8-33"×48"×50'-0 RCBB	-	-	-	-	-	
PRETENSIONED PRESTRESSED CONCRETE BOX BEAM	NO.	-	-	-	8-21"x48"x30'-0 PPCBB	8-21"x48"x40'-0 PPCBB	8-27"x48"x50'-0 PPCBB	8-27"×48"×60'-0 PPCBB	8-33"x48"x70'-0 PPCBB	
NO. OF STEEL H-PILES (HP 10×57) FOR TWO ABUTMENTS	NO.	12	12	14	12	12	12	14	16	

NOTES:

* INCLUDES TWO ABUTMENT FOOTINGS AND TWO ABUTMENT BACKWALLS. SEE SHEET B30-16-16 FOR ADDITIONAL CONCRETE REQUIRED IN ABUTMENT FOOTINGS.

** INCLUDES FOUR RETAINER ANGLE ASSEMBLIES AND BRIDGE RAIL POSTS.

ESTIMATED QUANTITIES (WITH PRECAST ABUTMENTS)											
		REINFOR	CED CONCRETE BO	X BEAMS	PRETENSIONED PRESTRESSED CONCRETE BOX BEAMS						
	SPAN	30'-0	40'-0	50'-0	30'-0	40'-0	50'-0	60'-0	70′-0		
UHPC JOINT FOR CONCRETE BOX BEAM BRIDGE	L.F.	219	289	359	219	289	359	429	499		
STRUCTURAL STEEL **	LBS.	726,ا	2,222	3,112	1,478	1,900	2,718	3,215	4,442		
PRECAST ABUTMENT BACKWALL	NO.	4	4	4	4	4	4	4	4		
PRECAST FOOTING (CONCRETE WINGS) ***	NO.	2	2	2	2	2	2	2	2		
REINFORCED CONCRETE BOX BEAM	NO.	8-27"x48"x30'-0 RCBB	8-27"x48"x40'-0 RCBB	8-33"x48"x50'-0 RCBB	-	-	-	-	-		
PRETENSIONED PRESTRESSED CONCRETE BOX BEAM	NO.	-	-	-	8-21"x48"x30'-0 PPCBB	8-21"x48"x40'-0 PPCBB	8-27"x48"x50'-0 PPCBB	8-27"×48"×60'-0 PPCBB	8-33"x48"x70'-0 PPCBB		
NO. OF STEEL H-PILES (HP IO×57) FOR TWO ABUTMENTS	NO.	12	12	14	12	12	12	14	16		

NOIES:
*** INCLUDES FOUR RETAINER ANGLE ASSEMBLIES AND BRIDGE RAIL POSTS.
*** INCLUDES HIGH EARLY STRENGTH SELF-CONSOLIDATING CONCRETE FOR CMP POCKETS, SEE SHEET B30-23-16 FOR VOLUME OF HIGH EARLY STRENGTH SELF-CONSOLIDATING CONCRETE REQUIRED
FOR EACH BOX BEAM TYPE AND SPAN LENGTH.

NOIES: QUANTITIES SHOWN ONLY INCLUDE QUANTITIES COVERED BY THESE STANDARDS. OTHER QUANTITIES, AS REQUIRED, MAY ALSO NEED TO BE COMPUTED BY THE USER OF THESE STANDARDS SUCH AS UHPC JOINT WATER INTEGRITY TEST, EXCAVATION CLASS 20 OR 21, REMOVAL OF STRUCTURE, BRIDGE WING ARMORING, ETC.

