

Iowa DOT FHWA 2022 Safety Targets

August 2021

In March 2021, the Iowa DOT began the process of reviewing data to set performance targets for the five safety performance measures required by FHWA in 23 CFR 490 (also referred to as “PM1”). For the safety area, these targets are required to be five-year rolling averages and must be set annually. The five required measures are:

1. Number of fatalities
2. Rate of fatalities per 100 million vehicle miles traveled (VMT)
3. Number of serious injuries
4. Rate of serious injuries per 100 million VMT
5. Number of non-motorized fatalities and non-motorized serious injuries

These targets must be set as five-year rolling averages for 2018-2022 and will be submitted as part of the State’s Highway Safety Improvement Program (HSIP) annual report, due August 31, 2021. The first round of target setting for these measures occurred in 2017, and the same approach was used again in 2018, 2019, 2020 and 2021. Because of the relatively short-term nature of the targets, the methodology being utilized focuses on historical information and creates a forecast based on trends. The approach relies on the use of prediction intervals around the trend model forecast to inform a “risk-based” target setting method.

A prediction interval is defined as: “In statistical inference, specifically predictive inference, a prediction interval is an estimate of an interval in which future observations will fall, with a certain probability, given what has already been observed.”¹ A prediction interval approach enables a focus on the acceptable risk of meeting, or failing to meet a target, which allows stakeholders at all levels of the organization to understand the targets in better context. Since 2017, the safety targets working group has annually evaluated several prediction intervals and continued to recommend a prediction interval of 75%, meaning that there would be 75% confidence that the actual number of fatalities and injuries would be lower than the targets. Management agreed with the use of a 75% confidence level, and it is being used again in 2021 for target setting.

For each measure, a time-series model was developed. An integrated moving average (IMA) model has been used since 2017. The following pages show the model’s output and predictions at various confidence levels for each measure. This helps illustrate the level of risk associated with various confidence levels, as well as the fact that higher confidence levels lead to more conservative targets. The final page shows the 2018-2022 safety targets.

The safety data used in the forecast can be obtained from the Iowa Crash Analysis Tool (ICAT) and Motor Vehicle Division daily fatality count from the following websites.

ICAT: <https://icat.iowadot.gov/>

Fatality Report: <https://www.iowadot.gov/mvd/stats/daily.pdf>

¹ https://en.wikipedia.org/wiki/Prediction_interval, 2019-May-02

Measure 1: Number of fatalities

Figure 1 shows the historical series (black line), the integrated moving average (IMA) model (red line), the model's forecast values (black dots), and a set of prediction interval (PI) bounds (blue lines). The blue lines shown in this figure correspond to the 75% confidence level used for targets. Table 1 shows the model's forecast of fatalities for 2021 and 2022 and the upper prediction interval value at different confidence levels.

Figure 1: IMA model and forecast for annual fatalities




Table 1: Forecast road fatalities and upper prediction values at selected probability levels

Year	Forecast	70%	75%	80%	85%	97.5%
2021	336	355	360	366	373	407
2022	333	355	361	368	376	414

To be 75% confident of the 2022 target value, the five-year rolling average target for 2018-2022 would be set by averaging the forecast value of 336 fatalities for 2021 and the 75% PI value of 361 as the 2022 value along with the actual fatalities for 2018, 2019, and 2020. The five-year rolling average target for fatalities is presented in Table 7.

Measure 2: Fatalities per hundred million vehicle miles traveled

This measure is a rate conversion, using the forecast developed for Measure 1 and the estimated VMT for the forecast period. The forecast values of VMT were provided by the Systems Planning Bureau using a linear forecast.² The annual VMT forecast by this method for 2022 is expected to be 33.1 billion (33,051,440,000).

Table 2: Fatality rate forecast at selected probability levels

Year	VMT forecast (x1M)	Forecast fatality rate	70%	75%	80%	85%	97.5%
2021	32,954.00	1.0196	1.0773	1.0924	1.1106	1.1319	1.2351
2022	33,051.44	1.0075	1.0741	1.0922	1.1134	1.1376	1.2526

To be 75% confident of the 2022 target value, the five-year rolling average target for 2018-2022 would be set by averaging the forecast value of 1.0196 fatalities per hundred million VMT for 2021 and the 75% PI value of 1.0922 for 2022 along with the actual fatality rates for 2018, 2019, and 2020. The five-year rolling average target for fatality rate is presented in Table 7.

² Note: this is a slight methodological change compared to prior years where the “Linear ETS”, an exponential smoothing approach, was used. This is due to the substantial drop in 2020 traffic due to the COVID-19 pandemic.

Measure 3: Number of serious injuries

The figure below shows the historical series (black line), the model (red line), the model's forecast values (black dots), and a set of prediction interval bounds (blue lines) for the number of serious injuries resulting from collisions. In this case, due to a discontinuity between 2000 and 2001, the model is constructed using only data from 2001 and later.

Figure 3: IMA model and forecast for serious injuries




Table 3: Forecast road serious injuries and upper prediction values at selected probability levels

Year	Forecast	70%	75%	80%	85%	97.5%
2021	1,309	1,372	1,390	1,410	1,433	1,543
2022	1,253	1,338	1,362	1,389	1,420	1,568

To be 75% confident of the 2022 target value, the five-year rolling average target for 2018-2022 would be set by averaging the forecast value of 1,309 for 2021 and the 75% PI value of 1,362 for 2022 along with the actual serious injuries for 2018, 2019, and 2020. The five-year rolling average target for serious injuries is presented in Table 7.

Measure 4: Serious injury rate per hundred million vehicle miles traveled

This measure is a rate conversion, using the forecast developed for Measure 3 and the estimated VMT for the forecast period. The forecast values of VMT were provided by the Systems Planning Bureau using a linear forecast.³ The annual VMT forecast by this method for 2022 is expected to be 33.1 billion (33,051,440,000).

Table 4: Serious injury rate forecast at selected probability levels

Year	VMT forecast (x1M)	Forecast serious injury rate	70%	75%	80%	85%	97.5%
2021	32,954.00	3.9722	4.1634	4.2180	4.2787	4.3485	4.6823
2022	33,051.44	3.7911	4.0482	4.1208	4.2025	4.2963	4.7441

To be 75% confident of the 2022 target value, the five-year rolling average target for 2018-2022 would be set by averaging the forecast value of 3.9722 serious injuries per hundred million VMT for 2021 and the 75% PI value of 4.1208 for 2022 along with the actual serious injury rates for 2018, 2019, and 2020. The five-year rolling average target for serious injury rate is presented in Table 7.

³ Note: this is a slight methodological change compared to prior years where the “Linear ETS”, an exponential smoothing approach, was used. This is due to the substantial drop in 2020 traffic due to the COVID-19 pandemic.

Measure 5: Number of non-motorized fatalities & serious injuries

The figure below shows the historical series (black line), the model (red line), the model's forecast values (black dots), and a set of prediction interval bounds (blue lines) for the number of non-motorized fatalities and serious injuries resulting from collisions with a vehicle. The model is constructed using all available data from 2009 and later.

Figure 5: IMA model and forecast for annual non-motorized fatalities and serious injuries




Table 5: Forecast non-motorized fatalities and serious injuries, and upper prediction values at selected probability levels

Year	Forecast	70%	75%	80%	85%	97.5%
2021	130	133	134	135	137	143
2022	132	136	137	138	139	146

To be 75% confident of the 2022 target value, the five-year rolling average target for 2018-2022 would be set by averaging the forecast value of 130 for 2021 and the 75% PI value of 137 for 2022 along with the actual non-motorized fatalities and serious injuries for 2018, 2019, and 2020. The five-year rolling average target for non-motorized fatalities and serious injuries is presented in Table 7.

Iowa DOT 2018-2022 safety targets

While the preceding forecasts were developed for each year, the targets are required to be set as five-year rolling averages, as crashes are subject to significant year-to-year variability. The following table gives the actual numbers of fatalities, serious injuries, non-motorized injuries and fatalities, and the vehicle miles traveled (VMT, in millions) for each respective year, which are the basis for the five-year rolling averages presented in Table 7.

Table 6: Annual data summary

Year	Fatalities	Fatality rate	Serious injuries	Serious injuries rate	Non-motorized injuries and fatalities	VMT
						(millions)
2014	322	0.996	1,522	4.707	120	32,332
2015	321	0.970	1,471	4.443	138	33,109
2016	402	1.209	1,513	4.549	135	33,263
2017	332	0.984	1,480	4.385	126	33,751
2018	319	0.952	1,312	3.916	121	33,507
2019	336	0.995	1,348	3.991	132	33,779
2020	337	1.127	1,305	4.364	129	29,906 ⁴

Table 7 shows the historical and predicted five-year rolling averages for the five targets. The highlighted numbers represent Iowa's 2018-2022 safety targets.

Table 7: 5-year rolling average actuals and 2022 targets

Five-Year Rolling Averages					
Year	Fatalities	Serious injuries	Non-motorized injuries and fatalities	Fatalities per hundred million VMT	Serious injuries per hundred million VMT
2012-16	345.2	1,532.6	132.2	1.066	4.741
2013-17	338.8	1,506.2	129.6	1.033	4.596
2014-18	339.2	1,459.6	128.0	1.022	4.400
2015-19	342.0	1,424.8	130.4	1.022	4.257
2016-20	345.2	1,391.6	128.6	1.053	4.241
Forecast 75% prediction interval value					
2017-21	336.8	1,367.0	128.4	1.030	4.175
2018-22 targets	337.8	1,327.2	129.8	1.037⁵	4.073⁶

⁴ The 2020 VMT value is estimated based on preliminary 2020 traffic count data.

⁵ 2020 VMT and 2021-2022 VMT forecasts are subject to greater-than-usual uncertainty due to the impacts of the COVID-19 pandemic.

⁶ See footnote 5.