



Contracts and Specifications Bureau

Office of Contracts | Project Delivery Bureau
800 Lincoln Way – Ames, IA 50010
Phone: 515-239-1414 FAX: 515-239-1325
E-mail address: dot.contracts@iowadot.us

NOTICE TO BIDDERS --- June 18, 2019

STATE OF IOWA - Sealed bids will be received by the Iowa Department of Transportation (DOT), Office of Contracts, 800 Lincoln Way, Ames, Iowa 50010 on July 30, 2019 at 10:00 A.M. CDT for various items of construction and maintenance work.

Plans, specifications and proposal forms for the work may be seen at the Office of Contracts until noon on the day previous to the letting.

A listing of projects open for bids and details for each project will be available to potential bidders and suppliers three weeks prior to the letting date at www.bidx.com/ia/main or www.iowadot.gov or by calling the Office of Contracts at 515-239-1414.

The Iowa DOT uses the Bid Express website - www.bidx.com - as the official depository for bid submittal. The Iowa DOT will ensure this depository is available for a two-hour period prior to the deadline for submission of bids. If there is an interruption of communications or loss of service by Bid Express during this two-hour period, the Iowa DOT will delay the deadline for bid submissions to allow potential bidders to submit bids. Instructions will be communicated to potential bidders.

Opening and reading of the bids will be performed at the Office of Contracts after 10:30 A.M. on the day bids are to be received, unless otherwise specified by the Iowa DOT.

Unless otherwise specified, bidder shall submit an electronic proposal with digital signature using bidding software furnished by the Department and electronic bid submittal procedures of the Department. Proposals received after the bid deadline will not be read. Proposals containing any reservations not provided for in the forms furnished will be rejected. The Iowa DOT reserves the right to waive technicalities and reject any or all bids.

A proposal guaranty, not less than the amount as set forth in the proposal form, shall be filed with each proposal. The proposal guaranty shall be in the form of a certified check or credit union certified share draft, cashier's check, money order or bank draft drawn on a solvent bank or credit union. Certified checks or credit union certified share drafts shall bear an endorsement signed by a responsible official of such bank or credit union as to the amount certified. Cashier's checks, money orders or bank drafts shall be made payable either to the contracting authority or bidder; and, where made payable to the bidder, shall contain an unqualified endorsement to the contracting authority signed by the bidder or the bidder's authorized agent. A properly completed Contractor's Annual Bid Bond (form 650043) may be used in lieu of the monetary options specified above. Both forms are available from the Office of Contracts. These must be delivered to the Office of Contracts at the address above, Iowa DOT personnel will be available to accept proposal guaranties during regular business hours of 8:00 a.m. to 4:30 p.m. A Proposal Guaranty/Bid Bond (Form 518003) may be used for the proposal guaranty in lieu of that specified above, using the electronic bid bond verification feature authorized by the Department.

Per Iowa Code section 423.3 (80), the contracting authority will issue an exemption certificate for the purchase or use of building materials, supplies and equipment used in the performance of the construction contract.

Failure to execute a contract and file an acceptable performance bond and certificate of insurance within 30 days of the approval date for awarding the contract will be just and sufficient cause for the denial of the award and forfeiture of the proposal guaranty.

The Iowa DOT (or other approved contracting authority) hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

On federal-aid projects, where disadvantaged business enterprise (DBE) goals have been established, the bidder is required to complete and submit form 102115 with the bid documents. On all projects without DBE goals, the contractor must show that affirmative action has been made to seek out and consider DBEs as potential subcontractors.

Some projects may be listed in multiple proposals (as an individual project or part of a combined package of projects). The contracting authority will determine which combination of proposals produce the lowest bid for these projects.

Minimum wage rates for all federal-aid projects have been predetermined by the U.S. Secretary of Labor and are set forth in the specifications. However, this does not apply to projects off the federal-aid highway system. All federal-aid projects are subject to the Contract Work Hours Standards Act, as amended (title I of Pub. L. 87-581, Aug. 13, 1962, 75 Stat.357) and implementing regulations.

By virtue of statutory authority, a preference will be given to products and provisions grown and coal produced within Iowa, and also, a resident bidder shall be allowed a preference against a nonresident bidder from a state or foreign country which gives or requires a preference to bidders from that state or foreign country both on projects in which there are no federal funds involved.

FOR THE LETTING -- 2019/07/30

Quantities for Items bid as Alternates are overstated. See Proposal

BID ORDER NUMBER: 001

PROPOSAL ID: 52-0806-371

COUNTY: JOHNSON

WORK TYPE: BRIDGE REPLACEMENT - PPCB

PROPOSAL SECTION(S):

- 0001 Design No. 0117; A 173'-0 X 15'-4 CONTINUOUS WELDED GIRDER BRIDGE - NHS-080-6(329)239--11-52
- 0002 Design No. 0217; A 173'-0 X 15'-4 CONTINUOUS WELDED GIRDER BRIDGE - NHS-080-6(329)239--11-52
- 0003 Roadway Items - NHS-080-6(329)239--11-52
- 0004 DESIGN NO. 0317; A 371'-0 X 15'-4 PRETENSIONED PRESTRESSED CONCRETE BEAM BRIDGE - NHS-080-6(332)239--11-52
- 0005 DESIGN NO. 0417; A 371'-0 X 15'-4 PRETENSIONED PRESTRESSED CONCRETE BEAM BRIDGE - NHS-080-6(332)239--11-52
- 0006 DESIGN NO. 2817; A 854'-0 X 40'-0 CONTINUOUS WELDED GIRDER BRIDGE - PIER ONLY - NHS-080-6(332)239--11-52
- 0007 Roadway Items - NHS-080-6(332)239--11-52
- 0008 Design No. 0517; A 279'-0 X 15'-4 PRETENSIONED PRESTRESSED CONCRETE BEAM BRIDGE - NHS-080-6(336)239--11-52
- 0009 Design No. 0617; A 279'-0 X 27'-4 PRETENSIONED PRESTRESSED CONCRETE BEAM BRIDGE - NHS-080-6(336)239--11-52
- 0010 Roadway Items - NHS-080-6(336)239--11-52
- 0011 Design No. 0717; A 324'-0 X 27'-4 PRETENSIONED PRESTRESSED CONCRETE BEAM BRIDGE - NHS-080-6(339)239--11-52
- 0012 Design No. 0817; A 324'-0 X 15'-4 PRETENSIONED PRESTRESSED CONCRETE BEAM BRIDGE - NHS-080-6(339)239--11-52
- 0013 Roadway Items - NHS-080-6(339)239--11-52
- 0014 DESIGN NO. 0917; A 224'-0 X 15'-4 PRETENSIONED PRESTRESSED CONCRETE BEAM BRIDGE - NHS-080-6(342)239--11-52
- 0015 DESIGN NO. 1017; A 224'-0 X 15'-4 PRETENSIONED PRESTRESSED CONCRETE BEAM BRIDGE - NHS-080-6(342)239--11-52
- 0016 ROADWAY ITEMS - NHS-080-6(342)239--11-52
- 0017 Design No. 1117; A 284'-0 X 15'-4 PRETENSIONED PRESTRESSED CONCRETE BEAM BRIDGE - NHS-080-6(345)239--11-52
- 0018 Design No. 1217; A 284'-0 X 15'-4 PRETENSIONED PRESTRESSED CONCRETE BEAM BRIDGE - NHS-080-6(345)239--11-52
- 0019 Roadway Items - NHS-080-6(345)239--11-52
- 0020 Design No. 1517; A 259'-0 X VARIES PRETENSIONED PRESTRESSED CONCRETE BEAM BRIDGE - NHS-080-6(354)239--11-52
- 0021 Roadway Items - NHS-080-6(354)239--11-52
- 0022 Design No. 0221; A 249'-0.25 X 30'-0 PRETENSIONED PRESTRESSED CONCRETE BEAM BRIDGE - NHS-080-6(357)239--11-52
- 0023 Roadway Items - NHS-080-6(357)239--11-52
- 0024 Design No. 0222; A 249'-0.25 X 40'-0 PRETENSIONED PRESTRESSED CONCRETE BEAM BRIDGE - NHS-080-6(359)239--11-52
- 0025 Roadway Items - NHS-080-6(359)239--11-52
- 0026 Design No. 0321; WIDENING FOR A 570'-0 82'-0 CONTINUOUS WELDED GIRDER BRIDGE - NHS-080-6(361)239--11-52
- 0027 Roadway Items - NHS-080-6(361)239--11-52
- 0028 Roadway Items - NHS-080-6(371)239--11-52
- 0029 ALTERNATE 'AA' OPTION 1: PCC SHOULDER - BID THIS SECTION IF ALTERNATE 'AA' OPTION 1 IS CHOSEN - NHS-080-6(371)239--11-52
- 0030 ALTERNATE 'AA' OPTION 2: HMA SHOULDER - BID THIS SECTION IF ALTERNATE 'AA' OPTION 2 IS CHOSEN - NHS-080-6(371)239--11-52
- 0031 Storm Sewer Items - NHS-080-6(371)239--11-52
- 0032 Roadside Items - NHS-080-6(371)239--11-52
- 0033 Design No. 1617; WIDENING FOR A 562'-0 X 78'-0 CONTINUOUS WELDED GIRDER BRIDGE - NHS-080-6(379)239--11-52

Quantities for Items bid as Alternates are overstated. See Proposal

- 0034 Design No. 2317; A 45'-2 X 12'-3 REINFORCED CONCRETE RETAINING WALL - NHS-080-6(379)239--11-52
- 0035 Roadway Items - NHS-080-6(379)239--11-52
- 0036 Roadway Items - NHS-080-6(401)239--11-52
- 0037 Lighting Items - NHS-080-6(402)239--11-52
- 0038 Design No. 0719; A 3'-0 x 3'-0 Reinforced Concrete Box Culvert With Flume - NHS-218-4(40)--19-52
- 0039 Design No. 0919; A Triple 10'-0 x 12'-0 Reinforced Concrete Box Culvert Extension - NHS-218-4(40)--19-52
- 0040 Design No. 1019; 4'-0 x 4'-0 Reinforced Concrete Box Culvert With Flume - NHS-218-4(40)--19-52
- 0041 Roadway Items - NHS-218-4(40)--19-52
- 0042 Design No. 0520; A Triple 10'-0 x 12'-0 Reinforced Concrete Box Culvert Extension - NHS-218-4(41)--19-52
- 0043 Roadway Items - NHS-218-4(41)--19-52
- 0044 ROADWAY ITEMS - NHS-380-6(373)1--11-52
- 0045 ROADSIDE ITEMS - NHS-380-6(373)1--11-52
- 0046 DESIGN NO. 1119; A 6' X 6' REINFORCED CONCRETE BOX CULVERT EXTENSION - NHS-380-6(373)1--11-52
- 0047 Design No. 1219; A TWIN 1219; 8'-0 X 8'-0 REINFORCED CONCRETE BOX CULVERT EXTENSION - NHS-380-6(373)1--11-52
- 0048 Design No. 1319; A TWIN 1219; 8'-0 X 8'-0 REINFORCED CONCRETE BOX CULVERT EXTENSION - NHS-380-6(373)1--11-52
- 0049 PAYMENT ADJUSTMENT INCENTIVE ITEMS - NHS-080-6(371)239--11-52
- 0050 NO EXCUSE ROAD OPENING BONUS FOR CONTRACT
- 0051 INCENTIVE / DISINCENTIVE ITEMS FOR CONTRACT

DBE GOAL: 4.0%

COMPLETION DATE: 2020/11/15

GUARANTY: \$3,250,000.00

PROJECTS INCLUDED:

NHS-080-6(329)239--11-52 ROUTE: I-80
In The City Of Coralville On I-380 Over Ramp F Stage I

1.00	LUMP SUM	CONSTRUCTION SURVEY
140.00	LINEAR FOOT	CULVERT PIPE
3,640.00	CUBIC YARD	EXCAVATION CLASS 20
1,135.80	SQUARE YARD	LONGITUDINAL GROOVING IN CONCRETE
1,900.00	LINEAR FOOT	PILE, STEEL H, 10 IN.
36,960.00	POUND	REINFORCING STEEL
34,357.00	POUND	REINFORCING STEEL, EPOXY COATED
1.00	LUMP SUM	REMOVAL OF ASBESTOS
250.00	LINEAR FOOT	SILT FENCE
299.60	CUBIC YARD	STRUCTURAL CONCRETE
529,666.00	POUND	STRUCTURAL STEEL

NHS-080-6(332)239--11-52 ROUTE: I-80
In The City Of Coralville On I-380 Over I-80 Stage I

24.00	EACH	BEAMS, PRETENS. PRESTR. CONC.
61.60	SQUARE YARD	COLORLED SEALER COATING OF CONCRETE
3.00	LUMP SUM	CONSTRUCTION SURVEY
1,322.00	CUBIC YARD	EXCAVATION CLASS 20
1,706.60	SQUARE YARD	LONGITUDINAL GROOVING IN CONCRETE
9,880.00	LINEAR FOOT	PILE, STEEL H, 10 IN.
1,400.00	LINEAR FOOT	PILE, STEEL H, 14 IN.
95,701.00	POUND	REINFORCING STEEL
160,105.00	POUND	REINFORCING STEEL, EPOXY COATED
250.00	LINEAR FOOT	SILT FENCE
1,447.70	CUBIC YARD	STRUCTURAL CONCRETE
5,494.00	POUND	STRUCTURAL STEEL

NHS-080-6(336)239--11-52 ROUTE: I-80
In The City Of Coralville On I-380 Over Ramps G & E Stage I

21.00	EACH	BEAMS, PRETENS. PRESTR. CONC.
2.00	LUMP SUM	CONSTRUCTION SURVEY
100.00	LINEAR FOOT	CULVERT PIPE
6,793.00	CUBIC YARD	EXCAVATION CLASS 20
1,899.70	SQUARE YARD	LONGITUDINAL GROOVING IN CONCRETE
5,865.00	LINEAR FOOT	PILE, STEEL H, 10 IN.

Quantities for Items bid as Alternates are overstated. See Proposal

29,381.00	POUND	REINFORCING STEEL
181,930.00	POUND	REINFORCING STEEL, EPOXY COATED
250.00	LINEAR FOOT	SILT FENCE
1,131.20	CUBIC YARD	STRUCTURAL CONCRETE
11,008.00	POUND	STRUCTURAL STEEL

NHS-080-6(339)239--11-52 ROUTE: I-80
In The City Of Coralville On I-380 Over Clear Creek Stage I

21.00	EACH	BEAMS, PRETENS. PRESTR. CONC.
2.00	LUMP SUM	CONSTRUCTION SURVEY
4,852.00	CUBIC YARD	EXCAVATION CLASS 20
672.00	CUBIC YARD	EXCAVATION CLASS 21
2,360.40	SQUARE YARD	LONGITUDINAL GROOVING IN CONCRETE
1,400.00	LINEAR FOOT	PILE, STEEL H, 10 IN.
2,560.00	LINEAR FOOT	PILE, STEEL H, 14 IN.
66,181.00	POUND	REINFORCING STEEL
138,675.00	POUND	REINFORCING STEEL, EPOXY COATED
250.00	LINEAR FOOT	SILT FENCE
913.20	CUBIC YARD	STRUCTURAL CONCRETE
5,955.00	POUND	STRUCTURAL STEEL

NHS-080-6(342)239--11-52 ROUTE: I-80
In The City Of Coralville On I-380 Over IAIS R.R. Stage I

18.00	EACH	BEAMS, PRETENS. PRESTR. CONC.
2.00	LUMP SUM	CONSTRUCTION SURVEY
88.00	CUBIC YARD	EXCAVATION CLASS 20
648.00	SQUARE YARD	LONGITUDINAL GROOVING IN CONCRETE
1,480.00	LINEAR FOOT	PILE, STEEL H, 12 IN.
75,202.00	POUND	REINFORCING STEEL
71,288.00	POUND	REINFORCING STEEL, EPOXY COATED
250.00	LINEAR FOOT	SILT FENCE
406.20	CUBIC YARD	STRUCTURAL CONCRETE
4,590.00	POUND	STRUCTURAL STEEL

NHS-080-6(345)239--11-52 ROUTE: I-80
In The City Of Coralville On I-380 Over US 6 Stage I

18.00	EACH	BEAMS, PRETENS. PRESTR. CONC.
2.00	LUMP SUM	CONSTRUCTION SURVEY
613.00	CUBIC YARD	EXCAVATION CLASS 20
820.00	SQUARE YARD	LONGITUDINAL GROOVING IN CONCRETE
4,600.00	LINEAR FOOT	PILE, STEEL H, 10 IN.
85,156.00	POUND	REINFORCING STEEL
94,952.00	POUND	REINFORCING STEEL, EPOXY COATED
250.00	LINEAR FOOT	SILT FENCE
924.50	CUBIC YARD	STRUCTURAL CONCRETE
9,618.00	POUND	STRUCTURAL STEEL

NHS-080-6(354)239--11-52 ROUTE: I-80
Ramps A & G over Clear Creek I-80/380/US 218 Interchange near Iowa City

20.00	EACH	BEAMS, PRETENS. PRESTR. CONC.
1.00	LUMP SUM	CONSTRUCTION SURVEY
831.70	SQUARE YARD	ENGINEERING FABRIC
469.00	CUBIC YARD	EXCAVATION CLASS 10
539.00	CUBIC YARD	EXCAVATION CLASS 20
179.00	CUBIC YARD	EXCAVATION CLASS 21
1,808.60	SQUARE YARD	LONGITUDINAL GROOVING IN CONCRETE
51.40	SQUARE YARD	PAVED SHOULDERS
1,575.00	LINEAR FOOT	PILE, STEEL H, 10 IN.
2,600.00	LINEAR FOOT	PILE, STEEL H, 14 IN.
293.60	LINEAR FOOT	RAIL, CONCRETE BARRIER
25,872.00	POUND	REINFORCING STEEL
115,671.00	POUND	REINFORCING STEEL, EPOXY COATED
681.90	TON	REVTMENT
250.00	LINEAR FOOT	SILT FENCE
742.20	CUBIC YARD	STRUCTURAL CONCRETE
5,123.00	POUND	STRUCTURAL STEEL

Quantities for Items bid as Alternates are overstated. See Proposal

NHS-080-6(357)239--11-52

ROUTE: I-80

NB US 218 to EB I-80 Ramp D Over Clear Creek I-80/380/US 218 Interchange

12.00	EACH	BEAMS, PRETENS. PRESTR. CONC.
438.90	SQUARE YARD	COLORED SEALER COATING OF CONCRETE
1.00	LUMP SUM	CONSTRUCTION SURVEY
783.60	SQUARE YARD	ENGINEERING FABRIC
463.40	CUBIC YARD	EXCAVATION CLASS 10
369.00	CUBIC YARD	EXCAVATION CLASS 20
120.00	CUBIC YARD	EXCAVATION CLASS 21
1,031.30	SQUARE YARD	LONGITUDINAL GROOVING IN CONCRETE
25.70	SQUARE YARD	PAVED SHOULDERS
1,080.00	LINEAR FOOT	PILE, STEEL H, 10 IN.
1,485.00	LINEAR FOOT	PILE, STEEL H, 14 IN.
552.00	LINEAR FOOT	RAIL, CONCRETE BARRIER
12,839.00	POUND	REINFORCING STEEL
95,137.00	POUND	REINFORCING STEEL, EPOXY COATED
696.40	TON	REVETMENT
250.00	LINEAR FOOT	SILT FENCE
488.90	CUBIC YARD	STRUCTURAL CONCRETE
3,229.00	POUND	STRUCTURAL STEEL

NHS-080-6(359)239--11-52

ROUTE: I-80

In The City Of Coralville On Ramp F Over Clear Creek

15.00	EACH	BEAMS, PRETENS. PRESTR. CONC.
438.90	SQUARE YARD	COLORED SEALER COATING OF CONCRETE
1.00	LUMP SUM	CONSTRUCTION SURVEY
807.10	SQUARE YARD	ENGINEERING FABRIC
546.50	CUBIC YARD	EXCAVATION CLASS 10
447.00	CUBIC YARD	EXCAVATION CLASS 20
143.00	CUBIC YARD	EXCAVATION CLASS 21
1,438.90	SQUARE YARD	LONGITUDINAL GROOVING IN CONCRETE
25.70	SQUARE YARD	PAVED SHOULDERS
1,150.00	LINEAR FOOT	PILE, STEEL H, 10 IN.
1,960.00	LINEAR FOOT	PILE, STEEL H, 14 IN.
552.00	LINEAR FOOT	RAIL, CONCRETE BARRIER
15,232.00	POUND	REINFORCING STEEL
114,707.00	POUND	REINFORCING STEEL, EPOXY COATED
819.50	TON	REVETMENT
250.00	LINEAR FOOT	SILT FENCE
618.80	CUBIC YARD	STRUCTURAL CONCRETE
4,200.00	POUND	STRUCTURAL STEEL

NHS-080-6(361)239--11-52

ROUTE: I-80

In The City Of Coralville On I-80 Over US 6 & IAIS R.R. Widening(EBL)

1,387.50	SQUARE YARD	COLORED SEALER COATING OF CONCRETE
1.00	LUMP SUM	CONSTRUCTION SURVEY
934.30	SQUARE YARD	ENGINEERING FABRIC
549.90	CUBIC YARD	EXCAVATION CLASS 10
223.00	CUBIC YARD	EXCAVATION CLASS 20
3,181.00	SQUARE YARD	LONGITUDINAL GROOVING IN CONCRETE
60.10	SQUARE YARD	PAVED SHOULDERS
1,580.00	LINEAR FOOT	PILE, STEEL H, 14 IN.
1,292.60	LINEAR FOOT	RAIL, CONCRETE BARRIER
81,959.00	POUND	REINFORCING STEEL
232,921.00	POUND	REINFORCING STEEL, EPOXY COATED
879.80	TON	REVETMENT
250.00	LINEAR FOOT	SILT FENCE
864.50	CUBIC YARD	STRUCTURAL CONCRETE
519,003.00	POUND	STRUCTURAL STEEL

NHS-080-6(371)239--11-52

ROUTE: I-80

I-80/380/US 218 Interchange near Iowa City

59.00	EACH	APRONS
515.85	TON	ASPHALT BINDER
51.90	ACRE	CLEARING & GRUBBING
1.00	LUMP SUM	CONSTRUCTION SURVEY
3,370.00	LINEAR FOOT	CULVERT PIPE

Quantities for Items bid as Alternates are overstated. See Proposal

122,701.00	CUBIC YARD	EMBANKMENT-IN-PLACE
4,024.10	SQUARE YARD	ENGINEERING FABRIC
589,747.90	CUBIC YARD	EXCAVATION CLASS 10
745.00	CUBIC YARD	EXCAVATION CLASS 13
722.00	CUBIC YARD	EXCAVATION CLASS 20
16,240.50	LINEAR FOOT	FENCE, CHAIN LINK
15,047.10	LINEAR FOOT	FENCE, FIELD
275.30	CUBIC YARD	FLOWABLE MORTAR
447.00	CUBIC YARD	GRANULAR BACKFILL
165.00	TON	GRANULAR SHOULDERS, TYPE A
912.50	LINEAR FOOT	GUARDRAIL, FORMED STEEL BEAM
8,597.53	TON	HOT MIX ASPHALT
52.00	EACH	INTAKES & MANHOLES/UTILITY ACCESS
18,036.60	CUBIC YARD	MODIFIED SUBBASE
3,000.00	CUBIC YARD	MULCH
147.20	ACRE	MULCHING
99.00	ACRE	NATIVE GRASS SEEDING
11.00	EACH	PATCHES BY COUNT
9.00	SQUARE YARD	PATCHES, FULL-DEPTH
3,935.80	SQUARE YARD	PAVED SHOULDERS
8,000.78	STATION	PAVEMENT MARKINGS
35,651.10	SQUARE YARD	PAVEMENT, P.C.C.
56,945.50	SQUARE YARD	REMOVAL OF PVMNT/DRIVES/SDWK
8,740.00	SQUARE FOOT	RETAINING WALL
2,129.90	TON	REVTMENT
15.00	ACRE	SEEDING & FERTILIZING
599.50	CUBIC YARD	SELECTED BACKFILL
7,397.00	LINEAR FOOT	SEWER, STORM
433.38	STATION	SHOULDER CONSTRUCTION
47,937.00	LINEAR FOOT	SILT FENCE
246.00	SQUARE	SPECIAL DITCH CONTROL
114.00	ACRE	STABILIZING CROP, SEED & FERT.
2.00	EACH	STEEL BEAM G'RAIL BARRIER TRANS SECTION
2,047.00	LINEAR FOOT	SUBDRAIN
531.40	TON	SURFACING, CRUSHED STONE
91,475.00	LINEAR FOOT	TEMP. BARRIER RAIL
108,770.00	CUBIC YARD	TOPSOIL, STRIP/SALVAGE/SPREAD

NHS-080-6(379)239--11-52 ROUTE: I-80
 In The City Of Coralville On I-80 Over US 6 & IAIS R.R. Widening(WBL)

1,829.50	SQUARE YARD	COLORED SEALER COATING OF CONCRETE
1.00	LUMP SUM	CONSTRUCTION SURVEY
432.00	CUBIC YARD	EXCAVATION CLASS 20
2,293.50	SQUARE YARD	LONGITUDINAL GROOVING IN CONCRETE
44.50	SQUARE YARD	PAVED SHOULDERS
800.00	LINEAR FOOT	PILE, STEEL H, 14 IN.
622.40	LINEAR FOOT	RAIL, CONCRETE BARRIER
59,426.00	POUND	REINFORCING STEEL
124,948.00	POUND	REINFORCING STEEL, EPOXY COATED
250.00	LINEAR FOOT	SILT FENCE
520.60	CUBIC YARD	STRUCTURAL CONCRETE
316,220.00	POUND	STRUCTURAL STEEL

NHS-080-6(401)239--11-52 ROUTE: I-80
 I-80/380/US 218 Interchange near Iowa City

89.00	EACH	CONCRETE FOOTINGS FOR SIGNS
1,364.00	CUBIC YARD	EXCAVATION CLASS 20
6.00	EACH	OVERHEAD SIGN SUPPORT STRUCTURE
2,459.80	LINEAR FOOT	POSTS, METAL, FOR SIGNS
49,508.00	POUND	REINFORCING STEEL, EPOXY COATED
618.00	SQUARE FOOT	SIGNS, TYPE A
6,359.00	SQUARE FOOT	SIGNS, TYPE B
313.00	CUBIC YARD	STRUCTURAL CONCRETE

NHS-080-6(402)239--11-52 ROUTE: I-80
 I-80/380/US 218 System Interchange near Iowa City

9.00	EACH	CONTROL CABINET
19,521.00	LINEAR FOOT	ELECTRICAL CURCUITS

Quantities for Items bid as Alternates are overstated. See Proposal

35.00	EACH	HANDHOLE
13.00	EACH	LIGHTING POLES
5.00	EACH	LIGHTING TOWERS
26.00	EACH	LUMINAIRES
14,070.00	POUND	REINFORCING STEEL

NHS-218-4(40)--19-52 ROUTE: U.S. 218
 VARIOUS LOCATIONS ON US 218 & IA 27 0.3 MI. TO 1.2 MI. SOUTH OF JCT. I-80

546.40	SQUARE YARD	ENGINEERING FABRIC
290.00	CUBIC YARD	EXCAVATION CLASS 10
1,032.00	CUBIC YARD	EXCAVATION CLASS 20
27.70	CUBIC YARD	GRANULAR BACKFILL
62,850.00	POUND	REINFORCING STEEL
457.50	TON	REVETMENT
775.00	LINEAR FOOT	SILT FENCE
480.50	CUBIC YARD	STRUCTURAL CONCRETE

NHS-218-4(41)--19-52 ROUTE: U.S. 218
 S.B. US 218 & IA 27 OVER DEER CREEK 0.9 MILES SOUTH OF JUNCTION I-80

475.00	SQUARE YARD	ENGINEERING FABRIC
250.00	CUBIC YARD	EXCAVATION CLASS 10
600.00	CUBIC YARD	EXCAVATION CLASS 20
0.80	CUBIC YARD	GRANULAR BACKFILL
42,294.00	POUND	REINFORCING STEEL
400.00	TON	REVETMENT
250.00	LINEAR FOOT	SILT FENCE
321.50	CUBIC YARD	STRUCTURAL CONCRETE

NHS-380-6(373)1--11-52 ROUTE: I-380
 N of US 6 to approx 1.25 mi N of W Forevergreen Rd (NB/SB)

26.00	EACH	APRONS
20.00	ACRE	CLEARING & GRUBBING
1.00	LUMP SUM	CONSTRUCTION SURVEY
1,090.00	LINEAR FOOT	CULVERT PIPE
12,952.00	CUBIC YARD	EMBANKMENT-IN-PLACE
1,047.90	SQUARE YARD	ENGINEERING FABRIC
131,450.70	CUBIC YARD	EXCAVATION CLASS 10
747.00	CUBIC YARD	EXCAVATION CLASS 20
13,939.70	LINEAR FOOT	FENCE, CHAIN LINK
158.80	CUBIC YARD	GRANULAR BACKFILL
325.00	LINEAR FOOT	GUARDRAIL, FORMED STEEL BEAM
60.80	ACRE	MULCHING
40.60	ACRE	NATIVE GRASS SEEDING
119.82	STATION	PAVEMENT MARKINGS
32,939.00	POUND	REINFORCING STEEL
7,640.70	SQUARE YARD	REMOVAL OF PVMNT/DRIVES/SDWK
978.10	TON	REVETMENT
12.00	ACRE	SEEDING & FERTILIZING
128.38	STATION	SHOULDER CONSTRUCTION
9,452.00	LINEAR FOOT	SILT FENCE
384.00	SQUARE	SPECIAL DITCH CONTROL
52.60	ACRE	STABILIZING CROP, SEED & FERT.
223.00	CUBIC YARD	STRUCTURAL CONCRETE
24,400.00	LINEAR FOOT	TEMP. BARRIER RAIL
44,534.00	CUBIC YARD	TOPSOIL, STRIP/SALVAGE/SPREAD



Listing of Estimating Proposal Attachments
for Bid Orders in the Letting: July 30, 2019

Contracts and Specifications Bureau

Bid Order	Spec. Prov. Code	Estimating Proposal Attachments
001	720.121	ATTACHMENT OF "POINT 25 UTILITY DATA"