



Contracts and Specifications Bureau

Contracts and Specifications Bureau
800 Lincoln Way – Ames, IA 50010
Phone: 515-239-1414 FAX: 515-239-1325
E-mail address: dot.contracts@iowadot.us

NOTICE TO BIDDERS --- June 18, 2024

STATE OF IOWA - Sealed bids will be received by the Iowa Department of Transportation (DOT), Contracts and Specifications Bureau, 800 Lincoln Way, Ames, Iowa 50010 on July 30, 2024 at 10:00 A.M. CDT for various items of construction and maintenance work.

Plans, specifications and proposal forms for the work may be seen at the Contracts and Specifications Bureau until noon on the day previous to the letting.

A listing of projects open for bids and details for each project will be available to potential bidders and suppliers three weeks prior to the letting date at www.bidx.com/ia/main or www.iowadot.gov or by calling the Contracts and Specifications Bureau at 515-239-1414.

The Iowa DOT uses the Bid Express website - www.bidx.com - as the official repository for bid submittal. The Iowa DOT will ensure this repository is available for a two-hour period prior to the deadline for submission of bids. If there is an interruption of the bid submittal system, or for other reasons as necessary, the Iowa DOT may delay the deadline for bid submissions to allow potential bidders to submit bids. Instructions will be communicated to potential bidders via the Bid Express agency notifications page. The official bid submission deadline is the cut-off date and time listed on Bid Express for a given letting.

Opening and reading of the bids will be performed by the Contracts and Specifications Bureau one half hour after the bid deadline on the day bids are to be received, unless otherwise specified by the Iowa DOT.

Unless otherwise specified, a bidder shall submit a proposal as per Article 1102.09 of the Standard Specifications. Proposals received after the bid deadline will not be read. Proposals containing any reservations not provided for in the forms furnished will be rejected. The Iowa DOT reserves the right to waive technicalities and reject any or all bids.

Unless otherwise specified, a bidder must submit a proposal guaranty/bid bond with each bid as per Article 1102.11 of the Standard Specifications.

Per Iowa Code section 423.3 (80), the contracting authority will issue an exemption certificate for the purchase or use of building materials, supplies and equipment used in the performance of the construction contract.

Failure to execute a contract and file an acceptable performance bond and certificate of insurance within 30 days of the approval date for awarding the contract will be just and sufficient cause for the denial of the award and forfeiture of the proposal guaranty.

The Iowa DOT (or other approved contracting authority), in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that for any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

On federal-aid projects, where disadvantaged business enterprise (DBE) goals have been established, the bidder is required to complete and submit form 102115 with the bid documents. On all projects without DBE goals, the contractor must show that affirmative action has been made to seek out and consider DBEs as potential subcontractors.

Some projects may be listed in multiple proposals (as an individual project or part of a combined package of projects). The contracting authority will determine which combination of proposals produce the lowest bid for these projects.

Minimum wage rates for all federal-aid projects have been predetermined by the U.S. Secretary of Labor and are set forth in the specifications. However, this does not apply to projects off the federal-aid highway system. All federal-aid projects are subject to the Contract Work Hours Standards Act, as amended (title I of Pub. L. 87-581, Aug. 13, 1962, 75 Stat.357) and implementing regulations.

By virtue of statutory authority, a preference will be given to products and provisions grown and coal produced within Iowa, and also, a resident bidder shall be allowed a preference against a nonresident bidder from a state or foreign country which gives or requires a preference to bidders from that state or foreign country both on projects in which there are no federal funds involved.

Quantities for Items bid as Alternates are overstated. See Proposal

BID ORDER NUMBER: 101

PROPOSAL ID: 52-3806-435

COUNTY: JOHNSON

WORK TYPE: PCC PAVEMENT - GRADE AND NEW

DBE GOAL: 4.0%

COMPLETION DATE: 2028/06/30

GUARANTY: \$6,500,000.00

PROJECTS INCLUDED:

IM-380-6(436)11--13-52 ROUTE: I-380

N of Co Rd F12/120th St to S of US 30

54.00	EACH	CONCRETE FOOTINGS FOR SIGNS
1.00	LUMP SUM	CONSTRUCTION SURVEY
3,051.80	CUBIC YARD	EXCAVATION CLASS 20
17.00	EACH	OVERHEAD SIGN SUPPORT STRUCTURE
2,441.00	LINEAR FOOT	POSTS, METAL, FOR SIGNS
108,882.00	POUND	REINFORCING STEEL, EPOXY COATED
1,132.50	SQUARE FOOT	SIGNS, TYPE A
10,028.50	SQUARE FOOT	SIGNS, TYPE B
713.10	CUBIC YARD	STRUCTURAL CONCRETE

IM-380-6(449)14--13-57 ROUTE: I-380

Co Rd E70/Wright Brothers Blvd SW

37.00	EACH	APRONS
1.00	LUMP SUM	CONSTRUCTION SURVEY
1,600.00	LINEAR FOOT	CULVERT PIPE
163,412.00	CUBIC YARD	EMBANKMENT-IN-PLACE
651.00	SQUARE YARD	ENGINEERING FABRIC
179,335.60	CUBIC YARD	EXCAVATION CLASS 10
144.62	CUBIC YARD	EXCAVATION CLASS 13
899.40	CUBIC YARD	EXCAVATION CLASS 20
6,515.00	LINEAR FOOT	FENCE, CHAIN LINK
102.10	CUBIC YARD	FLOWABLE MORTAR
257.40	CUBIC YARD	GRANULAR BACKFILL
42.00	EACH	INTAKES & MANHOLES/UTILITY ACCESS
21,098.80	CUBIC YARD	MODIFIED SUBBASE
30.00	ACRE	MULCHING
8,458.60	SQUARE YARD	PAVED SHOULDERS
1,021.06	STATION	PAVEMENT MARKINGS
44,896.10	SQUARE YARD	PAVEMENT, P.C.C.
41,670.60	SQUARE YARD	REMOVAL OF PVMNT/DRIVES/SDWK
6,951.70	SQUARE FOOT	RETAINING WALL
338.50	TON	REVTMENT
17.00	ACRE	SEEDING & FERTILIZING
4,388.00	LINEAR FOOT	SEWER, STORM
148.23	STATION	SHOULDER CONSTRUCTION
64.24	STATION	SHOULDER FINISHING
3,099.70	SQUARE YARD	SIDEWALK, P.C.C.
3,259.00	LINEAR FOOT	SILT FENCE
21.00	ACRE	STABILIZING CROP, SEED & FERT.
18,845.80	LINEAR FOOT	SUBDRAIN, LONGITUDINAL
8,212.50	LINEAR FOOT	TEMP. BARRIER RAIL
35,535.00	CUBIC YARD	TOPSOIL, STRIP/SALVAGE/SPREAD

IM-380-6(450)14--13-57 ROUTE: I-380

Co Rd E70/Wright Brothers Blvd SW

1.00	LUMP SUM	CONSTRUCTION SURVEY
368.00	CUBIC YARD	EXCAVATION CLASS 20
2.00	EACH	OVERHEAD SIGN SUPPORT STRUCTURE
635.00	LINEAR FOOT	POSTS, METAL, FOR SIGNS
12,670.00	POUND	REINFORCING STEEL, EPOXY COATED
594.00	SQUARE FOOT	SIGNS, TYPE A
1,476.00	SQUARE FOOT	SIGNS, TYPE B
104.00	CUBIC YARD	STRUCTURAL CONCRETE

Quantities for Items bid as Alternates are overstated. See Proposal

IM-380-6(451)14--13-57 ROUTE: I-380

Co Rd E70/Wright Brothers Blvd SW

220.00	LINEAR FOOT	CONDUIT
1.00	LUMP SUM	CONSTRUCTION SURVEY
3.00	EACH	CONTROL CABINET
52,495.00	LINEAR FOOT	ELECTRICAL CURCUITS
24.00	EACH	GROUND ROD
33.00	EACH	HANDHOLE
29.00	EACH	LIGHTING POLES
1.00	EACH	POLES, METAL

IM-380-6(452)14--13-57 ROUTE: I-380

Co Rd E70/Wright Brothers Blvd SW

1.00	LUMP SUM	CONSTRUCTION SURVEY
6.00	EACH	TEMP. TRAFFIC SIGNALS
2.00	LUMP SUM	TRAFFIC SIGNALIZATION

IM-380-6(453)14--13-57 ROUTE: I-380

Co Rd E70/Wright Brothers Blvd SW

32.00	EACH	BEAMS, PRETENS. PRESTR. CONC.
1,374.00	SQUARE YARD	COLORLED SEALER COATING OF CONCRETE
2.00	LUMP SUM	CONSTRUCTION SURVEY
865.00	CUBIC YARD	EXCAVATION CLASS 20
4,790.10	SQUARE YARD	LONGITUDINAL GROOVING IN CONCRETE
5,250.00	LINEAR FOOT	PILE, STEEL H, 12 IN.
1,429.00	LINEAR FOOT	RAIL, CONCRETE BARRIER
554.70	LINEAR FOOT	RAIL, METAL
24,025.00	POUND	REINFORCING STEEL
384,937.00	POUND	REINFORCING STEEL, EPOXY COATED
1,873.70	CUBIC YARD	STRUCTURAL CONCRETE
24,130.00	POUND	STRUCTURAL STEEL

IM-380-6(487)14--13-57 ROUTE: I-380

In the City of Cedar Rapids, on Wright Brothers Blvd SW, 6th St SW, and Earhart Ln SW

7.00	EACH	APRONS
70.00	TON	ASPHALT BINDER
1.00	LUMP SUM	CONSTRUCTION SURVEY
439.00	LINEAR FOOT	CULVERT PIPE
390.00	LINEAR FOOT	CURB & GUTTER P.C.C.
65.00	SQUARE YARD	DRIVES, P.C.C.
4,050.00	CUBIC YARD	EMBANKMENT-IN-PLACE
18,800.00	CUBIC YARD	EXCAVATION CLASS 13
820.00	TON	GRANULAR SHOULDERS, TYPE A
1,050.00	TON	HOT MIX ASPHALT
33.00	EACH	INTAKES & MANHOLES/UTILITY ACCESS
1,800.00	SQUARE YARD	MEDIAN, P.C.C.
6,850.00	CUBIC YARD	MODIFIED SUBBASE
4.20	ACRE	MOWING
406.00	STATION	PAVEMENT MARKINGS
920.00	SQUARE YARD	PAVEMENT SCARIFICATION
12,850.00	SQUARE YARD	PAVEMENT, P.C.C.
562.00	LINEAR FOOT	POSTS, METAL, FOR SIGNS
56.00	LINEAR FOOT	POSTS, WOOD, FOR SIGNS
8,500.00	POUND	REINFORCING STEEL, EPOXY COATED
11,540.00	SQUARE YARD	REMOVAL OF PVMNT/DRIVES/SDWK
50.00	TON	REVTMENT
50.00	LINEAR FOOT	SEWER SANITARY
3,060.00	LINEAR FOOT	SEWER, STORM
1,240.00	SQUARE YARD	SIDEWALK, P.C.C.
548.00	SQUARE FOOT	SIGNS, TYPE A
8,340.00	LINEAR FOOT	SILT FENCE
1,874.00	LINEAR FOOT	SUBDRAIN
50.00	TON	SURFACING, GRAVEL
264.00	LINEAR FOOT	TEMP. BARRIER RAIL
6,125.00	CUBIC YARD	TOPSOIL, STRIP/SALVAGE/SPREAD
20.00	LINEAR FOOT	WATER MAIN

Quantities for Items bid as Alternates are overstated. See Proposal

IM-NHS-380-6(435)11--03-52

ROUTE: I-380

N of Co Rd F12/120th St to S of US 30

98.00	EACH	APRONS
15.85	TON	ASPHALT BINDER
17.40	GALLON	ASPHALT EMULSION, FOG SEAL
20.91	ACRE	CLEARING & GRUBBING
1.00	LUMP SUM	CONSTRUCTION SURVEY
8,566.00	LINEAR FOOT	CULVERT PIPE
737.00	LINEAR FOOT	CURB & GUTTER P.C.C.
42,319.00	CUBIC YARD	EMBANKMENT-IN-PLACE
2,895.80	SQUARE YARD	ENGINEERING FABRIC
344,985.00	CUBIC YARD	EXCAVATION CLASS 10
16,546.50	CUBIC YARD	EXCAVATION CLASS 20
33,131.40	LINEAR FOOT	FENCE, CHAIN LINK
8,200.90	LINEAR FOOT	FENCE, FIELD
1.00	EACH	FIELD LABORATORY/OFFICE
501.70	CUBIC YARD	FLOWABLE MORTAR
4,938.00	CUBIC YARD	GRANULAR BACKFILL
32,315.00	LINEAR FOOT	GUARDRAIL, CABLE
1,637.50	LINEAR FOOT	GUARDRAIL, FORMED STEEL BEAM
264.15	TON	HOT MIX ASPHALT
151,207.68	CUBIC YARD	MODIFIED SUBBASE
258.00	ACRE	MULCHING
13.00	EACH	PATCHES BY COUNT
142.10	SQUARE YARD	PATCHES, FULL-DEPTH
128,229.70	SQUARE YARD	PAVED SHOULDERS
12,125.41	STATION	PAVEMENT MARKINGS
1,933.30	SQUARE YARD	PAVEMENT SCARIFICATION
289,976.20	SQUARE YARD	PAVEMENT, P.C.C.
376,130.00	SQUARE YARD	REMOVAL OF PVMNT/DRIVES/SDWK
1,863.60	TON	REVTMENT
129.00	ACRE	SEEDING & FERTILIZING
1,629.50	STATION	SHOULDER CONSTRUCTION
7.37	STATION	SHOULDER FINISHING
69,330.00	LINEAR FOOT	SILT FENCE
129.00	ACRE	STABILIZING CROP, SEED & FERT.
4.00	EACH	STEEL BEAM G'RAIL BARRIER TRANS SECTION
1,840.00	LINEAR FOOT	SUBDRAIN
129,040.00	LINEAR FOOT	SUBDRAIN, LONGITUDINAL
270,600.00	LINEAR FOOT	TEMP. BARRIER RAIL
192,811.00	CUBIC YARD	TOPSOIL, STRIP/SALVAGE/SPREAD

IM-NHS-380-6(437)11--03-52

ROUTE: I-380

N of Co Rd F12/120th St to S of US 30

6.00	LUMP SUM	CONSTRUCTION SURVEY
55.00	LINEAR FOOT	CULVERT, PRECAST
491.70	SQUARE YARD	ENGINEERING FABRIC
280.70	CUBIC YARD	EXCAVATION CLASS 10
564.00	CUBIC YARD	EXCAVATION CLASS 20
71,615.00	POUND	REINFORCING STEEL
482.30	CUBIC YARD	STRUCTURAL CONCRETE

IMX-380-6(352)12--02-57

ROUTE: I-380

Southbound Rest Area approx 1.4 mi N of Co Rd F12

10.00	EACH	APRONS
498.80	UNITS	CLEARING & GRUBBING
1.00	LUMP SUM	CONSTRUCTION SURVEY
126.00	LINEAR FOOT	CULVERT PIPE
1,210.00	LINEAR FOOT	ELECTRICAL CURCUITS
111.40	SQUARE YARD	ENGINEERING FABRIC
23,101.00	CUBIC YARD	EXCAVATION CLASS 10
237.00	CUBIC YARD	EXCAVATION CLASS 20
768.10	LINEAR FOOT	FENCE, CHAIN LINK
17.10	CUBIC YARD	FLOWABLE MORTAR
78.80	CUBIC YARD	GRANULAR BACKFILL
14.00	EACH	INTAKES & MANHOLES/UTILITY ACCESS
9.00	EACH	LIGHTING POLES

Quantities for Items bid as Alternates are overstated. See Proposal

9.041.50	CUBIC YARD	MODIFIED SUBBASE
1.50	ACRE	NATIVE GRASS SEEDING
2,416.90	SQUARE YARD	PAVED SHOULDERS
143.63	STATION	PAVEMENT MARKINGS
21,449.00	SQUARE YARD	PAVEMENT, P.C.C.
18,755.70	SQUARE YARD	REMOVAL OF PVMNT/DRIVES/SDWK
56.80	TON	REVTMENT
4.27	ACRE	SEEDING & FERTILIZING
1,277.00	LINEAR FOOT	SEWER, STORM
39.05	STATION	SHOULDER CONSTRUCTION
44.31	STATION	SHOULDER FINISHING
805.90	SQUARE YARD	SIDEWALK, P.C.C.
311.00	LINEAR FOOT	SILT FENCE
5.00	ACRE	STABILIZING CROP, SEED & FERT.
5,729.30	LINEAR FOOT	SUBDRAIN, LONGITUDINAL
31.15	TON	SURFACING, CRUSHED STONE
11,272.00	CUBIC YARD	TOPSOIL, STRIP/SALVAGE/SPREAD

IMX-380-6(460)12--02-57 ROUTE: I-380
 Southbound Rest Area approx 1.4 mi N of Co Rd F12

1.00	LUMP SUM	CONSTRUCTION SURVEY
268.00	LINEAR FOOT	POSTS, METAL, FOR SIGNS
113.00	SQUARE FOOT	SIGNS, TYPE A

IMX-380-6(461)12--02-57 ROUTE: I-380
 Southbound Rest Area approx 1.4 mi N of Co Rd F12

2,181.00	LINEAR FOOT	ELECTRICAL CURCUITS
1.00	EACH	HANDHOLE
11.00	EACH	LIGHTING POLES

ITS-380-6(473)11--25-52 ROUTE: I-380
 N of Co Rd F12/120th St to S of US 30

3,635.00	LINEAR FOOT	CONDUIT
1.00	LUMP SUM	CONSTRUCTION SURVEY
2.00	EACH	CONTROL CABINET
21,485.00	LINEAR FOOT	ELECTRICAL CURCUITS
1.00	EACH	FOOTINGS
13.00	EACH	HANDHOLE
1.00	EACH	POLES, METAL

Contracts and Specifications Bureau

Bid Order	Spec. Prov. Code	Estimating Proposal Attachments
101	720.121	ATTACHMENT OF "POINT 25 UTILITY DATA"
101	720.101	ATTACHMENT OF THE "RIGHT OF WAY CERTIFICATE"