

LOCAL AGENCY LETTING INFORMATION

CONTENTS

DATE ADDED	COUNTY/CITY	LETTING DATE	PAGE NUMBER
November 17, 2021	Dickinson	December 14, 2021	2
December 2, 2021	Linn	December 22, 2021	3
December 3, 2021	Linn	December 22, 2021	5



BULLETIN REPORTING FORM

County: Dickinson County Project No.: MP21-01
 Proposal Guarantee: \$25,000.00 DBE or TSB Goal: _____
 Date of Letting: 12/14/2021 Time of Letting: 10:00 AM
 Bid Turn-In Location: Dickinson County Auditor Type of Project: Bridge or Culvert
 Contact Phone No.: 712-336-2944 Contact FAX No.: 712-336-1601

Specific Description of Project:

Structures - Abutment Repair on 4 Bridges

QUANTITY	UNIT	DESCRIPTION
517	LB	Reinforcing Steel
29586	LB	Structural Steel
2385	LF	Piling - HP 10x42
210	TON	REVTMENT, CLASS E
7.2	SY	DECK REPAIR, CLASS B

Date: 11/17/2021 Local Agency Official: Dan Eckert, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us



BULLETIN REPORTING FORM

County:	Linn County	Project No.:	L-BRIDGE 1920(22)
Proposal Guarantee:	\$75,000.00	DBE or TSB Goal:	
Date of Letting:	12/22/2021	Time of Letting:	11:00 AM
Bid Turn-In Location:	County Auditor	Type of Project:	Bridge Replacement
Contact Phone No.:	319-892-6400	Contact FAX No.:	319-892-6419

Specific Description of Project:

Bridge Replacement on Bridge 1920 on Hollenbeck Road

QUANTITY	UNIT	DESCRIPTION
0.2	ACRE	CLEARING AND GRUBBING
1477	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
268	CY	EXCAVATION, CLASS 10, CHANNEL
250	CY	TOPSOIL, STRIP, SALVAGE AND SPREAD
158	TON	GRANULAR SHOULDERS, TYPE B
493	TON	CHOKE STONE BASE
755	TON	MACADAM STONE BASE
1421.2	SY	BRIDGE APPROACH PAVEMENT, AS PER PLAN
1	LS	REMOVAL OF EXISTING BRIDGE
196	CY	EXCAVATION, CLASS 20
38	CY	EXCAVATION, CLASS 21
437.9	CY	STRUCTURAL CONCRETE (BRIDGE)
84726	LB	REINFORCING STEEL, EPOXY COATED
2428	LB	REINFORCING STEEL, STAINLESS STEEL
12	EACH	BEAMS, PRETENSIONED PRESTRESSED CONCRETE, B59
6	EACH	BEAMS, PRETENSIONED PRESTRESSED CONCRETE, B67
5023	LB	STRUCTURAL STEEL
411.7	LF	CONCRETE BARRIER RAILING
1225	LF	PILES, STEEL, HP 10 X 57
760	LF	PREBORED HOLES
320	LF	SUBDRAIN, PLASTIC PIPE, 6 IN.
4	EACH	STEEL BEAM GUARDRAIL BARRIER TRANSITION SECTION, BA-201
4	EACH	STEEL BEAM GUARDRAIL END ANCHOR, BOLTED
4	EACH	STEEL BEAM GUARDRAIL TANGENT END TERMINAL, BA-205
900	TON	REVETMENT, CLASS D
80	TON	EROSION STONE
930	SY	REMOVAL OF PAVEMENT
600	LF	FENCE, FIELD 3

840	LF	REMOVAL OF FENCE, BARBED WIRE
21.6	STA	PAINTED PAVEMENT MARKINGS, HIGH-BUILD WATERBORNE
2	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
163	EACH	CONCRETE BLOCK (3'X6'X1.5'H)
6	EACH	CONCRETE HALF BLOCK (3'X3'X1.5'H)
685	TON	POROUS BACKFILL
0.3	ACRE	MULCHING
0.3	ACRE	SEEDING AND FERTILIZING (RURAL)
470	LF	SILT FENCE
3	EACH	SILT BASINS
470	LF	REMOVAL OF SILT FENCE OR SILT FENCE FOR DITCH CHECKS
520	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 9 IN. DIA.
4	EACH	MOBILIZATIONS, EROSION CONTROL

Date: 12/2/2021 Local Agency Official: Brad Ketels, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us



BULLETIN REPORTING FORM

County:	Linn County	Project No.:	LOST-BRIDGE 1053(22)
Proposal Guarantee:	\$125,000.00	DBE or TSB Goal:	
Date of Letting:	12/22/2021	Time of Letting:	11:00 AM
Bid Turn-In Location:	County Auditor	Type of Project:	Bridge Replacement
Contact Phone No.:	319-892-6400	Contact FAX No.:	319-892-6419

Specific Description of Project:

Bridge replacement on Bridge 1053 on Bertram Road.

QUANTITY	UNIT	DESCRIPTION
7.4	ACRE	CLEARING AND GRUBBING
5250	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
3000	CY	EXCAVATION, CLASS 10, CHANNEL
2495	CY	TOPSOIL, STRIP, SALVAGE AND SPREAD
155	CY	MODIFIED SUBBASE
845	TON	GRANULAR SHOULDERS, TYPE B
3515	TON	CHOKER STONE BASE
3745	TON	MACADAM STONE BASE
972	SY	BRIDGE APPROACH PAVEMENT, AS PER PLAN
7212	SY	STANDARD OR SLIP FORM PORTLAND CEMENT CONCRETE PAVEMENT, CLASS C, CLASS 3 DURABILITY, 8 IN.
12	TON	HOT MIX ASPHALT STANDARD TRAFFIC, SURFACE COURSE, 1/2 IN. MIX, NO SPECIAL FRICTION REQUIREMENT
0.72	TON	ASPHALT BINDER, PG 58-28S, STANDARD TRAFFIC
310	TON	AGGREGATE, ROADWAY COVER, 3/8 IN.
1	LS	REMOVAL OF EXISTING BRIDGE
1	LS	REMOVAL OF EXISTING STRUCTURES
837	TON	GRANULAR BACKFILL
686	CY	EXCAVATION, CLASS 20
775	CY	EXCAVATION, CLASS 20, FOR ROADWAY PIPE CULVERT
24	CY	EXCAVATION, CLASS 21
373	CY	EXCAVATION, CLASS 22
6.6	CY	STRUCTURAL CONCRETE (MISCELLANEOUS)
687.8	CY	STRUCTURAL CONCRETE (BRIDGE)
456	LB	REINFORCING STEEL
122810	LB	REINFORCING STEEL, EPOXY COATED
2787	LB	REINFORCING STEEL, STAINLESS STEEL
12	EACH	BEAMS, PRETENSIONED PRESTRESSED CONCRETE, B59
6	EACH	BEAMS, PRETENSIONED PRESTRESSED CONCRETE, B67
8188	LB	STRUCTURAL STEEL

46	LF	PREFORMED ELASTIC NEOPRENE JOINT
396.8	LF	CONCRETE BARRIER RAILING
4	EACH	APRON, LOW CLEARANCE CONCRETE, EQUIVALENT DIAMETER 48 IN.
163	LF	CULVERT, CONCRETE ROADWAY PIPE, 24 IN. DIA.
194	LF	CULVERT, LOW CLEARANCE CONCRETE ROADWAY PIPE, EQUIVALENT DIAMETER 48 IN.
80	LF	REMOVE AND REINSTALL RIGID PIPE CULVERT GREATER THAN 36 IN.
50	LF	CULVERT, CORRUGATED METAL ENTRANCE PIPE, 15 IN. DIA.
32	LF	CULVERT, CORRUGATED METAL ROADWAY PIPE, 24 IN. DIA.
120	LF	PILES, STEEL, HP 10 X 57
48	LF	PREBORED HOLES
4	EACH	STEEL BEAM GUARDRAIL BARRIER TRANSITION SECTION, BA-201
4	EACH	STEEL BEAM GUARDRAIL END ANCHOR, BOLTED
4	EACH	STEEL BEAM GUARDRAIL TANGENT END TERMINAL, BA-205
800	TON	REVTMENT, CLASS D
100	TON	EROSION STONE
5975	SY	REMOVAL OF PAVEMENT
1040	SY	REMOVAL OF RECREATIONAL TRAIL
679	STA	SPECIAL COMPACTION OF SUBGRADE FOR RECREATIONAL TRAIL
2	EACH	CONCRETE BARRIER RAIL, BA-107
25	SY	DRIVEWAY, P.C. CONCRETE, 6 IN.
80	SY	REMOVAL OF PAVED DRIVEWAY
101.52	STA	PAINTED PAVEMENT MARKINGS, HIGH-BUILD WATERBORNE
4	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
1	EACH	DRINKING FOUNTAIN RELOCATION
44	LF	ROCK CORING
4.9	ACRE	MULCHING
4.9	ACRE	SEEDING AND FERTILIZING (RURAL)
4.9	ACRE	STABILIZING CROP - SEEDING AND FERTILIZING
9	EACH	STOP LOG STRUCTURE
1905	LF	SILT FENCE
4	EACH	SILT BASINS
1905	LF	REMOVAL OF SILT FENCE OR SILT FENCE FOR DITCH CHECKS
4	EACH	REMOVAL OF SILT BASINS
1142	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 9 IN. DIA.
5	EACH	MOBILIZATIONS, EROSION CONTROL

Date: 12/2/2021 Local Agency Official: Brad Ketels, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us