



LOCAL AGENCY LETTING INFORMATION

CONTENTS

DATE ADDED	COUNTY/CITY	LETTING DATE	PAGE NUMBER
December 31, 2024	Jasper	January 15, 2025	2
January 6, 2025	Des Moines	January 22, 2025	3
December 20, 2024	Jasper	January 29, 2025	5
January 2, 2025	Jasper	January 29, 2025	6
January 2, 2025	Jasper	January 29, 2025	7
January 13, 2025	Clay	February 4, 2025	8
January 8, 2025	Story	February 11, 2025	9
January 8, 2025	Story	February 11, 2025	10
January 10, 2025	Linn	February 11, 2025	11
January 14, 2025	Linn	February 11, 2025	12
January 7, 2025	Cerro Gordo	March 24, 2025	13

BULLETIN REPORTING FORM

County:	<u>Jasper County</u>	Project No.:	<u>L-C050(D05SUB)--73-50</u>
Proposal Guarantee:	<u>\$0.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>1/15/2025</u>	Time of Letting:	<u>02:00 PM</u>
Bid Turn-In Location:	<u>County Engineer</u>	Type of Project:	<u>Bridge Substructure</u>
Contact Phone No.:	<u>641-792-5862</u>	Contact FAX No.:	<u>641-791-7740</u>

Specific Description of Project:

This letting is for MATERIAL ONLY.

Substructure steel package for single span 120' Steel Girder Bridge, 120'x24'-6" Deck on 0° Skew, HL-93 Design Loading

Substructure steel package final design shall be considered a deliverable for this work. Conceptual substructure design, superstructure final design, and geotechnical report attached for use in completing this final design. CAD file for the conceptual substructure design available upon request. Shop drawings, fabrication drawings, and other equivalent plan information shall be provided as a final design submittal package. Final design submittal package shall be certified by a professional engineer licensed in the State of Iowa and shall be considered part of the substructure steel package bid. County review and acceptance of this submittal package shall be completed prior to fabrication. Final design submittal package shall be completed in accordance with the Iowa DOT LRFD Bridge Design Manual and shall include all reactions and loadings to show compliance with HL-93. It shall also provide information on the structural shapes being supplied for each component of the substructure such as pile, stiffeners, cross bracing, caps, bearing supports, plates, and shims, shear studs, reinforcing steel bar, and other miscellaneous shapes as required for a complete structure. In addition, it shall include a structural steel framing plan showing shape and size and connection details.

QUANTITY	UNIT	DESCRIPTION
2	EACH	Substructure Steel Package for Single Span 120' Steel Girder Bridge, 120'x24'-6" Deck on 0° Skew, HL-93 Design Loading

Date: 12/30/2024 Local Agency Official: Michael Frietsch, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	<u>Des Moines County</u>	Project No.:	<u>L-TAMA/198STHMA--73-29 L-P64ACC--73-29</u>
Proposal Guarantee:	<u>\$25,000.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>1/22/2025</u>	Time of Letting:	<u>10:00 AM</u>
Bid Turn-In Location:	<u>County Auditor</u>	Type of Project:	<u>HMA Resurfacing with Milling</u>
Contact Phone No.:	<u>319-753-8241</u>	Contact FAX No.:	<u>319-753-8740</u>

Specific Description of Project:

HMA Resurfacing with Milling: Div. 1 - on 198th Street (1.78 miles), Div. 2 - on Tama Road (0.36 miles) & Div. 3 - on South Prairie Grove Road from DMC Hwy. 34 North approximately 0.45 miles to 105th Street.

QUANTITY	UNIT	DESCRIPTION
447.98	TON	GRANULAR SHOULDERS, TYPE B
1.8	MILE	CLEANING AND PREPARATION OF BASE
22927.87	SY	PAVEMENT SCARIFICATION
2592.7	TON	HOT MIX ASPHALT HIGH TRAFFIC, SURFACE COURSE, 1/2 IN. MIX, NO SPECIAL FRICTION REQUIREMENT
155.56	TON	ASPHALT BINDER, PG 58-28H, HIGH TRAFFIC
1	LS	HOT MIX ASPHALT PAVEMENT SAMPLES
1296.35	EACH	PAYMENT ADJUSTMENT INCENTIVE/DISINCENTIVE FOR HMA MIXTURE LABORATORY VOIDS (FORMULA - BY PAY FACTOR)
1296.35	EACH	PAYMENT ADJUSTMENT INCENTIVE/DISINCENTIVE FOR HMA MIXTURE FIELD VOIDS (FORMULA - BY PAY FACTOR)
224	TON	SURFACING, DRIVEWAY, CLASS A CRUSHED STONE
622.25	EACH	PAYMENT ADJUSTMENT INCENTIVE/DISINCENTIVE FOR HMA PAVEMENT SMOOTHNESS (BY SCHEDULE)
199.85	STA	PAINTED PAVEMENT MARKING, WATERBORNE OR SOLVENT-BASED
0.34	LS	TRAFFIC CONTROL
30	EACH	FLAGGERS
10	EACH	PILOT CARS
0.34	LS	MOBILIZATION
1037.3	CY	EXCAVATION, CLASS 10, WASTE
90.44	TON	GRANULAR SHOULDERS, TYPE B
1158.7	TON	GRADED STONE BASE
896.61	TON	MACADAM STONE BASE
38	STA	BLADING AND SHAPING SHOULDER MATERIAL
1007.07	TON	HOT MIX ASPHALT STANDARD TRAFFIC, BASE COURSE, 1/2 IN. MIX
1022.47	TON	HOT MIX ASPHALT HIGH TRAFFIC, SURFACE COURSE, 1/2 IN. MIX, NO SPECIAL FRICTION REQUIREMENT
60	TON	ASPHALT BINDER, PG 58-28S, STANDARD TRAFFIC
60.92	TON	ASPHALT BINDER, PG 58-28H, HIGH TRAFFIC
32	TON	SURFACING, DRIVEWAY, CLASS A CRUSHED STONE
4644.5	SY	REMOVAL OF PAVEMENT
50.41	STA	PAINTED PAVEMENT MARKING, WATERBORNE OR SOLVENT-BASED
3	EACH	SAFETY CLOSURE
0.33	LS	TRAFFIC CONTROL
0.33	LS	MOBILIZATION
112.2	TON	GRANULAR SHOULDERS, TYPE B
0.5	MILE	CLEANING AND PREPARATION OF BASE
5788.44	SY	PAVEMENT SCARIFICATION
668.35	TON	HOT MIX ASPHALT HIGH TRAFFIC, SURFACE COURSE, 1/2 IN. MIX, NO SPECIAL FRICTION REQUIREMENT
39.5	TON	ASPHALT BINDER, PG 58-28H, HIGH TRAFFIC
48	TON	SURFACING, DRIVEWAY, CLASS A CRUSHED STONE
35.49	STA	PAINTED PAVEMENT MARKING, WATERBORNE OR SOLVENT-BASED
2	EACH	PAINTED SYMBOLS AND LEGENDS, WATERBORNE OR SOLVENT-BASED

0.33	LS	TRAFFIC CONTROL
10	EACH	FLAGGERS
5	EACH	PILOT CARS
0.33	LS	MOBILIZATION

Date: 1/6/2025 Local Agency Official: Brian Carter, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Jasper County	Project No.:	LL-ROCK(SPRING25)--73-50
Proposal Guarantee:	\$0.00	DBE or TSB Goal:	
Date of Letting:	1/29/2025	Time of Letting:	02:00 PM
Bid Turn-In Location:	County Engineer	Type of Project:	Granular Resurfacing
Contact Phone No.:	641-792-5862	Contact FAX No.:	641-791-7740

Specific Description of Project:

Hauling and placing granular materials on roads in Jasper County as directed by a County Representative.

QUANTITY	UNIT	DESCRIPTION
7940	TON	1 - 1 1/8" Granular Roadstone
4640	TON	1 - 1 1/8" Granular Roadstone
5540	TON	1 - 1 1/8" Granular Roadstone
7540	TON	1 - 1 1/8" Granular Roadstone
6990	TON	1 - 1 1/8" Granular Roadstone
124	TON	3/4" Granular Roadstone
7854	TON	1 - 1 1/8" Granular Roadstone
447	TON	3/4" Granular Roadstone
5832	TON	1 - 1 1/8" Granular Roadstone
5670	TON	1 - 1 1/8" Granular Roadstone
7460	TON	1 - 1 1/8" Granular Roadstone
4510	TON	1 - 1 1/8" Granular Roadstone
7150	TON	1 - 1 1/8" Granular Roadstone
10935	TON	1 - 1 1/8" Granular Roadstone
8911	TON	1 - 1 1/8" Granular Roadstone
6690	TON	1 - 1 1/8" Granular Roadstone

Date: 12/19/2024 Local Agency Official: Michael Frietsch, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	<u>Jasper County</u>	Project No.:	<u>L-C050(K15SUB)--73-50</u>
Proposal Guarantee:	<u>\$0.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>1/29/2025</u>	Time of Letting:	<u>02:00 PM</u>
Bid Turn-In Location:	<u>County Engineer</u>	Type of Project:	<u>Bridge Substructure</u>
Contact Phone No.:	<u>641-792-5862</u>	Contact FAX No.:	<u>641-791-7740</u>

Specific Description of Project:

This letting is for MATERIAL ONLY.

Substructure Steel Package for Single Span 80' Steel Girder Bridge, 80'x24'-6" Deck on 0° Skew, HL-93 Design Loading

Substructure steel package final design shall be considered a deliverable for this work. Conceptual substructure design, superstructure final design, and geotechnical report attached for use in completing this final design. CAD file for the conceptual substructure design available upon request. Shop drawings, fabrication drawings, and other equivalent plan information shall be provided as a final design submittal package. Final design submittal package shall be certified by a professional engineer licensed in the State of Iowa and shall be considered part of the substructure steel package bid. County review and acceptance of this submittal package shall be completed prior to fabrication. Final design submittal package shall be completed in accordance with the Iowa DOT LRFD Bridge Design Manual and shall include all reactions and loadings to show compliance with HL-93. It shall also provide information on the structural shapes being supplied for each component of the substructure such as pile, stiffeners, cross bracing, caps, bearing supports, plates and shims, shear studs, reinforcing steel bar, and other miscellaneous shapes as required for a complete structure. In addition, it shall include a structural steel framing plan showing shape and size and connection details.

QUANTITY	UNIT	DESCRIPTION
2	EACH	Substructure Steel Package for Single Span 80' Steel Girder Bridge, 80'x24'-6" Deck on 0° Skew, HL-93 Design Loading

Date: 1/2/2025 Local Agency Official: Michael Frietsch, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	<u>Jasper County</u>	Project No.:	<u>L-C050(C05SUB)--73-50</u>
Proposal Guarantee:	<u>\$0.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>1/29/2025</u>	Time of Letting:	<u>02:00 PM</u>
Bid Turn-In Location:	<u>County Engineer</u>	Type of Project:	<u>Bridge Substructure</u>
Contact Phone No.:	<u>641-792-5862</u>	Contact FAX No.:	<u>641-791-7740</u>

Specific Description of Project:

This letting is for MATERIAL ONLY.

Substructure Steel Package for Single Span 80' Steel Girder Bridge, 80'x24'-6" Deck on 0° Skew, HL-93 Design Loading

Substructure steel package final design shall be considered a deliverable for this work. Conceptual substructure design, superstructure final design, and geotechnical report attached for use in completing this final design. CAD file for the conceptual substructure design available upon request. Shop drawings, fabrication drawings, and other equivalent plan information shall be provided as a final design submittal package. Final design submittal package shall be certified by a professional engineer licensed in the State of Iowa and shall be considered part of the substructure steel package bid. County review and acceptance of this submittal package shall be completed prior to fabrication. Final design submittal package shall be completed in accordance with the Iowa DOT LRFD Bridge Design Manual and shall include all reactions and loadings to show compliance with HL-93. It shall also provide information on the structural shapes being supplied for each component of the substructure such as pile, stiffeners, cross bracing, caps, bearing supports, plates and shims, shear studs, reinforcing steel bar, and other miscellaneous shapes as required for a complete structure. In addition, it shall include a structural steel framing plan showing shape and size and connection details.

QUANTITY	UNIT	DESCRIPTION
2	EACH	Substructure Steel Package for Single Span 80' Steel Girder Bridge, 80'x24'-6" Deck on 0° Skew, HL-93 Design Loading

Date: 1/2/2025 Local Agency Official: Michael Frietsch, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	<u>Clay County</u>	Project No.:	<u>L-5622C-1</u>
Proposal Guarantee:	<u>\$50,000.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>2/4/2025</u>	Time of Letting:	<u>10:00 AM</u>
Bid Turn-In Location:	<u>Auditors Office / Clay County Admin Bldg</u>	Type of Project:	<u>Bridge or Culvert</u>
Contact Phone No.:	<u>712-262-2825</u>	Contact FAX No.:	<u>712-262-4114</u>

Specific Description of Project:

L-5622C-1 Replace 19'x17' I-Beam Bridge w/ Single 16x10 Precast Culvert L-5622C-2 Replace 19'x17' I-Beam Bridge w/ Single 14'x8' Precast Culvert

Tied With: L-5622C-2

QUANTITY	UNIT	DESCRIPTION
350	CY	Excavation - Class 10
315	CY	Excavation - Class 20
310	CY	EXCAVATION, CLASS 23
96	LF	PRECAST CONCRETE BOX CULVERT,
4	EACH	PRECAST CONCRETE BOX CULVERT STRAIGHT END SECTION,
1225	CY	COMPACTING BACKFILL ADJACENT TO BRIDGES, CULVERTS OR STRUCTURES

Date: 1/13/2025 Local Agency Official: Cole Budach, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	<u>Story County</u>	Project No.:	<u>L-F25--73-85</u>
Proposal Guarantee:	<u>\$12,500.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>2/11/2025</u>	Time of Letting:	<u>10:00 AM</u>
Bid Turn-In Location:	<u>County Auditor</u>	Type of Project:	<u>Box Culverts</u>
Contact Phone No.:	<u>515-382-7355</u>	Contact FAX No.:	<u>515-382-7369</u>

Specific Description of Project:

RCB Culvert Replacement - On Stagecoach Rd., over No Name Stream, Section 25-84-24.

QUANTITY	UNIT	DESCRIPTION
0.2	ACRE	CLEARING AND GRUBBING
47.1	CY	EMBANKMENT-IN-PLACE, CONTRACTOR FURNISHED
119.8	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
34.7	CY	EXCAVATION, CLASS 10, CHANNEL
45	TON	GRANULAR MATERIAL
1	LS	REMOVAL OF EXISTING STRUCTURES
216	CY	EXCAVATION, CLASS 20
42	LF	PRECAST CONCRETE BOX CULVERT, 14 FT. X 6 FT.
2	EACH	PRECAST CONCRETE BOX CULVERT STRAIGHT END SECTION, 14 FT. X 6 FT.
43.6	SY	ENGINEERING FABRIC
15	TON	REVTMENT, CLASS E
4	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION

Date: 1/8/2025 Local Agency Official: Darren Moon, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	<u>Story County</u>	Project No.:	<u>L-M24--73-85</u>
Proposal Guarantee:	<u>\$37,500.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>2/11/2025</u>	Time of Letting:	<u>10:00 AM</u>
Bid Turn-In Location:	<u>County Auditor</u>	Type of Project:	<u>Bridges</u>
Contact Phone No.:	<u>515-382-7355</u>	Contact FAX No.:	<u>515-382-7369</u>

Specific Description of Project:

Bridge Replacement - CCS - On 610th Ave.; over West Indian Creek, on the W. Line of Section 24-84-23.

QUANTITY	UNIT	DESCRIPTION
0.9	ACRE	CLEARING AND GRUBBING
1013.6	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
159.6	CY	EXCAVATION, CLASS 10, WASTE
40	CY	EXCAVATION, CLASS 10, CHANNEL
250.6	CY	TOPSOIL, STRIP, SALVAGE AND SPREAD
1	LS	REMOVAL OF EXISTING BRIDGE
100	CY	EXCAVATION, CLASS 20
181.1	CY	STRUCTURAL CONCRETE (BRIDGE)
46636	LB	REINFORCING STEEL
182.9	LF	CONCRETE OPEN RAILING, TL-4
1110	LF	PILES, STEEL, HP 10 X 42
171.2	LF	CONCRETE ENCASEMENT OF STEEL H PILES, HP 10 X 42 (P10L TYPE 3)
301.6	SY	ENGINEERING FABRIC
232.4	TON	REVTMENT, CLASS E
12	CY	REVTMENT, REMOVE AND REPLACE
4	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
160	LF	SILT FENCE FOR DITCH CHECKS
240	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 12 IN. DIA.

Date: 1/8/2025 Local Agency Official: Darren Moon, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County: Linn County Project No.: M-GUARDRAIL(25)
 Proposal Guarantee: \$2,000.00 DBE or TSB Goal: _____
 Date of Letting: 2/11/2025 Time of Letting: 11:00 AM
 Bid Turn-In Location: County Auditor Type of Project: GUARDRAIL INSTALLATION
 Contact Phone No.: 319-892-6400 Contact FAX No.: 319-892-6419

Specific Description of Project:

INSTALLATION OF CABLE GUARDRAIL IN WAUBEEK ALONG THE WAPSIPINICON RIVER

QUANTITY	UNIT	DESCRIPTION
280	LF	HIGH TENSION CABLE GUARDRAIL
2	EACH	HIGH TENSION CABLE GUARDRAIL, END ANCHOR
1	LS	TRAFFIC CONTROL
4	EACH	FLAGGERS
1	LS	MOBILIZATION

Date: 1/10/2025 Local Agency Official: Brad Ketels, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Linn County	Project No.:	M-PAVEMENT MARKINGS(25)
Proposal Guarantee:	\$25,000.00	DBE or TSB Goal:	
Date of Letting:	2/11/2025	Time of Letting:	11:00 AM
Bid Turn-In Location:	County Auditor	Type of Project:	Pavement Markings
Contact Phone No.:	319-892-6400	Contact FAX No.:	319-892-6419

Specific Description of Project:

QUANTITY	UNIT	DESCRIPTION
9	EACH	PAINTED SYMBOLS AND LEGENDS, HIGH-BUILD WATERBORNE
16	STA	PAVEMENT MARKINGS REMOVED
1	LS	TRAFFIC CONTROL
5	EACH	FLAGGERS
5	EACH	PILOT CARS
1	LS	MOBILIZATION
6391	GAL	PAINTED PAVEMENT MARKINGS - HIGH BUILD

Date: 1/13/2025 Local Agency Official: Brad Ketels, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Cerro Gordo County	Project No.:	LFM-S66(241)--7X-17
Proposal Guarantee:	\$62,500.00	DBE or TSB Goal:	
Date of Letting:	3/24/2025	Time of Letting:	10:05 AM
Bid Turn-In Location:	County Auditor	Type of Project:	HMA RESURFACING
Contact Phone No.:	641-424-9037	Contact FAX No.:	641-424-9058

Specific Description of Project:

HMA Resurfacing of Vine Ave from 150th St to 190th St

QUANTITY	UNIT	DESCRIPTION
4300	TON	GRANULAR SHOULDERS, TYPE B
4	MILE	CLEANING AND PREPARATION OF BASE
2574	SY	PAVEMENT SCARIFICATION
15	TON	HOT MIX ASPHALT MIXTURE, WEDGE, LEVELING OR STRENGTHENING COURSE
4250	TON	HOT MIX ASPHALT STANDARD TRAFFIC, INTERMEDIATE COURSE, 1/2 IN. MIX
4250	TON	HOT MIX ASPHALT STANDARD TRAFFIC, SURFACE COURSE, 1/2 IN. MIX, NO SPECIAL FRICTION REQUIREMENT
510	TON	ASPHALT BINDER, PG 58-28S, STANDARD TRAFFIC
1	LS	HOT MIX ASPHALT PAVEMENT SAMPLES
21250	EACH	PAYMENT ADJUSTMENT INCENTIVE/DISINCENTIVE FOR HMA MIXTURE LABORATORY VOIDS (FORMULA - BY PAY FACTOR)
21250	EACH	PAYMENT ADJUSTMENT INCENTIVE/DISINCENTIVE FOR HMA MIXTURE FIELD VOIDS (FORMULA - BY PAY FACTOR)
4	EACH	RUMBLE STRIP PANEL (HMA SURFACE)
1	LS	CONSTRUCTION SURVEY
333.51	STA	PAINTED PAVEMENT MARKING, WATERBORNE OR SOLVENT-BASED
1	LS	TRAFFIC CONTROL
50	EACH	FLAGGERS
50	EACH	PILOT CARS
20	SY	PATCHES, FULL-DEPTH FINISH, BY AREA
1	EACH	PATCHES, FULL-DEPTH FINISH, BY COUNT
1	LS	MOBILIZATION

Date: 1/7/2025 Local Agency Official: Brandon Billings, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us