



LOCAL AGENCY LETTING INFORMATION

CONTENTS

DATE ADDED	COUNTY/CITY	LETTING DATE	PAGE NUMBER
June 19, 2024	Muscatine	July 22, 2024	2
June 24, 2024	Chickasaw	July 22, 2024	4
July 11, 2024	Linn	July 30, 2024	5
July 12, 2024	Linn	July 30, 2024	7
July 12, 2024	Linn	July 30, 2024	8
July 12, 2024	Linn	July 30, 2024	9
July 11, 2024	Jasper	August 1, 2024	10
July 8, 2024	Cass	August 5, 2024	11
July 15, 2024	Dubuque	August 5, 2024	12

BULLETIN REPORTING FORM

County:	Muscatine County	Project No.:	LFM-(FU-9)--7X-70
Proposal Guarantee:	\$25,000.00	DBE or TSB Goal:	
Date of Letting:	7/22/2024	Time of Letting:	09:00 AM
Bid Turn-In Location:	County Auditor	Type of Project:	Bridge Replacement - PPCB
Contact Phone No.:	563-263-6351	Contact FAX No.:	563-263-6358

Specific Description of Project:

QUANTITY	UNIT	DESCRIPTION
0.1	ACRE	CLEARING AND GRUBBING
1416	CY	EMBANKMENT-IN-PLACE
632	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
1601	CY	EXCAVATION, CLASS 10, CHANNEL
647	CY	TOPSOIL, STRIP, SALVAGE AND SPREAD
583	TON	GRANULAR SURFACING ON ROAD, CLASS A CRUSHED STONE
30	TON	SURFACING, DRIVEWAY, CLASS A CRUSHED STONE
1	LS	REMOVAL OF EXISTING BRIDGE
107	CY	EXCAVATION, CLASS 20
157.9	CY	STRUCTURAL CONCRETE (BRIDGE)
38523	LB	REINFORCING STEEL, EPOXY COATED
5	EACH	BEAMS, PRETENSIONED PRESTRESSED CONCRETE, C80
1180	LB	STRUCTURAL STEEL
214	LF	CONCRETE OPEN RAILING, TL-4
80	LF	CULVERT, CORRUGATED METAL ENTRANCE PIPE, 18 IN. DIA.
450	LF	PILES, STEEL, HP 10 X 57
4	EACH	STEEL BEAM GUARDRAIL BARRIER TRANSITION SECTION, BA-201
4	EACH	STEEL BEAM GUARDRAIL END ANCHOR, BOLTED
4	EACH	STEEL BEAM GUARDRAIL FLARED END TERMINAL, LS-626
1726	SY	ENGINEERING FABRIC
1474.2	TON	REVTMENT, CLASS E
30	CY	REVTMENT, REMOVE AND REPLACE
579	LF	FENCE, FIELD
10	EACH	FIELD FENCE BRACE PANELS
581	LF	REMOVAL OF FENCE, FIELD
1	LS	CONSTRUCTION SURVEY
4	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
2.4	ACRE	MULCHING
1.2	ACRE	SEEDING AND FERTILIZING (RURAL)
408	SQ	SLOPE PROTECTION, WOOD EXCELSIOR MAT
1.2	ACRE	STABILIZING CROP - SEEDING AND FERTILIZING
135	LF	SILT FENCE
444	LF	SILT FENCE FOR DITCH CHECKS
8	EACH	SILT BASINS

444	LF	REMOVAL OF SILT FENCE OR SILT FENCE FOR DITCH CHECKS
130	LF	MAINTENANCE OF SILT FENCE OR SILT FENCE FOR DITCH CHECK
720	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 12 IN. DIA.
3	EACH	MOBILIZATIONS, EROSION CONTROL
1	EACH	MOBILIZATIONS, EMERGENCY EROSION CONTROL

Date: 6/19/2024 Local Agency Official: Bryan Horesowsky, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Chickasaw County	Project No.:	ARPA-2024-C019(01)
Proposal Guarantee:	\$37,500.00	DBE or TSB Goal:	
Date of Letting:	7/22/2024	Time of Letting:	10:00 AM
Bid Turn-In Location:	County Auditor	Type of Project:	PCC Paving
Contact Phone No.:	641-394-2321	Contact FAX No.:	641-394-5280

Specific Description of Project:

PCC Paving Project

QUANTITY	UNIT	DESCRIPTION
1210	CY	EXCAVATION, CLASS 10, WASTE
1	CY	EXCAVATION, CLASS 12, BOULDERS OR ROCK FRAGMENTS
1816	CY	MODIFIED SUBBASE
1819	TON	GRANULAR SHOULDERS, TYPE B
8638.8	SY	STANDARD OR SLIP FORM PORTLAND CEMENT CONCRETE PAVEMENT, CLASS C, CLASS 3 DURABILITY, 8 IN.
4	EACH	RUMBLE STRIP PANEL (PCC SURFACE)
5978	LF	SUBDRAIN, LONGITUDINAL, (SHOULDER) 4 IN. DIA.
20	EACH	SUBDRAIN OUTLET, 500-10
9609.6	SY	REMOVAL OF PAVEMENT
45.5	SY	DRIVEWAY, P.C. CONCRETE, 6 IN.
75.7	SY	DRIVEWAY, P.C. CONCRETE, 8 IN.
42.6	SY	RAILROAD APPROACH SECTION, HMA
1	LS	CONSTRUCTION SURVEY
124.77	STA	PAINTED PAVEMENT MARKING, WATERBORNE OR SOLVENT-BASED
2	EACH	PAINTED SYMBOLS AND LEGENDS, WATERBORNE OR SOLVENT-BASED
3	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
1	LS	RAILROAD PROTECTIVE LIABILITY INSURANCE FOR DAKOTA, MINNESOTA, AND EASTERN RAILROAD CORP.

Date: 6/24/2024 Local Agency Official: Roman Lensing, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	<u>Linn County</u>	Project No.:	<u>L-ELLIS RD NW(25) & L-TSF-C057(174)--74-57</u>
Proposal Guarantee:	<u>\$100,000.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>7/30/2024</u>	Time of Letting:	<u>11:00 AM</u>
Bid Turn-In Location:	<u>County Auditor</u>	Type of Project:	<u>Asphalt Paving</u>
Contact Phone No.:	<u>319-892-6400</u>	Contact FAX No.:	<u>319-892-6419</u>

Specific Description of Project:

L-ELLIS RD NW(25) Asphalt Paving on Ellis Road starting from a point 5300' east of Covington Road, east 8600'.

L-TSF-C057(174)--74-57 Guardrail installation on Ellis Road starting from a point 8300' east of Covington Road, 5400' on the north side of Ellis Road NW

QUANTITY	UNIT	DESCRIPTION
1	ACRE	CLEARING AND GRUBBING
117	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
300	CY	TOPSOIL, STRIP, SALVAGE AND SPREAD
241	CY	MODIFIED SUBBASE
524	TON	GRANULAR SHOULDERS, TYPE B
328	TON	CHOKES STONE BASE
994.9	SY	PATCHES, FULL-DEPTH REPAIR
32	EACH	PATCHES BY COUNT (REPAIR)
130	CY	EXCAVATION, CLASS 13, FOR WIDENING
1283.5	SY	BASE WIDENING, 4 IN. HOT MIX ASPHALT MIXTURE
16417.633	SY	PAVEMENT SCARIFICATION
4097	TON	HOT MIX ASPHALT STANDARD TRAFFIC, BASE COURSE, 1/2 IN. MIX
3657	TON	HOT MIX ASPHALT STANDARD TRAFFIC, SURFACE COURSE, 1/2 IN. MIX, NO SPECIAL FRICTION REQUIREMENT
491.34	TON	ASPHALT BINDER, PG 58-28S, STANDARD TRAFFIC
1	LS	REMOVAL OF EXISTING STRUCTURES
2250	TON	GRANULAR BACKFILL
3094	CY	EXCAVATION, CLASS 20, FOR ROADWAY PIPE CULVERT
632	LF	CULVERT, CONCRETE ROADWAY PIPE, 24 IN. DIA.
110	LF	CULVERT, CONCRETE ROADWAY PIPE, 36 IN. DIA.
62	LF	CULVERT, CONCRETE ROADWAY PIPE, 42 IN. DIA.
72	LF	CULVERT, CONCRETE ROADWAY PIPE, 48 IN. DIA.
56	LF	CULVERT, CORRUGATED METAL ENTRANCE PIPE, 36 IN. DIA.
1	EACH	MANHOLE, STORM SEWER, SW-406
9	EACH	INTAKE, SW-512, 30 IN., WELL ONLY
9	EACH	INTAKE, SW-512, 30 IN., TOP ONLY
14	EACH	MANHOLE ADJUSTMENT, MINOR
80	TON	REVTMENT, CLASS D
120	TON	EROSION STONE
861.7	SY	REMOVAL OF PAVEMENT
200	LF	CURB AND GUTTER, P.C. CONCRETE, 2.0 FT.
65.5	SY	REMOVAL OF PAVED DRIVEWAY
229.2	STA	PAINTED PAVEMENT MARKINGS, HIGH-BUILD WATERBORNE
16	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
20	EACH	FLAGGERS
1	LS	MOBILIZATION
2	ACRE	MULCHING, BONDED FIBER MATRIX
2	ACRE	HYDRAULIC SEEDING
2280	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 12 IN. DIA.

5	EACH	MOBILIZATIONS, EROSION CONTROL
1	ACRE	CLEARING AND GRUBBING
1264	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
724	CY	MODIFIED SUBBASE
684	TON	GRANULAR SHOULDERS, TYPE B
1024	TON	CHOKE STONE BASE
39	CY	EXCAVATION, CLASS 13, FOR WIDENING
2514.4	SY	BASE WIDENING, 4 IN. HOT MIX ASPHALT MIXTURE
435	TON	HOT MIX ASPHALT STANDARD TRAFFIC, SURFACE COURSE, 1/2 IN. MIX, NO SPECIAL FRICTION REQUIREMENT
26.1	TON	ASPHALT BINDER, PG 58-28S, STANDARD TRAFFIC
4937.5	LF	STEEL BEAM GUARDRAIL
1	EACH	STEEL BEAM GUARDRAIL END ANCHOR, W-BEAM
5	EACH	STEEL BEAM GUARDRAIL TANGENT END TERMINAL, BA-225
577	LF	CURB AND GUTTER, P.C. CONCRETE, 2.0 FT.
30	EACH	DELINEATOR, RIGID - TYPE I
1	LS	MOBILIZATION
1160	LF	REMOVAL OF WOOD BEAM G'RAIL

Date: 7/11/2024 Local Agency Official: Brad Ketels, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	<u>Linn County</u>	Project No.:	<u>L-CMP 1725(25)</u>
Proposal Guarantee:	<u>\$6,250.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>7/30/2024</u>	Time of Letting:	<u>11:00 AM</u>
Bid Turn-In Location:	<u>County Auditor</u>	Type of Project:	<u>Culvert Replacement</u>
Contact Phone No.:	<u>319-892-6400</u>	Contact FAX No.:	<u>319-892-6419</u>

Specific Description of Project:

Twin CMP Culvert Replacement on Angle Road

Tied With: L-CMP 2430(25) & L-CMP 2429(25)

QUANTITY	UNIT	DESCRIPTION
75	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
40	CY	TOPSOIL, STRIP, SALVAGE AND SPREAD
12	CY	MODIFIED SUBBASE
50	TON	CHOKE STONE BASE
100	TON	GRANULAR BACKFILL
325	CY	EXCAVATION, CLASS 20, FOR ROADWAY PIPE CULVERT
12	CY	STRUCTURAL CONCRETE (MISCELLANEOUS)
934	LB	REINFORCING STEEL
140	LF	CULVERT, CORRUGATED METAL ARCH ENTRANCE PIPE, 73 IN. X 55 IN.
40	TON	REVETMENT, CLASS D
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
0.8	ACRE	MULCHING
0.8	ACRE	SEEDING AND FERTILIZING (RURAL)
250	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 9 IN. DIA.
2	EACH	MOBILIZATIONS, EROSION CONTROL

Date: 7/11/2024 Local Agency Official: Brad Ketels, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	<u>Linn County</u>	Project No.:	<u>L-CMP 2429(25)</u>
Proposal Guarantee:	<u>\$4,000.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>7/30/2024</u>	Time of Letting:	<u>11:00 AM</u>
Bid Turn-In Location:	<u>County Auditor</u>	Type of Project:	<u>Culvert Replacement</u>
Contact Phone No.:	<u>319-892-6400</u>	Contact FAX No.:	<u>319-892-6419</u>

Specific Description of Project:

Twin CMP Culvert Replacement on Morgan Bridge Road

Tied With: L-CMP 2430(25) & L-CMP 1725(25)

QUANTITY	UNIT	DESCRIPTION
75	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
310	CY	EXCAVATION, CLASS 10, CHANNEL
40	CY	TOPSOIL, STRIP, SALVAGE AND SPREAD
10	CY	MODIFIED SUBBASE
50	TON	CHOKER STONE BASE
100	TON	GRANULAR BACKFILL
325	CY	EXCAVATION, CLASS 20, FOR ROADWAY PIPE CULVERT
12	CY	STRUCTURAL CONCRETE (MISCELLANEOUS)
934	LB	REINFORCING STEEL
100	LF	CULVERT, CORRUGATED METAL ARCH ENTRANCE PIPE, 60 IN. X 46 IN.
40	TON	REVTMENT, CLASS D
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
0.4	ACRE	MULCHING
0.4	ACRE	SEEDING AND FERTILIZING (RURAL)
250	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 9 IN. DIA.
2	EACH	MOBILIZATIONS, EROSION CONTROL

Date: 7/11/2024 Local Agency Official: Brad Ketels, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	<u>Linn County</u>	Project No.:	<u>L-CMP 2430(25)</u>
Proposal Guarantee:	<u>\$4,000.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>7/30/2024</u>	Time of Letting:	<u>11:00 AM</u>
Bid Turn-In Location:	<u>County Auditor</u>	Type of Project:	<u>Culvert Replacement</u>
Contact Phone No.:	<u>319-892-6400</u>	Contact FAX No.:	<u>319-892-6419</u>

Specific Description of Project:

Twin CMP Culvert Replacement on Morgan Bridge Road

Tied With: L-CMP 2429(25) & L-CMP 1725(25)

QUANTITY	UNIT	DESCRIPTION
75	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
40	CY	TOPSOIL, STRIP, SALVAGE AND SPREAD
10	CY	MODIFIED SUBBASE
50	TON	CHOKER STONE BASE
100	TON	GRANULAR BACKFILL
325	CY	EXCAVATION, CLASS 20, FOR ROADWAY PIPE CULVERT
12	CY	STRUCTURAL CONCRETE (MISCELLANEOUS)
934	LB	REINFORCING STEEL
100	LF	CULVERT, CORRUGATED METAL ARCH ENTRANCE PIPE, 60 IN. X 46 IN.
40	TON	REVTMENT, CLASS D
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
0.3	ACRE	MULCHING
0.3	ACRE	SEEDING AND FERTILIZING (RURAL)
250	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 9 IN. DIA.
2	EACH	MOBILIZATIONS, EROSION CONTROL

Date: 7/11/2024 Local Agency Official: Brad Ketels, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	<u>Jasper County</u>	Project No.:	<u>LL-SALT(FY25)--73-50</u>
Proposal Guarantee:	<u>\$0.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>8/1/2024</u>	Time of Letting:	<u>02:00 PM</u>
Bid Turn-In Location:	<u>County Engineer</u>	Type of Project:	<u>Rock Salt</u>
Contact Phone No.:	<u>641-792-5862</u>	Contact FAX No.:	<u>641-791-7740</u>

Specific Description of Project:

Jasper County is taking bids for the purchase of rock salt for the 2024-2025 winter season, bid price to extend through the months of September 2024 to May 2025. The average quantity of rock salt purchased during these winter months is 1500 tons. The actual amount purchased varies with seasonal conditions. The material will be supplied through the course of the 2024-2025 winter season, as needed by Jasper County. Purchase price to include delivery to the Jasper County Shop in Newton, Iowa. The supplier will be able to respond to a request for rock salt within a 14-day period.

QUANTITY	UNIT	DESCRIPTION
1500	TON	Rock Salt

Date: 7/10/2024 Local Agency Official: Michael Frietsch, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Cass County	Project No.:	L83--73-15
Proposal Guarantee:	\$0.00	DBE or TSB Goal:	
Date of Letting:	8/5/2024	Time of Letting:	10:00 AM
Bid Turn-In Location:	Cass Co. Engineer's Office	Type of Project:	Bridge or Culvert
Contact Phone No.:	712-243-2442	Contact FAX No.:	

Specific Description of Project:

Cast in place RCB Culvert 12'X10'X116'

QUANTITY	UNIT	DESCRIPTION
0.1	ACRE	CLEARING AND GRUBBING
4500	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
200	CY	TOPSOIL, STRIP, SALVAGE AND SPREAD
160	TON	GRANULAR SURFACING ON ROAD, CLASS D CRUSHED STONE
1	LS	REMOVAL OF EXISTING STRUCTURES
1400	CY	EXCAVATION, CLASS 20
200	TON	GRANULAR BACKFILL
483	CY	STRUCTURAL CONCRETE (RCB CULVERT)
71102	LB	REINFORCING STEEL
1	LS	BANK SHAPING
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
0.75	ACRE	MULCHING
0.75	ACRE	SEEDING AND FERTILIZING (RURAL)
960	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 12 IN. DIA.
1	EACH	MOBILIZATIONS, EROSION CONTROL

Date: 7/8/2024 Local Agency Official: Trent Wolken, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	<u>Dubuque County</u>	Project No.:	<u>2024 Bridge Deck Overlays</u>
Proposal Guarantee:	<u>\$12,500.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>8/5/2024</u>	Time of Letting:	<u>09:00 AM</u>
Bid Turn-In Location:	<u>Dubuque County Auditor's Office</u>	Type of Project:	<u>Bridge or Culvert</u>
Contact Phone No.:	<u>563-557-7283</u>	Contact FAX No.:	<u>563-557-1973</u>

Specific Description of Project:

Two Bridge Deck Overlays: Div. I: 100' 00' x 30' 00" CCS 0° Skew Bridge Deck Overlay on Bankston Park Rd, approx. 675' southwest of Park Hollow Rd in Section 34, Concord Township T90N R1W Div. II: 75' 00' x 30' 00" CCS 0° Skew Bridge Deck Overlay on Farley Rd, approx. 600' north of Johns Creek Rd in Section 36, Dodge Township T88N R2W

QUANTITY	UNIT	DESCRIPTION
603.33	SY	REMOVAL OF CONCRETE
603.33	SY	DECK OVERLAY (CLASS HPC-O PCC)
151	SY	DECK REPAIR, CLASS A
10	SY	DECK REPAIR, CLASS B
5	STA	PAINTED PAVEMENT MARKINGS, WATERBORNE OR SOLVENT-BASED
8	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION

Date: 7/15/2024 Local Agency Official: Russell Weber, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us