




W4-2M;  
48.00" across sides 3.00" Radius, 1.25" Border, 0.75" Indent, Black on Orange;  
[MERGE] C 2K;  
Standard Arrow Custom 29.25" X 13.50" 180°;




W8-11A;  
48.00" across sides 3.00" Radius, 1.25" Border, 0.75" Indent, Black on Orange;  
[END] C 2K; [UNEVEN] C 2K; [LANES] C 2K;



W21-9;  
48.00" across sides 3.00" Radius, 1.25" Border, 0.75" Indent, Black on Orange;  
[AERIAL] C 2K; [SEEDING] C 2K;









W20-1A;  
48.00" across sides 3.00" Radius, 1.25" Border, 0.75" Indent, Black on Orange;  
[RAMP] D 2K; [WORK] D 2K; [AHEAD] D 2K;



W20-1A;  
48.00" across sides 3.00" Radius, 1.25" Border, 0.75" Indent, Black on Orange;  
[TRUCKS] C 2K; [TURNING] C 2K;  
[AHEAD] C 2K;

|  |               |          |
|--|---------------|----------|
|  | REVISION      |          |
|  | 6             | 04-16-19 |
|  | <b>SI-881</b> |          |
| STANDARD ROAD PLAN                         |               |          |
| SHEET 1 of 4                               |               |          |
| REVISIONS: Added WORK ZONE sign to page 4. |               |          |
| <br>APPROVED BY DESIGN METHODS ENGINEER    |               |          |
| <b>SPECIAL SIGNS FOR WORKZONES</b>         |               |          |




|  |          |               |
|--|----------|---------------|
|  | REVISION |               |
|  | 6        | 04-16-19      |
| <b>STANDARD ROAD PLAN</b>                  |          | <b>SI-881</b> |
| REVISIONS: Added WORK ZONE sign to page 4. |          | SHEET 2 of 4  |
| <br>APPROVED BY DESIGN METHODS ENGINEER    |          |               |
| <b>SPECIAL SIGNS FOR WORKZONES</b>         |          |               |

G40-1




3.00" Radius, 1.25" Border, 0.75" Indent, Black on Orange;  
 [WET] E 2K; [YELLOW] E 2K;  
 [PAINT] E 2K;

G40-2



3.00" Radius, 1.25" Border, 0.75" Indent, Black on Orange;  
 [WET] E 2K; [WHITE] E 2K; [PAINT] E 2K;

G23-1




2.25" Radius, 0.88" Border, 0.63" Indent, Black on Orange;  
 [FRESH] D 2K specified length;  
 [OIL] D 2K specified length;

G40-3




1.50" Radius, 0.63" Border, 0.38" Indent, Black on Orange;  
 [WET PAINT] E 2K;

G40-4





1.50" Radius, 0.63" Border, 0.38" Indent, Black on Orange;  
 [END] E 2K;  
 [PAINTING] E 2K;

G21-2



1.50" Radius, 0.63" Border, 0.38" Indent, Black on Orange;  
 [FRESH OIL] C 2K;

|  |               |          |
|--|---------------|----------|
| <br><b>STANDARD ROAD PLAN</b>           | REVISION      |          |
|  | 6             | 04-16-19 |
|  | <b>SI-881</b> |          |
| SHEET 3 of 4   |               |          |
| REVISIONS: Added WORK ZONE sign to page 4.   |               |          |
| <br>APPROVED BY DESIGN METHODS ENGINEER |               |          |
| <b>SPECIAL SIGNS FOR WORKZONES</b>   |               |          |

