



NOTE: THE REINFORCING STEEL QUANTITIES FOR THE CAP AND COLUMN ARE TO BE INCLUDED ON THE SUMMARY QUANTITIES SHEET IN THE PLAN.

NOTE: THE CONCRETE QUANTITIES FOR THE CAP AND COLUMN ARE TO BE INCLUDED ON THE SUMMARY QUANTITIES SHEET IN THE PLAN.

### CAP

REINFORCING STEEL	BAR	LENGTH	SHAPE	138'-10		151'-4		163'-10		176'-4		188'-10		201'-4		213'-10		226'-4		243'-0					
				NO.	SIZE	WEIGHT	NO.	SIZE	WEIGHT	NO.	SIZE	WEIGHT	NO.	SIZE	WEIGHT	NO.	SIZE	WEIGHT	NO.	SIZE	WEIGHT	NO.	SIZE	WEIGHT	
	a1	44'-8		8	9	1215	8	9	1215	8	9	1215	8	10	1538	8	10	1538	8	11	1899	8	11	1899	
	a2	44'-8		8	8	954	8	8	954	8	9	1215	8	9	1215	8	10	1538	8	10	1538	8	10	1538	
	6a3	44'-8		8	6	537	8	6	537	8	6	537	8	6	537	8	6	537	8	6	537	8	6	537	
	6a4	VARIES		4	6	199	4	6	199	4	6	199	4	6	199	4	6	199	4	6	199	4	6	199	
	8b1	23'-7		8	8	504	8	8	504	8	8	504	8	8	504	8	8	504	8	8	504	8	8	504	
	5c1	16'-10		24	5	421	24	5	421	24	5	421	24	5	421	24	5	421	24	5	421	24	5	421	
	5c2	VARIES		24	5	397	24	5	397	24	5	397	24	5	397	24	5	464	28	5	464	40	5	662	
	5c3	VARIES		36	5	502	36	5	502	36	5	502	36	5	502	36	5	502	36	5	502	36	5	502	
	5c4	6'-8		18	5	125	18	5	125	18	5	125	18	5	125	18	5	125	18	5	125	18	5	125	
	5m1	5'-8		12	5	71	12	5	71	12	5	71	12	5	71	12	5	71	12	5	71	12	5	71	
	5n1	2'-8		12	5	33	12	5	33	12	5	33	12	5	33	12	5	33	12	5	33	12	5	33	
	TOTAL (L.B.)			4958			4958			5219			5219			5542			5932			6491			6491
	STRUCTURAL CONCRETE (CY)			29.9			29.9			29.9			29.9			29.9			29.9			29.9			29.9

### COLUMN

H IN FEET	COLUMN HEIGHT	STRUCTURAL CONCRETE (CY)	REINFORCING STEEL												TOTAL WEIGHT (L.B.)
			d1 BAR			4e1 BAR			4e2 BAR						
			NO.	SIZE	LENGTH	WEIGHT	NO.	SIZE	LENGTH	WEIGHT	NO.	SIZE	LENGTH	WEIGHT	
16	6'-0	9.7	46	9	8'-9	1369	14	4	11'-11	111	28	4	13'-10	259	1739
17	7'-0	11.3	46	9	9'-9	1525	16	4	11'-11	127	32	4	13'-10	296	1948
18	8'-0	12.9	46	9	10'-9	1681	18	4	11'-11	143	36	4	13'-10	333	2157
19	9'-0	14.6	46	9	11'-9	1838	20	4	11'-11	159	40	4	13'-10	370	2367
20	10'-0	16.2	46	9	12'-9	1994	22	4	11'-11	175	44	4	13'-10	407	2576
21	11'-0	17.8	46	9	13'-9	2151	24	4	11'-11	191	48	4	13'-10	444	2786
22	12'-0	19.4	46	9	14'-9	2307	26	4	11'-11	207	52	4	13'-10	481	2995
23	13'-0	21.0	46	9	15'-9	2463	28	4	11'-11	223	56	4	13'-10	517	3203
24	14'-0	22.6	46	9	16'-9	2620	30	4	11'-11	239	60	4	13'-10	554	3413
25	14'-6	23.4	46	9	17'-3	2698	30	4	11'-11	239	60	4	13'-10	554	3491
26	15'-6	25.1	46	9	18'-3	2854	32	4	11'-11	255	64	4	13'-10	591	3700
27	16'-6	26.7	46	9	19'-3	3011	34	4	11'-11	271	68	4	13'-10	628	3910
28	17'-6	28.3	46	9	20'-3	3167	36	4	11'-11	287	72	4	13'-10	665	4119
29	18'-6	29.9	46	9	21'-3	3324	38	4	11'-11	302	76	4	13'-10	702	4328
30	19'-6	31.5	46	9	22'-3	3480	40	4	11'-11	318	80	4	13'-10	739	4537
31	20'-6	33.1	46	9	23'-3	3636	42	4	11'-11	334	84	4	13'-10	776	4746
32	21'-6	34.8	46	9	24'-3	3793	44	4	11'-11	350	88	4	13'-10	813	4956
33	22'-6	36.4	46	9	25'-3	3949	46	4	11'-11	366	92	4	13'-10	850	5165
34	23'-6	38.0	46	9	26'-3	4106	48	4	11'-11	382	96	4	13'-10	887	5375
35	24'-6	39.6	46	9	27'-3	4262	50	4	11'-11	398	100	4	13'-10	924	5584
36	25'-6	41.2	46	9	28'-3	4418	52	4	11'-11	414	104	4	13'-10	961	5793
37	26'-6	42.9	46	9	29'-3	4575	54	4	11'-11	430	108	4	13'-10	998	6003
38	27'-6	44.5	46	9	30'-3	4731	56	4	11'-11	446	112	4	13'-10	1035	6212
39	28'-6	46.1	46	9	31'-3	4888	58	4	11'-11	462	116	4	13'-10	1072	6422
40	29'-6	47.7	46	9	32'-3	5044	60	4	11'-11	478	120	4	13'-10	1109	6631

LATEST REVISION DATE	APPROVED BY BRIDGE ENGINEER	STANDARD DESIGN - 44' ROADWAY, THREE SPAN BRIDGE <b>PRETENSIONED PRESTRESSED CONCRETE BEAM BRIDGES</b> SEPTEMBER, 2014
<b>TEE PIER</b> <b>CAP AND COLUMN</b> 0° SKEW		<b>H44-51-14</b>