

Subject: Revision of Standard Road Plan Manual Revision Date: 10/15/2019

To: Holders of Standard Road Plans From: Office of Design

INSTRUCTIONS: The attached Standard Road Plans have received approval and may be referred to in the plans by number. Questions concerning information contained on the Standard Road Plans should be directed to the Methods Section, Office of Design, telephone (515) 239-1727 or email daniel.harness@iowadot.us.

\*\*NOTE\*\* The following revisions are effective with the 10/15/2019 letting. Projects let prior to this date may reference earlier versions of these Standard Road Plans.

Standard Road Plan

**Description of Revision** 

**BA Index** 

**BA-100** 

New logo.

**BA-103** 

New logo.

**BA-104** 

New logo.

**BA-105** 

New logo.

**BA-107** 

New logo.

**BA-150** 

New logo.

**BA-203** 

New logo.

**BA-204** 

New logo.

**BA-206** 

Retitled. Modified graphics and notes. Modified graphic to more closely resemble available flared systems.

**BA-351** 

Added Guardrail, Special Anchor Section as Possible Contract Item. Changed Edge of Pavement to Edge of Traveled Way. Added Designer Info Button.

**BA-400** 

Void. Now Road Design Detail 560-7.


**BA-401** 

Added Designer Info button.

## **BR-205** Modified leader line for circle note 4 in PLAN VIEW on Sheet 1. **DR Index** DR-401 Added BR-205 to Circle Notes 1 & 5. **DR-402** Added BR-205 to Circle Notes 1 & 4. **DR-626** Changed RF-2 Adaptor to DR-122 Adaptor. **DR-627** Changed RF-2 Adaptor to DR-122 Adaptor. **DR-628** Changed RF-2 Adaptor to DR-122 Adaptor. **EC Index** EC-201 Modified circle note 1. **PM Index** PM-210 New logo. PM-211 New logo. PM-222 New. PM-230 New logo. PM-420 New logo. PM-520 New logo. PM-521 New logo. PM-550 New logo.

**BR Index** 

PM-560 New logo.
PM-561 New logo.
PM-562 New logo.
PM-620 New logo.
PM-650 New logo.
PM-760 New logo.
PV Index
PV-201  Modified circle note 2 to allow 'B' joint in place of 'E' joint for two-piece casting constructed low.
SI Index
SI-113  Modified C dimension for W 6 x 12 post in BREAKAWAY BASE DATA table on Sheet 2.
SW Index
SW-521 Added details for installation with curb. Added 6 inch minimum width.
SW-538  Added BR-205 to Circle Notes 1 & 3. Changed corrugated metal pipe to high density polyethylene (HDPE) pipe on Sheet 2.
SW-539 Added Designer Info button & BR-205 to Circle Notes 1 & 3.
TC Index
TC-001 New logo.
TC-061 Replaced Type III Barricade with attached Speed Limit sign on Sheets 2 and 3 with Speed Feedback Sign. Modified circle note 7.
TC-062 Modified W9-2 sign on Sheet 1.
TC-081 New logo.



TC-421
Added Speed Feedback Sign. Modified circle note 1.

TC-422
Added Speed Feedback Sign. Modified circle note 2.

TC-482 New logo.

TC-601 New logo.

TC-602 New logo.