

---

**APPROVED SOURCES  
EPOXY RESINS FOR DELAMINATED BRIDGE DECK REPAIR**

<b><u>MANUFACTURER VOLUME</u></b>	<b><u>BRAND NAME</u></b>	<b><u>MIXING RATIO BY</u></b>
Adhesives Technology Corp.	Anchor-It LR-321	2:1 (Resin to Hardener)
Axson, Inc.	AKA-Bond 818	2:1 (Resin to Hardener)
BASF Building Materials	Concresive 1380	2:1 (Resin to Hardener)
ChemCo Systems, Inc.	Kemko 038 Regular IR	2:1 (Resin to Hardener)
Conspec, Inc.	Spec-Bond 50 Spec-Bond 54	2:1 (Resin to Hardener) 4:1 (Resin to Hardener)
Chase Construction Products	Eva Pox Injection Resin No. 4	2:1 (Resin to Hardener)
Euclid Chemical Company	Eucopoly	2:1 (Resin to Hardener)
Greenstreak (Unitex Corp.)	Epoxy 7050 Epoxy 7100	2:1 (Resin to Hardener) 2:1 (Resin to Hardener)
Hilti, Inc.	CI 060 EP	2:1 (Resin to Hardener)
Poly-Carb	Mark 10	2:1 (Resin to Hardener)
Polygem, Inc.	Sin Mast Low-Vis. Product No. 2	3.66:1 (Resin to Hardener)
Sika Corporation	Sikadur 35 Hi-Mod LV	2:1 (Resin to Hardener)
Spec Chem	Specopoly 3000	1:1 (Resin to Hardener)
Symons	303N	2:1 (Resin to Hardener)
Unitex Corporation	Pro-Poxy 50 Super LV Pro-Poxy 100 LV	2:1 (Resin to Hardener) 2:1 (Resin to Hardener)