

DATE: February 24, 2026

PROJECT NAME: River Bend Transit Facility Addition

This addendum forms a part of the bidding and contract documents. This Addendum supersedes and supplements all portions of the original bidding and contract documents dated Jan 20, 2026 with which it conflicts.

ACKNOWLEDGE RECEIPT OF THIS ADDENDUM IN THE SPACE PROVIDED ON THE BID FORM.
FAILURE TO DO SO MAY SUBJECT THE BIDDER TO DISQUALIFICATION.

SPECIFICATIONS – ARCHITECTURAL

1. Division 9 – Finishes
 - a. Section 2.1 - Paints and Coatings
 - i. Manufactures:
 1. **ONLY** use manufactures that meet BABAA requirements.
 - b. Section 09 90 00 – Painting and Coating
 - i. Section 3.3 Application
 - a. **ADD** Section I Exterior Surfaces
 - a) Steel – Shop Primed:
 1. Touch up with zinc rich primer
 2. Two coats of alkyd enamel, semigloss
 - b) Steel Galvanized:
 1. One coat galvanize primer.
 2. Two coats of alkyd enamel, semigloss.
 - b. **ADD** Section J – Interior Surfaces
 - a) Metal: Structural Steel Columns, Joists, Trusses, and Beams
 1. Dryfall Waterborne Topcoat:
 - a. Flat Finish
 - i. 1st Coat: S-W Pro Industrial Pro-Cryl Universal Primer, B66-1310 Series (5.0 mils wet, 2.0 mils dry per coat)
 - ii. 2nd Coat: S-W Pro Industrial Waterborne Acrylic Dryfall, B42-181 Series.
 - iii. 3rd Coat: S-W Pro Industrial Waterborne Acrylic Dryfall, B42-181 Series (6.0 mils wet, 1.7 mils dry per coat).

Prepared By: **Willett Hofmann & Associates**



Paul E. Newman, AIA

Iowa License No. 05739

Registration Renewal Date: June 30, 2027

End of Document 00904