

LOCAL AGENCY LETTING INFORMATION

CONTENTS

DATE ADDED	COUNTY/CITY	LETTING DATE	PAGE NUMBER
October 14, 2025	Dickinson	November 12, 2025	2
October 21, 2025	Delaware	November 17, 2025	3
October 30, 2025	Adair	November 24, 2025	4



BULLETIN REPORTING FORM

County:	Dickinson County	Project No.:	LFM-6907X-30
Proposal Guarantee:	\$62,500.00	DBE or TSB Goal:	
Date of Letting:	11/12/2025	Time of Letting:	10:00 AM
Bid Turn-In Location:	County Auditor	Type of Project:	Bridge or Culvert
Contact Phone No.:	712-336-2944	Contact FAX No.:	712-336-1601

Specific Description of Project:

LFM-690--7X-30: Over Stony Creek on 260th St. (A-43), Between Secs. 27 & 34, T98N, R38W Construct 140'-0 x 30'-6 Continuous Concrete Slab Bridge and associated work.

QUANTITY	UNIT	DESCRIPTION
369.5	CY	Structural Concrete
87396	LB	Reinforcing Steel
1627	CY	Excavation - Class 10
121	CY	Excavation - Class 20
840	LF	Piling - HP 10x42
1680	LF	Piling - HP 12x53
100	LF	Guard Rail
448.41	SY	BRIDGE APPROACH, TWO LANE
4	EACH	STEEL BEAM GUARDRAIL BARRIER TRANSITION SECTION, BA-221
4	EACH	STEEL BEAM GUARDRAIL TANGENT END TERMINAL, BA-225
4	EACH	STEEL BEAM GUARDRAIL END ANCHOR, BOLTED
946	TON	REVETMENT, CLASS E
452.9	SY	REMOVAL OF PAVEMENT

Date: 10/14/2025 Local Agency Official: Jeffrey Rose, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us



BULLETIN REPORTING FORM

County:	Delaware County	Project No.:	L-PCC-26(01)73-28	
Proposal Guarantee:	\$100,000.00	DBE or TSB Goal:		
Date of Letting:	11/17/2025	Time of Letting:	09:00 AM	
Bid Turn-In Location:	Delaware County Auditors Office	Type of Project:	PCC Paving	
Contact Phone No.:	563-927-3505	Contact FAX No.:	563-927-3102	

Specific Description of Project:

2088 miles of PCC Overlay Located on Laser Road (C60X) from Jet Road, North to the South City Limits of Edgewood

Tied With: none

QUANTITY	UNIT	DESCRIPTION
637.2	CY	EXCAVATION, CLASS 10, WASTE
516.28	CY	MODIFIED SUBBASE
5143	TON	GRANULAR SHOULDERS, TYPE B
16	EACH	RELOCATION OF MAIL BOXES
931.3	SY	STANDARD OR SLIP FORM PORTLAND CEMENT CONCRETE PAVEMENT, CLASS C, CLASS 3I DURABILITY, 8 IN.
2146	SY	STANDARD OR SLIP FORM PORTLAND CEMENT CONCRETE PAVEMENT, CLASS C, CLASS 3I DURABILITY, 10 IN.
5408	CY	PORTLAND CEMENT CONCRETE OVERLAY, FURNISH ONLY
27903	SY	PAVEMENT INTERLAYER GEOTEXTILE
27042	SY	PORTLAND CEMENT CONCRETE OVERLAY, PLACEMENT ONLY
784	TON	SURFACING, DRIVEWAY, CLASS A CRUSHED STONE
21891	EACH	PAYMENT ADJUSTMENT INCENTIVE/DISINCENTIVE FOR PCC PAVEMENT SMOOTHNESS (BY SCHEDULE)
2146	SY	REMOVAL OF PAVEMENT
658.6	SY	DRIVEWAY, REINFORCED P.C. CONCRETE, 6 IN.
658.6	SY	REMOVAL OF PAVED DRIVEWAY
1	LS	CONSTRUCTION SURVEY
235.9	STA	PAINTED PAVEMENT MARKING, WATERBORNE OR SOLVENT-BASED
1	LS	TRAFFIC CONTROL
11	EACH	SAFETY CLOSURE
10	EACH	FLAGGERS
1	LS	MOBILIZATION

Date: 10/21/2025 Local Agency Official: Rafe Koopman, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us



BULLETIN REPORTING FORM

County:	Adair County	Project No.:	LFM-LRCBW9L7X-01
Proposal Guarantee:	\$62,500.00	DBE or TSB Goal:	
Date of Letting:	11/24/2025	Time of Letting:	09:00 AM
Bid Turn-In Location:	County Engineer	Type of Project:	RCB Culvert New - Triple Box
Contact Phone No.:	641-743-6111	Contact FAX No.:	

Specific Description of Project:

This project involves replacing an existing 43' x 30' single span, steel beam bridge with a reinforced concrete box culvert along Adair County Stuart Rd. The project will also include the placement of a roadway pipe culvert, revetment, hot mix asphalt pavement, granular surfacing, and seeding.

QUANTITY	UNIT	DESCRIPTION
1570	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
2551	CY	TOPSOIL, STRIP, SALVAGE AND SPREAD
428	CY	MODIFIED SUBBASE
526.5	TON	GRANULAR SHOULDERS, TYPE B
269.4	TON	HOT MIX ASPHALT STANDARD TRAFFIC, BASE COURSE, 3/4 IN. MIX
195.6	TON	HOT MIX ASPHALT STANDARD TRAFFIC, SURFACE COURSE, 1/2 IN. MIX, NO SPECIAL FRICTION REQUIREMENT
30.6	TON	ASPHALT BINDER, PG 58-28S, STANDARD TRAFFIC
72	TON	GRANULAR SURFACING ON ROAD, CLASS A CRUSHED STONE
1	LS	REMOVAL OF EXISTING STRUCTURES
1155.7	CY	FLOODED BACKFILL
703	CY	EXCAVATION, CLASS 20, FOR ROADWAY PIPE CULVERT
2	EACH	APRONS, CONCRETE, 48 IN. DIA.
104	LF	CULVERT, CONCRETE ROADWAY PIPE, 48 IN. DIA.
43	LF	STORM SEWER ABANDONMENT, FILL AND PLUG, GREATER THAN 36 IN. DIA.
1026	SY	REMOVAL OF PAVEMENT
3	EACH	SAFETY CLOSURE
0.3	LS	TRAFFIC CONTROL
4	CDAY	PORTABLE DYNAMIC MESSAGE SIGN (PDMS)
0.3	LS	MOBILIZATION
1.6	ACRE	MULCHING
1.6	ACRE	NATIVE GRASS SEEDING
0.4	ACRE	STABILIZING CROP - SEEDING AND FERTILIZING
600	LF	SILT FENCE
900	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 12 IN. DIA.
1	EACH	MOBILIZATIONS, EROSION CONTROL
1	EACH	MOBILIZATIONS, EMERGENCY EROSION CONTROL
375.8	CY	GRANULAR MATERIAL FOR BLANKET AND SUBDRAIN
1	LS	REMOVAL OF EXISTING BRIDGE
613.4	CY	FLOODED BACKFILL
4490	CY	EXCAVATION, CLASS 20
575.7	CY	STRUCTURAL CONCRETE (RCB CULVERT)

89440	LB	REINFORCING STEEL
1	EACH	TEMPORARY STREAM DIVERSION
1	EACH	SUBDRAIN OUTLET, DR-305
1060	TON	REVETMENT, CLASS E
3	EACH	SAFETY CLOSURE
0.7	LS	TRAFFIC CONTROL
10	CDAY	PORTABLE DYNAMIC MESSAGE SIGN (PDMS)
0.7	LS	MOBILIZATION

Date: 10/29/2025 Local Agency Official: Nick Kauffman, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us