



Local Letting Information

DATE ADDED	COUNTY/CITY	LETTING DATE	PAGE NUMBER
May 18, 2026	Cherokee	June 9, 2026	2
May 20, 2026	Cass	June 15, 2026	3
May 18, 2026	Union	July 1, 2026	4
May 29, 2026	Scott	July 1, 2026	6
May 29, 2026	Johnson	July 7, 2026	7
June 3, 2026	Jasper	July 8, 2026	8
June 2, 2026	Webster	July 14, 2026	9

BULLETIN REPORTING FORM

County:	<u>Cherokee County</u>	Project No.:	<u>L-M-B303660--73-18</u>
Proposal Guarantee:	<u>\$25,000.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>6/9/2026</u>	Time of Letting:	<u>09:00 AM</u>
Bid Turn-In Location:	<u>County Auditor</u>	Type of Project:	<u>Emergency Repair - Erosion</u>
Contact Phone No.:	<u>712-225-6712</u>	Contact FAX No.:	<u>712-225-6715</u>

Specific Description of Project:

Emergency Repair - Erosion

QUANTITY	UNIT	DESCRIPTION
475	TON	GRANULAR BACKFILL
2700	TON	REVTMENT, CLASS B
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
1	LS	CAUSEWAY
0.1	ACRE	MULCHING
0.1	ACRE	SEEDING AND FERTILIZING (RURAL)
400	LF	SILT FENCE
400	LF	MAINTENANCE OF SILT FENCE OR SILT FENCE FOR DITCH CHECK
530	LF	FLOATING SILT CURTAIN (HANGING)
265	LF	MAINTENANCE OF FLOATING SILT CURTAIN

Date: 5/14/2026 Local Agency Official: Kelly Puhmann, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	<u>Cass County</u>	Project No.:	<u>L-94--73-15</u>
Proposal Guarantee:	<u>\$0.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>6/15/2026</u>	Time of Letting:	<u>09:00 AM</u>
Bid Turn-In Location:	<u>Cass Co Engineer's Office</u>	Type of Project:	<u>Bridge or Culvert</u>
Contact Phone No.:	<u>712-243-2442</u>	Contact FAX No.:	<u></u>
Plans Available At:	<u>Engineer's Office</u>	Plan Charge:	<u>\$0.00</u>
Refundable:	<u>No</u>		

Specific Description of Project:

Remove existing bridge and construct a 12' X 10' cast in place box culvert.

QUANTITY	UNIT	DESCRIPTION
0.2	ACRE	CLEARING AND GRUBBING
3000	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
200	CY	TOPSOIL, STRIP, SALVAGE AND SPREAD
200	TON	GRANULAR SURFACING ON ROAD, CLASS D CRUSHED STONE
1	LS	REMOVAL OF EXISTING BRIDGE
800	CY	EXCAVATION, CLASS 20
80	TON	FOUNDATION TREATMENT MATERIAL
225	CY	STRUCTURAL CONCRETE (RCB CULVERT)
39617	LB	REINFORCING STEEL
1	EACH	TEMPORARY STREAM DIVERSION
1	LS	TRAFFIC CONTROL
2	EACH	SAFETY CLOSURE
1	LS	MOBILIZATION
0.5	ACRE	MULCHING
0.5	ACRE	SEEDING AND FERTILIZING (RURAL)
720	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 12 IN. DIA.

Date: 5/20/2026 Local Agency Official: Trent Wolken, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Union County	Project No.:	L-052106-TIF
Proposal Guarantee:	\$50,000.00	DBE or TSB Goal:	
Date of Letting:	7/1/2026	Time of Letting:	09:15 AM
Bid Turn-In Location:	County Auditor	Type of Project:	Bridge Replacement
Contact Phone No.:	641-782-7417	Contact FAX No.:	641-782-6492

Specific Description of Project:

QUANTITY	UNIT	DESCRIPTION
1875	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
2996	CY	EXCAVATION, CLASS 10, WASTE
2100	CY	EXCAVATION, CLASS 10, CHANNEL
675	CY	TOPSOIL, STRIP, SALVAGE AND SPREAD
75	TON	GRANULAR SURFACING ON ROAD, CLASS A CRUSHED STONE
1	LS	REMOVAL OF EXISTING BRIDGE
106	CY	EXCAVATION, CLASS 20
241.9	CY	STRUCTURAL CONCRETE (BRIDGE)
59929	LB	REINFORCING STEEL, EPOXY COATED
262.2	LF	CONCRETE OPEN RAILING, TL-4
700	LF	PILES, STEEL, HP 10 X 42
1280	LF	PILES, STEEL, HP 12 X 53
352	LF	CONCRETE ENCASEMENT OF STEEL H PILES, HP 12 X 53 (P10L TYPE 3)
200	LF	SUBDRAIN, TILE, 6 IN. DIA.
1	EACH	SUBDRAIN OUTLET, DR-305
50	LF	STEEL BEAM GUARDRAIL
4	EACH	STEEL BEAM GUARDRAIL BARRIER TRANSITION SECTION, BA-221
4	EACH	STEEL BEAM GUARDRAIL END ANCHOR, BOLTED
4	EACH	STEEL BEAM GUARDRAIL TANGENT END TERMINAL, BA-225
2050	SY	ENGINEERING FABRIC
1425	TON	REVETMENT, CLASS E
2	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
1	LS	CONSTRUCTION SURVEY, LOCATION SURVERY
1.6	ACRE	MULCHING
0.8	ACRE	SEEDING AND FERTILIZING (RURAL)
0.8	ACRE	STABILIZING CROP - SEEDING AND FERTILIZING
20	LF	SILT FENCE
540	LF	SILT FENCE FOR DITCH CHECKS
		4

560	LF	MAINTENANCE OF SILT FENCE OR SILT FENCE FOR DITCH CHECK
350	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 12 IN. DIA.
1	EACH	MOBILIZATIONS, EROSION CONTROL
1	EACH	MOBILIZATIONS, EMERGENCY EROSION CONTROL

Date: 5/18/2026 Local Agency Official: Christian Boehmer, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	<u>Scott County</u>	Project No.:	<u>L-229--73-82</u>
Proposal Guarantee:	<u>\$125,000.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>7/1/2026</u>	Time of Letting:	<u>10:00 AM</u>
Bid Turn-In Location:	<u>950 E. Blackhawk Trail, Eldridge, IA 52748</u>	Type of Project:	<u>HMA Paving</u>
Contact Phone No.:	<u>563-326-8640</u>	Contact FAX No.:	<u>563-328-4173</u>

Specific Description of Project:

Three (3) tied HMA Resurfacing projects in Scott County.

- -Project L-229--73-82: 257th Avenue from Territorial Road to Wisconsin Street and Wisconsin Street from 257th Avenue east approximately 0.3 miles to the City of LeClaire corporate limits.
- -Project L-330--73-82: 170th Avenue from 290th Street north approximately 0.6 miles
- -Project L-527--73-82: 130th Avenue from 210th Street to 240th Street

Tied With: L-330--73-82 and L-527--73-82

QUANTITY	UNIT	DESCRIPTION
5610	SY	PAVEMENT SCARIFICATION
10577	TON	HOT MIX ASPHALT STANDARD TRAFFIC, BASE COURSE, 3/4 IN. MIX
7833	TON	HOT MIX ASPHALT STANDARD TRAFFIC, SURFACE COURSE, 1/2 IN. MIX, NO SPECIAL FRICTION REQUIREMENT
1125	TON	ASPHALT BINDER, PG 58-28S, STANDARD TRAFFIC
929	STA	PAINTED PAVEMENT MARKINGS, WATERBORNE OR SOLVENT-BASED
4.68	MILE	CLEANING AND PREPARATION OF BASE

Date: 5/29/2026 Local Agency Official: Angela Kersten, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	<u>Johnson County</u>	Project No.:	<u>LFM-I-9-4--7X-52</u>
Proposal Guarantee:	<u>\$37,500.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>7/7/2026</u>	Time of Letting:	<u>09:00 AM</u>
Bid Turn-In Location:	<u>Auditor</u>	Type of Project:	<u>Bridge or Culvert</u>
Contact Phone No.:	<u>319-356-6046</u>	Contact FAX No.:	<u>319-339-6133</u>

Specific Description of Project:

Bridge Replacement - CCS (45' x 30'-6")

QUANTITY	UNIT	DESCRIPTION
236.1	CY	Structural Concrete
39065	LB	Reinforcing Steel
1100	CY	Excavation - Class 10
126	CY	Excavation - Class 20
1100	LF	PILES, STEEL, HP 10 X 57
155.4	SY	BRIDGE APPROACH PAVEMENT, AS PER PLAN
12.02	TON	ASPHALT BINDER, PG 58-28S, STANDARD TRAFFIC

Date: 5/29/2026 Local Agency Official: Paul Wittau, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Jasper County	Project No.:	L-C050(HltrBx)--73-50
Proposal Guarantee:	\$0.00	DBE or TSB Goal:	
Date of Letting:	7/8/2026	Time of Letting:	02:00 PM
Bid Turn-In Location:	County Engineer	Type of Project:	Box Culverts
Contact Phone No.:	641-792-5862	Contact FAX No.:	641-791-7740

Specific Description of Project:

Fabricate and deliver Precast Reinforced Concrete Box Culvert Sections and Precast Reinforced Concrete End Sections. Box culvert sections shall be Class 2. End sections shall be Type 1. Box culvert sections shall be tied together with double eye bolt ties. Joints between sections shall be sealed along the bottom and extending six (6) inches vertically past the fillet on each side with 1 inch butyl rope gasket. Exterior of the finished joint shall be wrapped in engineering fabric. Costs for eye bolts and tie rods, butyl rope gasket, and engineering fabric shall be included in the price for box culvert sections. Costs associated with precast curbs and drop walls shall be included in the price for end sections.

QUANTITY	UNIT	DESCRIPTION
88	LF	PRECAST CONCRETE BOX CULVERT, 6 FT. X 6 FT.
2	EACH	PRECAST CONCRETE BOX CULVERT STRAIGHT END SECTION, 6 FT. X 6 FT.

Date: 6/2/2026 Local Agency Official: Michael Frietsch, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	<u>Webster County</u>	Project No.:	<u>L-2027(1)--73-94</u>
Proposal Guarantee:	<u>\$25,000.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>7/14/2026</u>	Time of Letting:	<u>10:00 AM</u>
Bid Turn-In Location:	<u>County Auditor</u>	Type of Project:	<u>HMA Pavement - New</u>
Contact Phone No.:	<u>515-576-3281</u>	Contact FAX No.:	<u></u>

Specific Description of Project:

QUANTITY	UNIT	DESCRIPTION
1140.7	CY	EXCAVATION, CLASS 13, WASTE
0.2	MILE	CONSTRUCTION OF NATURAL SUBGRADE FOR PAVEMENT, BASE COURSE, PAVEMENT WIDENING, OR SUBBASE
3177.8	SY	SUBGRADE STABILIZATION MATERIAL,
598.9	CY	MODIFIED SUBBASE
796.95	TON	GRANULAR SHOULDERS, TYPE B
669.9	TON	HOT MIX ASPHALT STANDARD TRAFFIC, BASE COURSE, 1/2 IN. MIX
344.95	TON	HOT MIX ASPHALT STANDARD TRAFFIC, INTERMEDIATE COURSE, 1/2 IN. MIX
344.95	TON	HOT MIX ASPHALT STANDARD TRAFFIC, SURFACE COURSE, 1/2 IN. MIX, NO SPECIAL FRICTION REQUIREMENT
80.38	TON	ASPHALT BINDER, PG 58-28S, STANDARD TRAFFIC
53.667	TON	SURFACING, DRIVEWAY, CLASS A CRUSHED STONE
1	LS	CONSTRUCTION SURVEY
1	LS	CONSTRUCTIN SURVEY, MONUMENT PRESERVATION
269.39	STA	PAINTED PAVEMENT MARKINGS, WATERBORNE OR SOLVENT-BASED
1	LS	TRAFFIC CONTROL
20	EACH	FLAGGERS
5	EACH	PILOT CARS
1	LS	MOBILIZATION

Date: 6/2/2026 Local Agency Official: Jamie Johll, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us