




# Iowa Airport Land Use Guidebook





**Iowa Airport Land Use Guidebook**

---

**THIS PAGE INTENTIONALLY LEFT BLANK**

---



## Iowa Airport Land Use Guidebook

Iowa Airport Specifications						
Name	City	Airport ID	Runway End ID	Approach Type	Part 77 Classification <sup>1</sup>	Runway Length (ft)
Albia Municipal	Albia	4C8	13	Non Precision	C	3400
			31	Non Precision	C	
Algona Municipal	Algona	AXA	12	Non Precision	C	3960
			30	Non Precision	C	
			18	Visual	A(V)	2880
			36	Visual	A(V)	
Allison Municipal	Allison	K98	18	Visual	A(V)	1790
			36	Visual	A(V)	
Ames Municipal	Ames	AMW	1	Precision	PIR	5700
			19	Non Precision	C	
			13	Non Precision	C	3492
			31	Non Precision	C	
Anita Municipal	Anita	Y43	5	Visual	A(V)	2825
			23	Visual	A(V)	
Ankeny Regional	Ankeny	IKV	4	Visual	B(V)	4200
			22	Non Precision	C	
			18	Non Precision	C	5500
			36	Precision	PIR	
Atlantic Municipal	Atlantic	AIO	12	Non Precision	A(NP)	3133
			30	Visual	A(V)	
			2	Visual	B(V)	5000
			20	Visual	B(V)	
Audubon County	Audubon	ADU	14	Visual	A(V)	3640
			32	Non Precision	A(NP)	
Bedford Municipal	Bedford	Y46	18	Visual	A(V)	2710
			36	Visual	A(V)	
Belle Plaine Municipal	Belle Plaine	TZT	18	Non Precision	C	4000
			36	Non Precision	C	

<sup>1</sup> A(V) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Visual Runway.  
 A(NP) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Non-Precision Runway.  
 B(V) – Runway larger than utility with a Visual Runway.  
 B(NP) – Runway larger than utility with a Non-Precision Runway.  
 C – Visibility minimums greater than ¾ of a mile.  
 D – Visibility minimums as low as ¾ of a mile.



## Iowa Airport Land Use Guidebook

Iowa Airport Specifications						
Name	City	Airport ID	Runway End ID	Approach Type	Part 77 Classification <sup>1</sup>	Runway Length (ft)
Belmond Municipal	Belmond	Y48	17	Visual	A(V)	3245
			35	Visual	A(V)	
Bloomfield Municipal	Bloomfield	4K6	18	Visual	A(V)	3401
			36	Non Precision	A(NP)	
Boone Municipal	Boone	BNW	2	Visual	A(V)	3298
			20	Visual	A(V)	
			15	Non Precision	C	4807
			33	Non Precision	C	
Carroll Municipal	Carroll	CIN	3	Visual	A(V)	3300
			21	Visual	A(V)	
			13	Non Precision	C	5500
			31	Non Precision	C	
Cedar Rapids - The Eastern Iowa	Cedar Rapids	CID	9	Precision	PIR	8601
			27	Precision	PIR	
			13	Non Precision	D	6200
			31	Non Precision	D	
Centerville Municipal	Centerville	TVK	16	Non Precision	C	4100
			34	Non Precision	C	
Chariton Municipal	Chariton	CNC	10	Non-Precision	C	4000
			28	Visual	B(V)	
			17	Non Precision	A(NP)	2800
			35	Visual	A(V)	
Charles City Municipal	Charles City	CCY	4	Visual	A(V)	2536
			22	Visual	A(V)	
			12	Non Precision	C	4001
			30	Non Precision	C	
			17	Visual	A(V)	1780
			35	Visual	A(V)	

<sup>1</sup> A(V) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Visual Runway.  
 A(NP) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Non-Precision Runway.  
 B(V) – Runway larger than utility with a Visual Runway.  
 B(NP) – Runway larger than utility with a Non-Precision Runway.  
 C – Visibility minimums greater than ¾ of a mile.  
 D – Visibility minimums as low as ¾ of a mile.



## Iowa Airport Land Use Guidebook

Iowa Airport Specifications						
Name	City	Airport ID	Runway End ID	Approach Type	Part 77 Classification <sup>1</sup>	Runway Length (ft)
Cherokee Municipal	Cherokee	CKP	1	Visual	A(V)	2580
			19	Visual	A(V)	
			18	Visual	A(V)	4000
			36	Non Precision	A(NP)	
Clarinda Municipal	Clarinda	ICL	2	Non Precision	C	5000
			20	Non Precision	C	
			13	Visual	A(V)	2425
			31	Visual	A(V)	
Clarion Municipal	Clarion	CAV	8	Visual	A(V)	1380
			26	Visual	A(V)	
			14	Non Precision	A(NP)	3515
			32	Visual	A(V)	
Clinton Municipal	Clinton	CWI	3	Precision	PIR	5204
			21	Non Precision	C	
			14	Non Precision	C	3700
			32	Non Precision	C	
Corning Municipal	Corning	CRZ	18	Non Precision	A(NP)	2684
			36	Visual	A(V)	
Council Bluffs Municipal	Council Bluffs	CBF	14	Non Precision	A(NP)	4100
			32	Non Precision	A(NP)	
			18	Visual	B(V)	5500
			36	Visual	B(V)	
Cresco Municipal	Cresco	CJJ	15	Non Precision	A(NP)	2949
			33	Non Precision	A(NP)	
Creston Municipal	Creston	CSQ	4	Visual	A(V)	1692
			22	Visual	A(V)	
			16	Non Precision	C	4901
			34	Non Precision	C	

<sup>1</sup> A(V) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Visual Runway.  
 A(NP) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Non-Precision Runway.  
 B(V) – Runway larger than utility with a Visual Runway.  
 B(NP) – Runway larger than utility with a Non-Precision Runway.  
 C – Visibility minimums greater than ¾ of a mile.  
 D – Visibility minimums as low as ¾ of a mile.



## Iowa Airport Land Use Guidebook

Iowa Airport Specifications						
Name	City	Airport ID	Runway End ID	Approach Type	Part 77 Classification <sup>1</sup>	Runway Length (ft)
Davenport Municipal	Davenport	DVN	3	Non Precision	C	4001
			21	Non Precision	C	
			15	Precision	PIR	5501
			33	Non Precision	C	
Decorah Municipal	Decorah	DEH	11	Visual	B(V)	4001
			29	Non Precision	C	
Denison Municipal	Denison	DNS	6	Visual	A(V)	1780
			24	Visual	A(V)	
			12	Non Precision	C	5000
			30	Non Precision	C	
			18	Visual	A(V)	2025
			36	Visual	A(V)	
Des Moines International	Des Moines	DSM	5	Precision	PIR	9003
			23	Non Precision	C	
			13	Precision	PIR	9001
			31	Precision	PIR	
Dubuque Regional	Dubuque	DBQ	13	Non Precision	D	6502
			31	Precision	PIR	
			18	Visual	B(V)	6327
			36	Precision	PIR	
Eagle Grove Municipal	Eagle Grove	EAG	1	Visual	A(V)	2360
			19	Visual	A(V)	
			13	Non Precision	A(NP)	3500
			31	Non Precision	A(NP)	
Eldora Municipal	Eldora	6C0	18	Visual	A(V)	2750
			36	Visual	A(V)	

<sup>1</sup> A(V) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Visual Runway.  
 A(NP) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Non-Precision Runway.  
 B(V) – Runway larger than utility with a Visual Runway.  
 B(NP) – Runway larger than utility with a Non-Precision Runway.  
 C – Visibility minimums greater than ¾ of a mile.  
 D – Visibility minimums as low as ¾ of a mile.



## Iowa Airport Land Use Guidebook

Iowa Airport Specifications						
Name	City	Airport ID	Runway End ID	Approach Type	Part 77 Classification <sup>1</sup>	Runway Length (ft)
Emmetsburg Municipal	Emmetsburg	EGQ	4	Visual	A(V)	2545
			22	Visual	A(V)	
			13	Non Precision	A(NP)	3401
			31	Non Precision	A(NP)	
			17	Visual	A(V)	2177
			35	Visual	A(V)	
Estherville Municipal	Estherville	EST	6	Visual	A(V)	2985
			24	Visual	A(V)	
			16	Non Precision	A(NP)	4797
			34	Non Precision	A(NP)	
Fairfield Municipal	Fairfield	FEL	8	Visual	A(V)	2450
			26	Visual	A(V)	
			18	Non Precision	C	5500
			36	Non Precision	C	
Forest City Municipal	Forest City	FXY	9	Visual	A(V)	2708
			27	Visual	A(V)	
			15	Visual	B(V)	5806
			33	Non Precision	C	
Fort Dodge Regional	Fort Dodge	FOD	6	Precision	PIR	6548
			24	Non Precision	C	
			12	Non Precision	C	5300
			30	Non Precision	C	
Fort Madison Municipal	Fort Madison	FSW	8	Visual	A(V)	1200
			26	Visual	A(V)	
			16	Non Precision	A(NP)	4002
			34	Non Precision	A(NP)	

<sup>1</sup> A(V) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Visual Runway.

A(NP) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Non-Precision Runway.

B(V) – Runway larger than utility with a Visual Runway.

B(NP) – Runway larger than utility with a Non-Precision Runway.

C – Visibility minimums greater than ¾ of a mile.

D – Visibility minimums as low as ¾ of a mile.



## Iowa Airport Land Use Guidebook

Iowa Airport Specifications						
Name	City	Airport ID	Runway End ID	Approach Type	Part 77 Classification <sup>1</sup>	Runway Length (ft)
Greenfield Municipal	Greenfield	GFZ	7	Visual	A(V)	3400
			25	Visual	A(V)	
			14	Visual	A(V)	2500
			32	Non Precision	A(NP)	
Grinnell Regional	Grinnell	GGI	13	Non Precision	C	5200
			31	Non Precision	C	
Grundy Center Municipal	Grundy Center	6K7	17	Visual	A(V)	2250
			35	Visual	A(V)	
Guthrie County Regional	Guthrie Center	GCT	18	Non Precision	A(NP)	3400
			36	Non Precision	A(NP)	
Hampton Municipal	Hampton	HPT	17	Non Precision	A(NP)	4018
			35	Non Precision	A(NP)	
Harlan Municipal	Harlan	HNR	3	Visual	A(V)	1700
			21	Visual	A(V)	
			15	Non Precision	C	4100
			33	Non Precision	C	
Hartley Municipal	Hartley	OY4	17	Visual	A(V)	2500
			35	Visual	A(V)	
Hawarden Municipal	Hawarden	2Y2	16	Visual	A(V)	2030
			34	Visual	A(V)	
Humboldt Municipal	Humboldt	OK7	12	Visual	A(V)	3417
			30	Visual	A(V)	
Ida Grove Municipal	Ida Grove	IDG	12	Visual	A(V)	3172
			30	Visual	A(V)	
Independence Municipal	Independence	IIB	17	Visual	B(V)	4000
			35	Visual	B(V)	
Iowa City Municipal	Iowa City	IOW	7	Visual	B(V)	4355
			25	Non Precision	C	
			12	Visual	B(V)	3900
			30	Non Precision	C	

<sup>1</sup> A(V) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Visual Runway.  
 A(NP) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Non-Precision Runway.  
 B(V) – Runway larger than utility with a Visual Runway.  
 B(NP) – Runway larger than utility with a Non-Precision Runway.  
 C – Visibility minimums greater than ¾ of a mile.  
 D – Visibility minimums as low as ¾ of a mile.





## Iowa Airport Land Use Guidebook

Iowa Airport Specifications						
Name	City	Airport ID	Runway End ID	Approach Type	Part 77 Classification <sup>1</sup>	Runway Length (ft)
Iowa Falls Municipal	Iowa Falls	IFA	13	Visual	A(V)	4001
			31	Non Precision	A(NP)	
Jefferson Municipal	Jefferson	EFW	14	Non Precision	A(NP)	3200
			32	Non Precision	A(NP)	
			18	Visual	A(V)	1715
			36	Visual	A(V)	
Keokuk Municipal	Keokuk	EOK	8	Non Precision	C	5500
			26	Precision	PIR	
			14	Non Precision	C	3576
			32	Non Precision	C	
Keosauqua Municipal	Keosauqua	6K9	6	Visual	A(V)	2275
			24	Visual	A(V)	
			9	Visual	A(V)	1800
			27	Visual	A(V)	
Knoxville Municipal	Knoxville	OXV	15	Non Precision	C	4000
			33	Non Precision	C	
Lake Mills Municipal	Lake Mills	OY6	18	Visual	A(V)	3380
			36	Visual	A(V)	
Lamoni Municipal	Lamoni	LWD	18	Non Precision	A(NP)	2900
			36	Non Precision	A(NP)	
Le Mars Municipal	Le Mars	LRJ	18	Non Precision	C	4001
			36	Non Precision	C	
Manchester Municipal	Manchester	C27	18	Visual	A(V)	3465
			36	Visual	A(V)	
Mapleton Municipal	Mapleton	MEY	2	Non Precision	C	2801
			20	Non Precision	C	
Maquoketa Municipal	Maquoketa	OQW	15	Non Precision	A(NP)	3300
			33	Non Precision	A(NP)	

<sup>1</sup> A(V) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Visual Runway.  
 A(NP) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Non-Precision Runway.  
 B(V) – Runway larger than utility with a Visual Runway.  
 B(NP) – Runway larger than utility with a Non-Precision Runway.  
 C – Visibility minimums greater than ¾ of a mile.  
 D – Visibility minimums as low as ¾ of a mile.



## Iowa Airport Land Use Guidebook

Iowa Airport Specifications						
Name	City	Airport ID	Runway End ID	Approach Type	Part 77 Classification <sup>1</sup>	Runway Length (ft)
Marshalltown Municipal	Marshalltown	MIW	12	Non Precision	C	5006
			30	Non Precision	C	
			18	Visual	A(V)	2806
			36	Visual	A(V)	
Mason City Municipal	Mason City	MCW	12	Visual	B(V)	5502
			30	Non Precision	C	
			18	Non Precision	D	6501
			36	Precision	PIR	
Milford Municipal - Fuller	Milford	4D8	9	Visual	A(V)	2873
			27	Visual	A(V)	
			18	Visual	A(V)	1990
			36	Visual	A(V)	
Monona Municipal	Monona	7C3	18	Visual	A(V)	2650
			36	Visual	A(V)	
Monticello Municipal	Monticello	MXO	9	Visual	A(V)	2275
			27	Visual	A(V)	
			15	Non Precision	A(NP)	4400
			33	Non Precision	A(NP)	
Mount Ayr Municipal	Mount Ayr	1Y3	17	Visual	A(V)	2600
			35	Visual	A(V)	
Mount Pleasant Municipal	Mount Pleasant	MPZ	3	Visual	A(V)	1965
			21	Visual	A(V)	
			15	Visual	A(V)	4001
			33	Non Precision	A(NP)	
Muscatine Municipal	Muscatine	MUT	6	Non Precision	C	5500
			24	Precision	PIR	
			12	Visual	B(V)	4000
			30	Visual	B(V)	

<sup>1</sup> A(V) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Visual Runway.  
A(NP) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Non-Precision Runway.  
B(V) – Runway larger than utility with a Visual Runway.  
B(NP) – Runway larger than utility with a Non-Precision Runway.  
C – Visibility minimums greater than ¾ of a mile.  
D – Visibility minimums as low as ¾ of a mile.



## Iowa Airport Land Use Guidebook

Iowa Airport Specifications						
Name	City	Airport ID	Runway End ID	Approach Type	Part 77 Classification <sup>1</sup>	Runway Length (ft)
New Hampton Municipal	New Hampton	1Y5	4	Visual	A(V)	2300
			22	Visual	A(V)	
			17	Visual	A(V)	2900
			35	Visual	A(V)	
Newton Municipal	Newton	TNU	14	Non Precision	C	5599
			32	Precision	PIR	
Northwood Municipal	Northwood	5D2	17	Visual	A(V)	3300
			35	Visual	A(V)	
Oelwein Municipal	Oelwein	OLZ	13	Non Precision	C	4001
			31	Visual	B(V)	
			18	Visual	A(V)	1800
			36	Visual	A(V)	
Onawa Municipal	Onawa	K36	15	Visual	A(V)	3400
			33	Visual	A(V)	
Orange City Municipal	Orange City	ORC	16	Visual	A(V)	4250
			34	Non Precision	A(NP)	
Osage Municipal	Osage	D02	17	Visual	A(V)	3400
			35	Visual	A(V)	
Osceola Municipal	Osceola	I75	18	Non Precision	C	4000
			36	Non Precision	C	
Oskaloosa Municipal	Oskaloosa	OOA	4	Visual	A(V)	1925
			22	Non Precision	A(NP)	
			13	Non Precision	C	4003
			31	Non Precision	C	
Ottumwa Industrial	Ottumwa	OTM	4	Visual	B(V)	5178
			22	Non Precision	C	
			13	Non Precision	D	5885
			31	Precision	PIR	
Paullina Municipal	Paullina	1Y9	17	Visual	A(V)	2800
			35	Visual	A(V)	

<sup>1</sup> A(V) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Visual Runway.  
 A(NP) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Non-Precision Runway.  
 B(V) – Runway larger than utility with a Visual Runway.  
 B(NP) – Runway larger than utility with a Non-Precision Runway.  
 C – Visibility minimums greater than ¾ of a mile.  
 D – Visibility minimums as low as ¾ of a mile.



## Iowa Airport Land Use Guidebook

Iowa Airport Specifications						
Name	City	Airport ID	Runway End ID	Approach Type	Part 77 Classification <sup>1</sup>	Runway Length (ft)
Pella Municipal	Pella	PEA	16	Non Precision	C	5400
			34	Non Precision	C	
Perry Municipal	Perry	PRO	4	Visual	A(V)	2280
			22	Visual	A(V)	
			14	Non Precision	C	4000
			32	Non Precision	C	
Pocahontas Municipal	Pocahontas	POH	11	Non Precision	A(NP)	4100
			29	Non Precision	A(NP)	
			18	Visual	A(V)	1950
			36	Visual	A(V)	
Primghar Municipal	Primghar	2Y0	17	Visual	A(V)	1985
			35	Visual	A(V)	
Red Oak Municipal	Red Oak	RDK	5	Non Precision	C	5100
			23	Visual	B(V)	
			13	Visual	A(V)	2035
			31	Visual	A(V)	
			17	Non Precision	C	2901
			35	Visual	B(V)	
Rock Rapids Municipal	Rock Rapids	RRQ	16	Non Precision	A(NP)	3097
			34	Non Precision	A(NP)	
Rockwell City Municipal	Rockwell City	2Y4	12	Visual	A(V)	3500
			30	Visual	A(V)	
Sac City Municipal	Sac City	SKI	14	Visual	A(V)	2350
			32	Visual	A(V)	
			18	Visual	A(V)	4100
			36	Non Precision	A(NP)	
Sheldon Municipal	Sheldon	SHL	15	Non Precision	C	4199
			33	Non Precision	C	

<sup>1</sup> A(V) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Visual Runway.  
 A(NP) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Non-Precision Runway.  
 B(V) – Runway larger than utility with a Visual Runway.  
 B(NP) – Runway larger than utility with a Non-Precision Runway.  
 C – Visibility minimums greater than ¾ of a mile.  
 D – Visibility minimums as low as ¾ of a mile.



## Iowa Airport Land Use Guidebook

Iowa Airport Specifications						
Name	City	Airport ID	Runway End ID	Approach Type	Part 77 Classification <sup>1</sup>	Runway Length (ft)
Shenandoah Municipal	Shenandoah	SDA	4	Non Precision	C	5000
			22	Visual	B(V)	
			12	Non Precision	A(NP)	3299
			30	Visual	A(V)	
Sibley Municipal	Sibley	ISB	17	Non Precision	A(NP)	3000
			35	Non Precision	A(NP)	
Sioux Center Municipal	Sioux Center	SOY	18	Non Precision	A(NP)	3802
			36	Visual	A(V)	
Sioux Gateway	Sioux City	SUX	13	Precision	PIR	9002
			31	Precision	PIR	
			17	Non Precision	C	6600
			35	Non Precision	C	
Southeast Iowa Regional	Burlington	BRL	12	Non Precision	C	5350
			30	Non Precision	C	
			18	Visual	B(V)	6702
			36	Precision	PIR	
Spencer Municipal	Spencer	SPW	12	Precision	PIR	6000
			30	Non Precision	C	
			18	Non Precision	C	5100
			36	Non Precision	C	
Spirit Lake Municipal	Spirit Lake	0F3	16	Visual	A(V)	3015
			34	Visual	A(V)	
Storm Lake Municipal	Storm Lake	SLB	6	Visual	A(V)	1855
			24	Visual	A(V)	
			13	Visual	A(V)	3034
			31	Visual	A(V)	
			17	Non Precision	C	5000
			35	Non Precision	C	

<sup>1</sup> A(V) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Visual Runway.  
A(NP) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Non-Precision Runway.  
B(V) – Runway larger than utility with a Visual Runway.  
B(NP) – Runway larger than utility with a Non-Precision Runway.  
C – Visibility minimums greater than ¾ of a mile.  
D – Visibility minimums as low as ¾ of a mile.



## Iowa Airport Land Use Guidebook

Iowa Airport Specifications						
Name	City	Airport ID	Runway End ID	Approach Type	Part 77 Classification <sup>1</sup>	Runway Length (ft)
Sully Municipal	Sully	8C2	8	Visual	A(V)	2130
			26	Visual	A(V)	
Tipton Municipal	Tipton	8C4	11	Non Precision	A(NP)	3000
			29	Visual	A(V)	
Toledo Municipal	Toledo	8C5	17	Visual	A(V)	1850
			35	Visual	A(V)	
Traer Municipal	Traer	8C6	17	Visual	A(V)	2555
			35	Visual	A(V)	
Vinton Veterans Memorial Airpark	Vinton	VTI	9	Non Precision	A(NP)	4000
			27	Non Precision	A(NP)	
			16	Visual	A(V)	2500
			34	Visual	A(V)	
Washington Municipal	Washington	AWG	13	Visual	A(V)	3401
			31	Non Precision	A(NP)	
			18	Non Precision	A(NP)	4000
			36	Non Precision	A(NP)	
Waterloo Municipal	Waterloo	ALO	6	Non Precision	C	5403
			24	Non Precision	C	
			12	Precision	PIR	8400
			30	Non Precision	D	
			18	Non Precision	C	6002
			36	Non Precision	C	
Waukon Municipal	Waukon	Y01	7	Visual	A(V)	2413
			25	Visual	A(V)	
Waverly Municipal	Waverly	C25	11	Visual	A(V)	2800
			29	Visual	A(V)	

<sup>1</sup> A(V) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Visual Runway.  
 A(NP) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Non-Precision Runway.  
 B(V) – Runway larger than utility with a Visual Runway.  
 B(NP) – Runway larger than utility with a Non-Precision Runway.  
 C – Visibility minimums greater than ¾ of a mile.  
 D – Visibility minimums as low as ¾ of a mile.



## Iowa Airport Land Use Guidebook

---

Iowa Airport Specifications						
Name	City	Airport ID	Runway End ID	Approach Type	Part 77 Classification <sup>1</sup>	Runway Length (ft)
Webster City Municipal	Webster City	EBS	5	Visual	A(V)	2655
			23	Visual	A(V)	
			14	Non Precision	A(NP)	4007
			32	Non Precision	A(NP)	
West Union Municipal	West Union	3Y2	17	Non Precision	A(NP)	4248
			35	Non Precision	A(NP)	
Winterset-Madison County	Winterset	3Y3	14	Visual	A(V)	3000
			32	Visual	A(V)	
Woodbine Municipal	Woodbine	3Y4	17	Visual	A(V)	2045
			35	Visual	A(V)	

---

<sup>1</sup> A(V) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Visual Runway.  
 A(NP) – Utility runway designed for aircraft weighing 12,500 pounds or less with a Non-Precision Runway.  
 B(V) – Runway larger than utility with a Visual Runway.  
 B(NP) – Runway larger than utility with a Non-Precision Runway.  
 C – Visibility minimums greater than ¾ of a mile.  
 D – Visibility minimums as low as ¾ of a mile.



**Iowa Airport Land Use Guidebook**

---

**THIS PAGE INTENTIONALLY LEFT BLANK**

---