## PRELIMINARY DESIGN CHECKLIST – DRAINAGE (CONNECT) Date: 8-25-2022 County: \_\_\_\_\_\_ Design No.: \_\_\_\_\_ Check By: \_\_\_\_\_ Date: \_\_\_\_\_ \_\_\_\_\_ Consultant: \_\_\_\_\_ Project Location: \_\_\_\_ Verify Pipe Placement **CADD** and **Electronic** file **Deliverables** Horizontal Alignment refer to BDM 4.3.4 Verify file naming convention refer to **CONNECT** Vertical Alignment refer to **BDM 4**.3.5 **Models and Naming Convention** Length Determination refer to BDM 4.3.6 Verify B2 deliverables are placed in the correct including clear zone Design Events folder. Refer to Folder Structure Distance and correct placement of Median pipes refer to BDM 4.4.2 Bridges&Structures.accdb, refer to CW09 • ASCII input file, refer to CW03 Verify Drainage Structures 104-3 Tab and • Preliminary Schedule Sheet, refer to <a href="CW09">CW09</a> Schedule Sheet are complete from the data base \_\_\_\_ Verify coordinate system is correct for project Verify Pipe Extensions General • RCB with pipe Extension's size refer to <u>BDM</u> <u>4</u>.41 \_\_\_\_ Verify pre-project drainage patterns are being • Correct Pipe connection is being used refer maintained per **BDM 4**.2. Maximum allowable to <u>DR-121</u> and to <u>DR-122</u> diversion is generally limited to a 10% increase in watershed area. Verify correct Pipe standard is being used refer to Standard Road Plans DR Series Verify Pipe size as per <u>BDM 4.2</u> that states for rural basins with drainage areas less than two square Verify correct removing or abandoning culverts refer to 4B-3 and BDM 4.3.7 miles (1280 acres) use the Iowa Runoff Chart or the Iowa DOT culvert program. For the design of \_\_\_\_ Verify placement of Ditch Blocks and Dikes refer crossroad (mainline) culverts and for most sideroad to <u>EW-110</u> culverts (city or county roads) use a 50-year flood event. **Cross Section sheets** \_\_\_\_ Verify Culverts in Series as per BDM 4.2.3 the \_\_\_\_ Verify annotations refer to <u>CW06</u> slope between the culverts to a minimum, perhaps 1% or less **Design Cover** Profile Grade Elevation Verify Pipe Minimum Allowable Cover as per Flowline Elevation needed for DR standards BDM 4.2.6 Minimum allowable cover for all concrete and elevations needed for the database. pipes is 2 feet for roadway pipes Total length Rt and LT Verify Pipe Class for High Fill Pipes as per BDM Length of trenchless 4.2.7 refer to <u>DR-104</u> Skew angle of pipe to roadway

Structure description and any other unique

items that need to be called out.

Verify Sheet Index info is correct refer to CW07