



**SPECIAL PROVISIONS  
FOR  
SIGNAGE**

**Polk County  
TAP-T-8477(613)--8V-77**

**Effective Date  
May 19, 2015**

**THE STANDARD SPECIFICATIONS, SERIES 2012, ARE AMENDED BY THE FOLLOWING MODIFICATIONS AND ADDITIONS. THESE ARE SPECIAL PROVISIONS AND THEY SHALL PREVAIL OVER THOSE PUBLISHED IN THE STANDARD SPECIFICATIONS.**

**PART 1 - GENERAL**

**1.1 SUMMARY**

- A. Section Includes:
  - 1. Exterior dimensional letters of cut metal construction.

**1.2 QUALITY ASSURANCE**

- A. Installer: Installation shall be performed by installer specialized and experienced in work similar to that required for this project.

**1.3 SUBMITTALS**

- A. Product Data: Submit product data for specified products. Include material details for each sign letter specified.
- B. Shop Drawings: Submit shop drawings showing layout, profiles, and product components, including dimensions, anchorage, and accessories.
- C. Samples: Submit supplier's standard color chart for selection purposes and selected colors for verification purposes.
- D. Installation: Submit supplier's installation instructions.
- E. Closeout Submittals:
  - 1. Submit operation and maintenance data for installed products, including precautions against harmful cleaning materials and methods.

2. Submit warranty documents specified herein.

#### 1.4 WARRANTY

- A. Manufacturer's Warranty: Submit manufacturer's standard warranty document executed by authorized company official.
  1. Warranty Period: 1 year from installation date.

### **PART 2 - PRODUCTS**

#### 2.1 SIGNAGE LETTERS

- A. Material:
  1. Stainless Steel in Satin.
    - a. Letters to be powder coated Black. Contractor to submit full range of color samples for Engineer to select from.
- B. Cut Stainless Steel Letters
  1. Letterstyle: Font 'Book Antiqua' in italic-bold and regular.
  2. Letter Cap Height: 13 inches and 6 inches.
  3. Letter Depth: 1/4 inches.
- C. Mounting Method: Projected Stud Mount.

#### 2.2 FABRICATION – GENERAL

- A. General: Comply with requirements indicated for materials, thicknesses, finishes, colors, designs, shapes, sizes, and details of construction.
- B. Design, fabricate, and install sign assemblies to prevent buckling, opening up of joints, and over-stressing of welds and fasteners.
- C. Mill joints to a tight, hairline fit. Form joints exposed to the weather to exclude water penetration.
- D. Conceal fasteners if possible; otherwise, locate fasteners where they will be inconspicuous.
- E. Create signage to required sizes and layout. Comply with requirements indicated for design, dimensions, finish, color, and details of construction.

### **PART 3 - EXECUTION**

#### 3.1 EXAMINATION

- A. Site Verification of Conditions: Verify installation conditions previously established under other sections are acceptable for product installation in accordance with manufacturer's instructions.
- B. Scheduling of installation by Engineer implies that substrate and conditions are prepared and ready for product installation. Proceeding with installation implies installer's acceptance of substrate and conditions.

#### 3.2 INSTALLATION

- A. Install product in accordance with supplier's instructions.

- B. Install product in locations indicated using mounting methods recommended by sign manufacturer and free from distortion, warp, or defect adversely affecting appearance.
- C. Install product level, plumb, and at heights indicated.

3.3 CLEANING, PROTECTION, AND REPAIR

- A. Repair scratches and other damage which might have occurred during installation.
- B. Remove temporary coverings and protection to adjacent work areas. Clean installed products in accordance with manufacturer's instructions prior to the Engineer's acceptance.

3.4 SIGN SCHEDULE

- A. Schedule: Refer to signage drawings for sizes, locations and layout of signage types, sign text copy, and graphics.

3.5 MEASUREMENT AND PAYMENT

- A. Metal Signage Letters
  - 1. Measurement and payment for this item shall be made on a lump sum basis. Included with this item is all labor, equipment and materials necessary for furnishing and installing the signage letters. All fasteners and connectors shall be considered incidental to the unit price.