



This is to certify that

**BRADLEY C AGAN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**NW159**

Certificate No.



This is to certify that

**JACOB D AHRENS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**CI063**

Certificate No.



This is to certify that

**CURTIS L ALDRICH**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**223003**

Certificate No.



This is to certify that

**ERIC ALLEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**420059**

Certificate No.



This is to certify that

**JACOB ALLEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619059**

Certificate No.



This is to certify that

**ANDREW ANDERSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**323019**

Certificate No.



This is to certify that

**CORY ANDERSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**223061**

Certificate No.



This is to certify that

**DAVID M ANDERSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119096**

Certificate No.





This is to certify that

**KYLE S ANDERSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**223060**

Certificate No.



This is to certify that

**SHELBY A ARRIGO**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**123051**

Certificate No.



This is to certify that

**MARK J AUEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**NW620**

Certificate No.



This is to certify that

**CHRISTOPHER M AVILA**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**417010**

Certificate No.



This is to certify that

**JORDAN T BABLER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**NE662**

Certificate No.



This is to certify that

**TIMOTHY BAGGS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619092**

Certificate No.



This is to certify that

**JIBREEL A BAILEY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**222019**

Certificate No.



This is to certify that

**BENJAMIN BAISEL**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**124004**

Certificate No.





This is to certify that

**CLAIRE N BAKKESTUEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**224001**

Certificate No.



This is to certify that

**JEREMY D BALLARD**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**117019**

Certificate No.



This is to certify that

**JOSHUA BALLEGEER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**EC181**

Certificate No.



This is to certify that

**CHAD BANKER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**224002**

Certificate No.



This is to certify that

**SULLIVAN BASS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**623077**

Certificate No.



This is to certify that

**JOEL A BAUMGARTNER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**NE888**

Certificate No.



This is to certify that

**JEREMY J BAUSWELL**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**616017**

Certificate No.



This is to certify that

**RAYMOND BEATTIE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**520006**

Certificate No.





This is to certify that

**STAVA J BEATTY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**NE209**

Certificate No.



This is to certify that

**JACOB BECK**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**520044**

Certificate No.



This is to certify that

**DOUG B BECKMAN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**NW423**

Certificate No.



This is to certify that

**SHAWN A BELLIS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**318002**

Certificate No.



This is to certify that

**CHRIS E BENSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**319004**

Certificate No.



This is to certify that

**KYLE J BENSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**323001**

Certificate No.



This is to certify that

**JORDAN BENZ**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**322028**

Certificate No.



This is to certify that

**DAVID E BERGANTZEL**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119073**

Certificate No.





This is to certify that

**SCOTT G BERGMAN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**CI042**

Certificate No.



This is to certify that

**THOMAS BERRY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**220053**

Certificate No.



This is to certify that

**LUKE BERTLING**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**620067**

Certificate No.



This is to certify that

**AARON E BETTS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**120080**

Certificate No.



This is to certify that

**TODD BLOYER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**321036**

Certificate No.



This is to certify that

**BILL BOCKENSTEDT**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**623078**

Certificate No.



This is to certify that

**GERALD BOGE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**617017**

Certificate No.



This is to certify that

**BEAU T BONNETTE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**223043**

Certificate No.





This is to certify that

**DANIEL BRALLIER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**217007**

Certificate No.



This is to certify that

**TRENTON BRANDENBURG**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**121039**

Certificate No.



This is to certify that

**DANIEL C BRANDT**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**222020**

Certificate No.



This is to certify that

**MATTHEW H BRIMEYER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**621053**

Certificate No.



This is to certify that

**RANDY BROCKA**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**219010**

Certificate No.



This is to certify that

**NICHOLAS A BROLINE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**616028**

Certificate No.



This is to certify that

**RICK J BROOKS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**NE446**

Certificate No.



This is to certify that

**CALVIN BROWN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**621054**

Certificate No.





This is to certify that

**TRAVIS C BROWN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119050**

Certificate No.



This is to certify that

**STACY BUCK**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**319001**

Certificate No.



This is to certify that

**CODY A BUELT**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**CI111**

Certificate No.



This is to certify that

**LAUREN N BUER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**622089**

Certificate No.



This is to certify that

**MICHEAL P BUNKERS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**NW425**

Certificate No.



This is to certify that

**AUSTIN B BURNHAM**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read "W. E. Logan", is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**122079**

Certificate No.



This is to certify that

**KALYNN E BURTON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**621055**

Certificate No.



This is to certify that

**RONALD BUSCHERFIELD**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**222040**

Certificate No.





This is to certify that

**STAN BYL**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**317004**

Certificate No.



This is to certify that

**CODY CARROLL**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**523027**

Certificate No.



This is to certify that

**ANDREW B CARTER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**521035**

Certificate No.



This is to certify that

**JOSHUA B CHANEY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**520007**

Certificate No.



This is to certify that

**SHAWN C CHANEY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**123103**

Certificate No.



This is to certify that

**ROBERT CHRISTENSEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**418068**

Certificate No.



This is to certify that

**CODY R CLAUSEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**422033**

Certificate No.



This is to certify that

**CHAD J CLEVERINGA**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**NW499**

Certificate No.





This is to certify that

**WILLIAM CLONINGER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'Wm. Cloninger', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119108**

Certificate No.



This is to certify that

**MATT CONAWAY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**423048**

Certificate No.



This is to certify that

**DANA J CONLEY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**122004**

Certificate No.



This is to certify that

**MICHAEL CONLEY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**521028**

Certificate No.



This is to certify that

**CASEY COOKE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**319002**

Certificate No.



This is to certify that

**JUSTIN R COOKS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**620060**

Certificate No.



This is to certify that

**TYLER COOLING**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619063**

Certificate No.



This is to certify that

**BRIAN J CUMMINGS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**621027**

Certificate No.





This is to certify that

**TWA TAN DA AE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read "W. E. Logan", is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**223047**

Certificate No.



This is to certify that

**TIM J DAGGETT**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**121081**

Certificate No.



This is to certify that

**JACLYN R DAHL**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**220034**

Certificate No.



This is to certify that

**RYAN DALTON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**121084**

Certificate No.



This is to certify that

**ANDREW DANIELS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**520029**

Certificate No.



This is to certify that

**JOSHUA L DANK**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**121020**

Certificate No.



This is to certify that

**CARTER J DANNEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**222021**

Certificate No.



This is to certify that

**JAKE DARON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**223033**

Certificate No.





This is to certify that

**JOSHUA DE COOK**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**523032**

Certificate No.



This is to certify that

**TYLER E DEAN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**319009**

Certificate No.



This is to certify that

**CODY DETTBARN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**623079**

Certificate No.



This is to certify that

**LUKE J DETTMER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**NE803**

Certificate No.



This is to certify that

**ABBIE DIRKS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619104**

Certificate No.



This is to certify that

**BRANDON DOBERNECKER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**319031**

Certificate No.



This is to certify that

**JUSTON DONNELLY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**622059**

Certificate No.



This is to certify that

**MICHAEL DOROTHY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**224003**

Certificate No.





This is to certify that

**KEITH DORSEY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**217013**

Certificate No.



This is to certify that

**MANUEL DOTSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**419038**

Certificate No.



This is to certify that

**BRADLEY DRIVER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**423006**

Certificate No.



This is to certify that

**JASON J DROSTE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**NE926**

Certificate No.



This is to certify that

**CHRIS J DUGAN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**620055**

Certificate No.



This is to certify that

**JESS DUNAGAN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**218075**

Certificate No.



This is to certify that

**ZACHARY DUREN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**222059**

Certificate No.



This is to certify that

**JOHN L DURGIN II**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**EC976**

Certificate No.





This is to certify that

**TOM A DVORAK**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**CI439**

Certificate No.



This is to certify that

**BRYCE EBERLINE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**120081**

Certificate No.



This is to certify that

**SAMSON M EDEKEMI**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**323022**

Certificate No.



This is to certify that

**ED E EGGLESTON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, which appears to read 'W. E. Eggleston', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**122127**

Certificate No.



This is to certify that

**SPENCER EISCHEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**222042**

Certificate No.



This is to certify that

**RICHARD C EISS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**317008**

Certificate No.



This is to certify that

**EVAN J ELLIS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**EC196**

Certificate No.



This is to certify that

**MICHAEL D ELLIS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**123010**

Certificate No.





This is to certify that

**TRAVIS S ELMORE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119074**

Certificate No.



This is to certify that

**KEVIN W EMPEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, reading 'Kevin W. Empen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**622084**

Certificate No.



This is to certify that

**LUCAS D EMPEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**622085**

Certificate No.



This is to certify that

**ALEXANDER B ENGLAND**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Engler', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**222024**

Certificate No.



This is to certify that

**PETER ENGLUND**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. Englund', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119104**

Certificate No.



This is to certify that

**JOEL FAIRCLOTH**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**120106**

Certificate No.



This is to certify that

**LUCAS D FATKA**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**CI027**

Certificate No.



This is to certify that

**KEVIN FEE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119105**

Certificate No.





This is to certify that

**CORY J FELTNER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**423007**

Certificate No.



This is to certify that

**ROBERT FERDIG**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read "W. E. Hogen", is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**322029**

Certificate No.



This is to certify that

**DUANE FISHER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**420042**

Certificate No.



This is to certify that

**CASEY R FIX**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read "W. E. Hogen", is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**NW244**

Certificate No.



This is to certify that

**RYAN FLAHERTY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink that reads 'Ryan W. Flaherty'.

Program Director

**12/31/25**

Expiration Date

**521029**

Certificate No.



This is to certify that

**PAUL FLAUCHER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**221061**

Certificate No.



This is to certify that

**RYAN M FOLEY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**EC807**

Certificate No.



This is to certify that

**SCOTT J FORD**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**117035**

Certificate No.





This is to certify that

**JACK FOREMAN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619105**

Certificate No.



This is to certify that

**KADON FOUBERT**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**523033**

Certificate No.



This is to certify that

**SHAMUS FOUNTAS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**422061**

Certificate No.



This is to certify that

**TRINIDY A FUHRMAN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**323047**

Certificate No.



This is to certify that

**NICKOLAS M FURNESS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**121058**

Certificate No.



This is to certify that

**JAMIE T GAHERTY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**EC567**

Certificate No.



This is to certify that

**FERNANDO GALVEZ**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**117036**

Certificate No.



This is to certify that

**TYLER J GAMERDINGER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**222064**

Certificate No.





This is to certify that

**RYAN C GARNAS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**219051**

Certificate No.



This is to certify that

**DANIEL GARZA**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619106**

Certificate No.



This is to certify that

**COLE M GEHLING**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**622037**

Certificate No.



This is to certify that

**KARL GELLERSEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**624001**

Certificate No.



This is to certify that

**JARED GERNER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**621056**

Certificate No.



This is to certify that

**KELLY L GESSERT**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**SW777**

Certificate No.



This is to certify that

**DYLAN C GIBSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**522022**

Certificate No.



This is to certify that

**ANTHONY C GIGAROA**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**321025**

Certificate No.





This is to certify that

**JUSTIN R GILLETTE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**117006**

Certificate No.



This is to certify that

**MITCHELL F GINTHER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**419063**

Certificate No.



This is to certify that

**NATHAN W GOLSTON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink that reads 'Nathan W. Golston'.

Program Director

**12/31/27**

Expiration Date

**517001**

Certificate No.



This is to certify that

**BRENNEN P GRABER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**223049**

Certificate No.



This is to certify that

**MIKE J GRAF**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read "W. E. Hogen", is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**222001**

Certificate No.



This is to certify that

**MICHAEL S GRAY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**116023**

Certificate No.



This is to certify that

**GREG GREEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**420061**

Certificate No.



This is to certify that

**JAY A GREIF**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**418077**

Certificate No.





This is to certify that

**HAMPTON GRIM**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619107**

Certificate No.



This is to certify that

**ARTURO GUTIERREZ ANDRADE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**124002**

Certificate No.



This is to certify that

**ANDRES F GUZMAN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**323059**

Certificate No.



This is to certify that

**BRIAN D HAGY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**NE456**

Certificate No.



This is to certify that

**DREW HALL**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**521033**

Certificate No.



This is to certify that

**BRYCE HAMM**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**224006**

Certificate No.



This is to certify that

**CHARLES L HANCOCK**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**EC484**

Certificate No.



This is to certify that

**JAMES B HANEKLAUS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**317015**

Certificate No.





This is to certify that

**JESSE HARE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**618044**

Certificate No.



This is to certify that

**MIKE HARRIS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**121037**

Certificate No.



This is to certify that

**TAYLOR J HARRIS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**124008**

Certificate No.



This is to certify that

**ZACHARY C HARTLEP**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**622088**

Certificate No.



This is to certify that

**KEAGEN T HEAD**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**623109**

Certificate No.



This is to certify that

**GREG P HEINE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**SW886**

Certificate No.



This is to certify that

**RUSSELL A HELLE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**620078**

Certificate No.



This is to certify that

**OLIVIA S HENKE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**223052**

Certificate No.





This is to certify that

**COLIN HICKMAN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119099**

Certificate No.



This is to certify that

**LOGAN HIGGINS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Higgins', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**323024**

Certificate No.



This is to certify that

**RODNEY HILL**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**218057**

Certificate No.



This is to certify that

**STEVE J HODNETT**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**122010**

Certificate No.



This is to certify that

**JEFF HOFFMAN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**318043**

Certificate No.



This is to certify that

**ROBERT HOGAN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogan', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**620056**

Certificate No.



This is to certify that

**JOHN J HOLDGRAFER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**622083**

Certificate No.



This is to certify that

**BENJAMIN C HOLMES**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**422049**

Certificate No.





This is to certify that

**ZACH HOPPE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**317053**

Certificate No.



This is to certify that

**TATE HOUSER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Houser', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**622087**

Certificate No.



This is to certify that

**BENJAMIN C HOWELL**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119106**

Certificate No.



This is to certify that

**KENNETH W HOWELL**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**616034**

Certificate No.



This is to certify that

**MARK S HOWELL**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**520047**

Certificate No.



This is to certify that

**TIMOTHY J HOY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**320003**

Certificate No.



This is to certify that

**NICHOLAS HUGHES**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hughes', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**621057**

Certificate No.



This is to certify that

**JEFFREY L HUNTSMAN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**SW237**

Certificate No.





This is to certify that

**MARIA H HURTADO**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**321023**

Certificate No.



This is to certify that

**TROY A HUSS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**NW162**

Certificate No.



This is to certify that

**FERIDA A IKELJIC**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119117**

Certificate No.



This is to certify that

**MICHAEL M ILUNGA**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**223011**

Certificate No.



This is to certify that

**NICHOLAS INGAMELLS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**622091**

Certificate No.



This is to certify that

**WILLIAM R JACOBY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**222043**

Certificate No.



This is to certify that

**ANDREW JAMES**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**423008**

Certificate No.



This is to certify that

**DICK JANSSEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. J. Janssen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119056**

Certificate No.





This is to certify that

**ERIK V JENSEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**419064**

Certificate No.



This is to certify that

**CHAD JOCHIMS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**NW523**

Certificate No.



This is to certify that

**MICHAEL T JOHANSSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**423050**

Certificate No.



This is to certify that

**ASHTON JOHNSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**621058**

Certificate No.



This is to certify that

**HANNAH JOHNSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**120082**

Certificate No.



This is to certify that

**JOSIAH M JOHNSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**419065**

Certificate No.



This is to certify that

**MAYA E JOHNSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**622092**

Certificate No.



This is to certify that

**RUSSELL J JOHNSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**NW204**

Certificate No.





This is to certify that

**JAKE D KARNS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**423009**

Certificate No.



This is to certify that

**RYAN KASTNER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, reading 'Ryan W. Kastner', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**324002**

Certificate No.



This is to certify that

**ADMIL KASUPOVIC**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**222028**

Certificate No.



This is to certify that

**JEFF D KEEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**323035**

Certificate No.



This is to certify that

**JACOB KEISER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**620079**

Certificate No.



This is to certify that

**GAVIN W KELM**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**223053**

Certificate No.



This is to certify that

**ANDY KERR**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, reading 'Andy W. Hogen', is positioned above a horizontal line.

Program Director

**12/31/24**

Expiration Date

**520048**

Certificate No.



This is to certify that

**COLLIN KING**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**420054**

Certificate No.





This is to certify that

**DEREK KINNEY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619023**

Certificate No.



This is to certify that

**JEFFREY L KIRCHHOFF**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**418071**

Certificate No.



This is to certify that

**MICHAEL A KIRK**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**EC695**

Certificate No.



This is to certify that

**KEVIN L KLEBE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**EC375**

Certificate No.



This is to certify that

**KEVIN M KLOSTERMANN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**621029**

Certificate No.



This is to certify that

**SCOTT KLUG**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read "W. E. Hogen", is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**419066**

Certificate No.



This is to certify that

**TRAVIS KNOX**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**421036**

Certificate No.



This is to certify that

**MEGAN A KOUMOUNDOUROS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**623112**

Certificate No.





This is to certify that

**BEN KRAMER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**622011**

Certificate No.



This is to certify that

**LANE J KRAMER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**623105**

Certificate No.



This is to certify that

**ROBERT A KRATZ**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**NE273**

Certificate No.



This is to certify that

**TEVIN J KRAUSE-LARSEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**419050**

Certificate No.



This is to certify that

**BRAD E KREIMEYER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**522024**

Certificate No.



This is to certify that

**TANNER J KREIMEYER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**523045**

Certificate No.



This is to certify that

**JOSHUA J KRIER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**624003**

Certificate No.



This is to certify that

**CHADWICK KROEGER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619025**

Certificate No.





This is to certify that

**JAKE KROLAK**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**622061**

Certificate No.



This is to certify that

**CAEL J KUBOUSHEK**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read "W. E. Hogen", is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**223054**

Certificate No.



This is to certify that

**WILLIAM J KUENNEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. J. Kuennen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619112**

Certificate No.



This is to certify that

**KOLTON KUHLMAN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**623081**

Certificate No.



This is to certify that

**RYAN L KUHLMAN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read "W. E. Hogen", is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**422005**

Certificate No.



This is to certify that

**MITCHELL KULPER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119076**

Certificate No.



This is to certify that

**ANDREW KUNDE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**618094**

Certificate No.



This is to certify that

**ANDREW KUTSCH**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**619093**

Certificate No.





This is to certify that

**ADAM KUTSCHARA**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**222045**

Certificate No.



This is to certify that

**AUSTIN L LANGRECK**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**224007**

Certificate No.



This is to certify that

**ISRAEL LARUE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**219016**

Certificate No.



This is to certify that

**JACOB M LAUZON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**CI273**

Certificate No.



This is to certify that

**CARSON J LEE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**623106**

Certificate No.



This is to certify that

**MICHAEL LEE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**418072**

Certificate No.



This is to certify that

**SANG GI LEE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**122117**

Certificate No.



This is to certify that

**CARLEN LEMKE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**419051**

Certificate No.





This is to certify that

**MIKE LINDNER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**220049**

Certificate No.



This is to certify that

**MARK LLOYD**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**620073**

Certificate No.



This is to certify that

**QUINN C LOPREATO**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, reading 'Quinn C. Lopreato', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**519029**

Certificate No.



This is to certify that

**JAMES LOTZ**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**223006**

Certificate No.



This is to certify that

**PAW LU**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**222029**

Certificate No.



This is to certify that

**NICHOLAS J LUCAS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**622086**

Certificate No.



This is to certify that

**CHAD LUDOVISSY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619064**

Certificate No.



This is to certify that

**DUSTIN R MAASSEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**420055**

Certificate No.





This is to certify that

**CODY A MADDEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**222003**

Certificate No.



This is to certify that

**ERIC MAGNUSSEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**319003**

Certificate No.



This is to certify that

**DANIEL J MALLORY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119119**

Certificate No.



This is to certify that

**CHRIS G MALSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**117054**

Certificate No.



This is to certify that

**BENJAMIN MATT**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**EC933**

Certificate No.



This is to certify that

**ZACK MATTSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**322031**

Certificate No.



This is to certify that

**DAVID A MCCARVILLE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**EC788**

Certificate No.



This is to certify that

**JEREMIAH MCCOLLIN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619113**

Certificate No.





This is to certify that

**COLE MCCOY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**224008**

Certificate No.



This is to certify that

**ALAN M MCDERMOTT**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**EC479**

Certificate No.



This is to certify that

**SHANON D MCDONALD**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**NW168**

Certificate No.



This is to certify that

**MEGAN C MCKENZIE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**622094**

Certificate No.



This is to certify that

**SAMUEL A MCPHEE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**121082**

Certificate No.



This is to certify that

**DAVID MEDLEY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**EC203**

Certificate No.



This is to certify that

**JARED D MEIS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**322003**

Certificate No.



This is to certify that

**JOHN P MEISTER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**324004**

Certificate No.





This is to certify that

**DUSTIN MEITNER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**220035**

Certificate No.



This is to certify that

**JERRY S MELLENCAMP**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**423051**

Certificate No.



This is to certify that

**MARK J MELSEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**EC485**

Certificate No.



This is to certify that

**AARON J MERCER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**CI399**

Certificate No.



This is to certify that

**THOMAS G MERCER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619094**

Certificate No.



This is to certify that

**ALEXANDER B MERTEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**618129**

Certificate No.



This is to certify that

**KONNER M MICHELS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**624011**

Certificate No.



This is to certify that

**GEORGE M MILLER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**620068**

Certificate No.





This is to certify that

**HUNTER J MILLER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**616091**

Certificate No.



This is to certify that

**MICHAEL R MILLER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**NE814**

Certificate No.



This is to certify that

**NEAL MILLER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**221032**

Certificate No.



This is to certify that

**SCOTT MILLER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**SE076**

Certificate No.



This is to certify that

**VERLIN A MILLER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**SE554**

Certificate No.



This is to certify that

**DAVID E MILLMEYER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**121038**

Certificate No.



This is to certify that

**DONALD MOHLIS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**224009**

Certificate No.



This is to certify that

**CALEB MONROE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read "W. E. Hogen", is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**223038**

Certificate No.





This is to certify that

**NATHAN D MORAREND**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**220054**

Certificate No.



This is to certify that

**LUKE MULHOLLAND**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**222060**

Certificate No.



This is to certify that

**JACKSON P MURPHY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**222004**

Certificate No.



This is to certify that

**JACOB MURPHY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read "W. E. Hogen", is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**621059**

Certificate No.



This is to certify that

**ETHAN MYERS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**621060**

Certificate No.



This is to certify that

**ERIC D NELSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**419039**

Certificate No.



This is to certify that

**NICKLAUS NELSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619114**

Certificate No.



This is to certify that

**STEVEN NELSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**522025**

Certificate No.





This is to certify that

**CHAD W NICHOL**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**122017**

Certificate No.



This is to certify that

**BRYAN W O CONNELL**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**621030**

Certificate No.



This is to certify that

**JOHNNY OETH**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619029**

Certificate No.



This is to certify that

**RILEY OETKEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, reading 'Riley W. Oetken', is positioned above a horizontal line.

Program Director

**12/31/25**

Expiration Date

**321033**

Certificate No.



This is to certify that

**WILLIAM OLDFATHER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'Wm W. Oldfather', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**EC531**

Certificate No.



This is to certify that

**RODNEY L OLSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**320013**

Certificate No.



This is to certify that

**STEVEN I OPHEIM**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**CI047**

Certificate No.



This is to certify that

**STEVEN P OSBORN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**SW677**

Certificate No.





This is to certify that

**ZACHARY K OSBORN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**419055**

Certificate No.



This is to certify that

**ANDREW OSBORNE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619095**

Certificate No.



This is to certify that

**NOLAN OSLAND**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**620061**

Certificate No.



This is to certify that

**BART OWENS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619030**

Certificate No.



This is to certify that

**JODY PACE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read "W. E. Logan", is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**EC825**

Certificate No.



This is to certify that

**JACOB L PAGE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**NE102**

Certificate No.



This is to certify that

**KEEGAN PARIZEK**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**620066**

Certificate No.



This is to certify that

**CORA R PARR**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**319015**

Certificate No.





This is to certify that

**TODD J PAULEY**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**417051**

Certificate No.



This is to certify that

**DEAN PENNING**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119027**

Certificate No.



This is to certify that

**ALBERTO PEREA**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**321034**

Certificate No.



This is to certify that

**MARK PERSONS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**620042**

Certificate No.



This is to certify that

**CAMERON PETERS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119052**

Certificate No.



This is to certify that

**CONNOR A PETERSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**620075**

Certificate No.



This is to certify that

**MICHAEL Q PETERSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**CI412**

Certificate No.



This is to certify that

**TED PETERSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**217076**

Certificate No.





This is to certify that

**SCOTT E PLAMBECK**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Plambeck', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**420040**

Certificate No.



This is to certify that

**ALEX C PLEMMONS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**323026**

Certificate No.



This is to certify that

**COREY POSS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read "W. E. Hogen", is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**323048**

Certificate No.



This is to certify that

**DYLAN PRYOR**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read "W. E. Hogen", is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**323060**

Certificate No.



This is to certify that

**KAYLA RAGALLER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**421037**

Certificate No.



This is to certify that

**GUSTAVO RAMOS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619108**

Certificate No.



This is to certify that

**SCOTT RASMUSSEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**224010**

Certificate No.



This is to certify that

**JERID W RATZKE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119078**

Certificate No.





This is to certify that

**MARISSA RECKER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**621061**

Certificate No.



This is to certify that

**WADE M REMINGTON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**SW686**

Certificate No.



This is to certify that

**SCOTT J RENTZ**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**318011**

Certificate No.



This is to certify that

**GARRETT W REYNOLDS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**423059**

Certificate No.



This is to certify that

**AUSTIN RICE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**622095**

Certificate No.



This is to certify that

**NATALEIGH A RICHARDSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619109**

Certificate No.



This is to certify that

**MICHAEL J RIFE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119068**

Certificate No.



This is to certify that

**BENJAMIN B RITCHIE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**EC156**

Certificate No.





This is to certify that

**KODI ROBINSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**522004**

Certificate No.



This is to certify that

**CHUCK ROBISON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**217038**

Certificate No.



This is to certify that

**MATTHEW ROBISON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**217039**

Certificate No.



This is to certify that

**ASHLEY RODRIGUEZ**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**323061**

Certificate No.



This is to certify that

**MICHAEL ROEMEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**318030**

Certificate No.



This is to certify that

**ERIN P ROGERS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**EC117**

Certificate No.



This is to certify that

**BRYAN E ROSS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**220051**

Certificate No.



This is to certify that

**MATT ROYSTER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**120062**

Certificate No.





This is to certify that

**AUSTIN ROZEVINK**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**219028**

Certificate No.



This is to certify that

**COY RUESS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**621062**

Certificate No.



This is to certify that

**JOEL RUGGLES**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**420043**

Certificate No.



This is to certify that

**CONNOR RUPKE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**620069**

Certificate No.



This is to certify that

**SCOTT RUSSELL**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**622062**

Certificate No.



This is to certify that

**MICHAEL J RUTTER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119109**

Certificate No.



This is to certify that

**TUCKER SAGER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**423010**

Certificate No.



This is to certify that

**ETHAN C SALZWEDEL**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**224011**

Certificate No.





This is to certify that

**GRANT F SAMSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119120**

Certificate No.



This is to certify that

**JEREMY SANDBOTHE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read "W. E. Hogen", is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**422060**

Certificate No.



This is to certify that

**ASHOK SAPKOTA**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**621063**

Certificate No.



This is to certify that

**RICKY J SCHILLING**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**EC848**

Certificate No.



This is to certify that

**ANGIE J SCHLISKE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**121008**

Certificate No.



This is to certify that

**TIMOTHY B SCHMADEKE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**622096**

Certificate No.



This is to certify that

**TATE SCHMELING**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**620062**

Certificate No.



This is to certify that

**NATHAN SCHMITZ**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619103**

Certificate No.





This is to certify that

**RYAN SCHMITZ**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**620070**

Certificate No.



This is to certify that

**MICHAEL L SCHNECKLOTH**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**420044**

Certificate No.



This is to certify that

**JONATHAN J SCHNEIDER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**316026**

Certificate No.



This is to certify that

**JUSTIN W SCHNEIDER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**419067**

Certificate No.



This is to certify that

**ISAAC SCHROEDER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619065**

Certificate No.



This is to certify that

**JUSTEN SCHROEDER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**323027**

Certificate No.



This is to certify that

**CHARLES E SCHULTZ**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**NE430**

Certificate No.



This is to certify that

**DAVID SCHUSTER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**EC992**

Certificate No.





This is to certify that

**TAHNEE L SELIM**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**520030**

Certificate No.



This is to certify that

**CHARLES A SETTLE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**623082**

Certificate No.



This is to certify that

**SALMAN A SHAHNAWAZ**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**623113**

Certificate No.



This is to certify that

**DYLAN R SHIRAH**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**223058**

Certificate No.



This is to certify that

**JOSEPH A SIEVERDING**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**624015**

Certificate No.



This is to certify that

**ED SIMON SR.**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**217078**

Certificate No.



This is to certify that

**ALEXANDER SMITH**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**423011**

Certificate No.



This is to certify that

**CRAIG A SMITH**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**419019**

Certificate No.





This is to certify that

**MARK E SMITH**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**420056**

Certificate No.



This is to certify that

**JULIA K SNYDER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**SW228**

Certificate No.



This is to certify that

**JEFFREY W SOGGE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**121042**

Certificate No.



This is to certify that

**BENJAMIN SOLDWISCH**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**623114**

Certificate No.



This is to certify that

**DENNIS M SONNTAG**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**422051**

Certificate No.



This is to certify that

**BRODY SPIES**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**323057**

Certificate No.



This is to certify that

**BENJAMIN STALKFLEET**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read "W. E. Logan", is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**523002**

Certificate No.



This is to certify that

**ALEX STEIN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**620071**

Certificate No.





This is to certify that

**ABRAHAM STEINBECK**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**622097**

Certificate No.



This is to certify that

**ETHAN M STURM**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**423060**

Certificate No.



This is to certify that

**BRIAN J SWESTKA**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**221006**

Certificate No.



This is to certify that

**DAREN C TEBBE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**622082**

Certificate No.



This is to certify that

**TRENT TERRELL**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**523022**

Certificate No.



This is to certify that

**TIM J TERRILL**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**122022**

Certificate No.



This is to certify that

**THOMAS D THARP**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**EC693**

Certificate No.



This is to certify that

**JERIN THEDE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**218068**

Certificate No.





This is to certify that

**ANDREW B J THEELER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**319039**

Certificate No.



This is to certify that

**BRENT A THIER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**620063**

Certificate No.



This is to certify that

**JOSH THOMAS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**622064**

Certificate No.



This is to certify that

**KEITH THOMPSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**420057**

Certificate No.



This is to certify that

**JAMES TILLMAN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**423013**

Certificate No.



This is to certify that

**VENKATSAI R TOKALA**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**420053**

Certificate No.



This is to certify that

**TESSA TRIERWEILER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**323058**

Certificate No.



This is to certify that

**MATT TRIMBLE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**222061**

Certificate No.





This is to certify that

**BRYCE TRPKOSH**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**620074**

Certificate No.



This is to certify that

**KIRK TURNER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**217055**

Certificate No.



This is to certify that

**CLIFTON D TUTTLE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**422052**

Certificate No.



This is to certify that

**JEFFREY UHLENHOPP**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**NE220**

Certificate No.



This is to certify that

**SHANNON L VAN ALST**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**523034**

Certificate No.



This is to certify that

**JAMES VAN HOVE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read "W. E. Hogen", is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**219014**

Certificate No.



This is to certify that

**JAYSEN L VAUGHN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**420013**

Certificate No.



This is to certify that

**ARIAN VAZQUEZ**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**323050**

Certificate No.





This is to certify that

**JACOB L VERMEIRE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**623083**

Certificate No.



This is to certify that

**TONY VONDERSITT**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, reading 'Tony W. Vondersitt', is positioned above a horizontal line.

Program Director

**12/31/26**

Expiration Date

**NE048**

Certificate No.



This is to certify that

**JEREMY E WADDLE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Waddle', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**418075**

Certificate No.



This is to certify that

**MICHAEL A WALKER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119043**

Certificate No.



This is to certify that

**CLIFFORD WALLER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619096**

Certificate No.



This is to certify that

**CONNOR WALTERS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119121**

Certificate No.



This is to certify that

**MAHJ E WARHANK**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119122**

Certificate No.



This is to certify that

**JIM WEBBER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**623084**

Certificate No.





This is to certify that

**JOSH L WEBBER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**622065**

Certificate No.



This is to certify that

**MIKE WEBBER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**320028**

Certificate No.



This is to certify that

**SAMUEL J WEBER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**NW236**

Certificate No.



This is to certify that

**ROSS WEDEWER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619110**

Certificate No.



This is to certify that

**JOSHUA WELLNITZ**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619111**

Certificate No.



This is to certify that

**JERRY WELLS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**617070**

Certificate No.



This is to certify that

**JAMEY L WELTER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**220014**

Certificate No.



This is to certify that

**DOUGLAS R WERMERSKIRCHEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**317048**

Certificate No.





This is to certify that

**CHARLES D WERNER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**NE471**

Certificate No.



This is to certify that

**JEFFREY W WERNER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. W. Werner', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**522020**

Certificate No.



This is to certify that

**STEPHEN R WEYDERT**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**620057**

Certificate No.



This is to certify that

**MARK D WEYEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**NW546**

Certificate No.



This is to certify that

**DENNIS J WIESER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'Wm. W. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**EC849**

Certificate No.



This is to certify that

**VAYDA WILKINS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**120083**

Certificate No.



This is to certify that

**ANDREW G WILLIAMS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**420058**

Certificate No.



This is to certify that

**SEAN A WILLIAMS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**CI927**

Certificate No.





This is to certify that

**WAYLON J WILLIAMS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'Way W. Williams', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**521031**

Certificate No.



This is to certify that

**RICHARD S WILSON**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**NE293**

Certificate No.



This is to certify that

**JAY A WILTSE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**NE884**

Certificate No.



This is to certify that

**DARIN T WING**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**CI052**

Certificate No.



This is to certify that

**ERIC WINGERT**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/25**

Expiration Date

**421020**

Certificate No.



This is to certify that

**MICHAEL WINGERT**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**323037**

Certificate No.



This is to certify that

**MICHAEL D WOLTHUIS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**NW424**

Certificate No.



This is to certify that

**RAYMOND W WOOD**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. W. Wood', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**224014**

Certificate No.





This is to certify that

**CODY L WOODARD**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**520031**

Certificate No.



This is to certify that

**CALE WOODS**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/28**

Expiration Date

**224015**

Certificate No.



This is to certify that

**JUSTIN WORRELL**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**623115**

Certificate No.



This is to certify that

**MARVIN F WULFEKUHLE**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/24**

Expiration Date

**620058**

Certificate No.



This is to certify that

**CHARLES YEAGER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Logan', is written over a horizontal line.

Program Director

**12/31/27**

Expiration Date

**323062**

Certificate No.



This is to certify that

**KEVIN YEAGER**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**121087**

Certificate No.



This is to certify that

**CONNOR YOUNG**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**119110**

Certificate No.



This is to certify that

**TODD YOUNG**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/26**

Expiration Date

**NE090**

Certificate No.





This is to certify that

**GABLE J ZEIEN**

has successfully met the testing requirements and is recognized as a

**Certified Aggregate Sampler  
Technician**

A handwritten signature in blue ink, appearing to read 'W. E. Hogen', is written over a horizontal line.

Program Director

**12/31/23**

Expiration Date

**619015**

Certificate No.