

TRAVIS M ADAIR

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SW731

Expiration Date



JESSE L AHRENS

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

NW467

Expiration Date



KIE C AHRENS

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

NW522

Expiration Date



CHAD S ANDERSON

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

118028

Expiration Date



JON W ARJES

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogten **Program Director**

12/31/24

CI186

Expiration Date



HELEN R BAILEY

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SE111

Expiration Date



JASON H BAKER

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

NE192

Expiration Date



CHRISTIAN D BARKO

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

EC137

Expiration Date



DAVID Z BARTLETT

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SW882

Expiration Date



MARSHALL I BERG

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

418067

Expiration Date



DANE E BJUGAN

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

NE749

Expiration Date



TODD M BLUM

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

my N. elogter **Program Director**

12/31/24

SW010

Expiration Date



SCOTT L BOYLE

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

NE087

Expiration Date



TRAVIS C BROWN

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

119050

Expiration Date



JOSEPH A BURNS

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

EC845

Expiration Date



BRIAN R BURR

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

my N. elogter **Program Director**

12/31/24

CI210

Expiration Date



BURTON CHASKA

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

CI147

Expiration Date



JOSEPH E CIHACEK

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SW602

Expiration Date



CLAYTON COBB

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

120028

Expiration Date



WADE CONOVER

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

516033

Expiration Date



TROY M COOK

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

CI067

Expiration Date



KENNETH K COOPER

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SE407

Expiration Date



ALEX L CROSGROVE

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

NW143

Expiration Date



JEFFREY P DEVRIES

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

CI323

Expiration Date



ROBERT A DOWNS

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

my N. elogter **Program Director**

12/31/24

CI179

Expiration Date



MARK DUTRA

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

EC537

Expiration Date



CHARLES B ELMQUIST

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SW127

Expiration Date



SHANE A FETTERS

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SE045

Expiration Date



CLINT T FLACK

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

118033

Expiration Date



RODNEY J FLOERCHINGER

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SW604

Expiration Date



STEVEN E FORBES

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SW568

Expiration Date



MARCIA K FORD

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SW265

Expiration Date



LEVI C FRAZIER

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

119007

Expiration Date



MATTHEW R FREUND

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

EC508

Expiration Date



SHANE M GARRITY

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

EC231

Expiration Date



MARTY L GOEDKEN

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

EC058

Expiration Date



JEREMY R GREENE

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

619014

Expiration Date



RYAN J GREENLEY

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

CI486

Expiration Date



KATHRINE A GUTZEIT

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

EC363

Expiration Date



KENNETH D GWENNAP

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SW885

Expiration Date



JAMIE HAAS

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

NE604

Expiration Date



JAY HART

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

516018

Expiration Date



DOUGLAS HEFEL

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

EC023

Expiration Date



ALEX HERNANDEZ

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

122055

Expiration Date



MATTHEW S HERRING

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

119143

Expiration Date



DOUG HIRSCH

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

EC343

Expiration Date



HUGH W HOLAK

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

EC292

Expiration Date



MICHAEL L HUEDEPOHL

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

618071

Expiration Date



JEFFREY L HUNTSMAN

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

my N. elogter **Program Director**

12/31/24

SW237

Expiration Date



BRIAN A ILES

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SE220

Expiration Date



BRODY JANSSEN

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

420047

Expiration Date



LARRY E. JOHNSON

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SE113

Expiration Date



JEFF R KING

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SW333

Expiration Date



MATTHEW KINNEY

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SE166

Expiration Date



JON M KLEVEN

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

NE300

Expiration Date



KEVIN M KLOSTERMANN

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

621029

Expiration Date



TYLER J KUBIK

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

my N. elogter **Program Director**

12/31/24

CI959

Expiration Date



JARED L LAERMANS

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

CI362

Expiration Date



MICHAEL M LAURITSEN

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

116061

Expiration Date



MICHAEL LEE

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

418072

Expiration Date



ANDREW LLOYD

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

622013

Expiration Date



CHAD E LOHRER

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

EC026

Expiration Date



MICHAEL J LYNCH

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SW683

Expiration Date



MICHAEL W MAGERS

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SW059

Expiration Date



JONATHAN MATHES

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

122113

Expiration Date



JUSTIN MAYABB

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

420002

Expiration Date



TODD A. MC CULLOUGH

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SW285

Expiration Date



JAMES B MEADS

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SW065

Expiration Date



BRYAN R NEDVED

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

NE532

Expiration Date



STEVEN NELSON

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

522025

Expiration Date



JAMES A NORRIS

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SW676

Expiration Date



CLAY NOVINGER

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

520008

Expiration Date



JOSEPH OGDEN

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

118090

Expiration Date



ROBERT OTTO

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

my N. elogter **Program Director**

12/31/24

618133

Expiration Date



NANCY L PAULSON

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

NE362

Expiration Date



ALEXANDER D PHELPS

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

519033

Expiration Date



TYSON PILLARD

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

my N. elogter **Program Director**

12/31/24

121092

Expiration Date



DARIN L RANCK

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

518033

Expiration Date



DIANE RECKER

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

617101

Expiration Date



DAVID L SCHIERBROCK

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

417080

Expiration Date



JOEL D SCHLUETER

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SW269

Expiration Date



FREDERICK E SCHMIDT

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SW200

Expiration Date



RUSSELL G SCHMIDT

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

120051

Expiration Date



ISAAC SCHROEDER

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

619065

Expiration Date



TROY A SCHROEDER

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

EC580

Expiration Date



JAY D SCHWAKE

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

621012

Expiration Date



BRIAN SELL

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

622019

Expiration Date



MARK L SHELTON

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

CI030

Expiration Date



JOHN J SHIMEK

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

NE381

Expiration Date



HEATH SMIDT

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

121116

Expiration Date



BRIAN E SMITH

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SE041

Expiration Date



KERT J SMITH

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SE330

Expiration Date



TIMOTHY J SMITH

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

317041

Expiration Date



STEVEN J SMITHSON

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

EC724

Expiration Date



STEVE SNOW

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

NE821

Expiration Date



JACOB A SOHN

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SE540

Expiration Date



BENJAMIN H SOURWINE

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SE050

Expiration Date



DAVID G SPERFSLAGE

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

EC090

Expiration Date



BRIAN T SQUIER

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

my N. elogter **Program Director**

12/31/24

CI986

Expiration Date



BRETT M ST. JOHN

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

CI937

Expiration Date



STEVEN R STAEBLER

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

617095

Expiration Date



ALEXANDER J STANLEY

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

618054

Expiration Date



BRIAN J STELKEN

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

EC413

Expiration Date



BRIAN J SWESTKA

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

221006

Expiration Date



BRIAN E SYKES

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

CI661

Expiration Date



NATE THAYER

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SE128

Expiration Date



EDWIN A THOMSEN

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SW311

Expiration Date



STEPHEN UPCHURCH

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

CI361

Expiration Date



DENNIS J WHITTLE

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

NE472

Expiration Date



BRIAN C WIEDENHOEFT

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

EC063

Expiration Date



THOMAS J WILLIAMS

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

419046

Expiration Date



JACK J WINTHER

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SW678

Expiration Date



SETH G WOODCOCK

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SW443

Expiration Date



CALEB M WRIGHT

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

122121

Expiration Date



FORREST G YOSHIDA

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogter **Program Director**

12/31/24

SW072

Expiration Date



TODD YOUNG

has successfully met the testing requirements and is recognized as a

Certified Nuclear Gauge Operator

Ny N. elogten **Program Director**

12/31/24

NE090

Expiration Date