



LOCAL AGENCY LETTING INFORMATION

CONTENTS

DATE ADDED	COUNTY/CITY	LETTING DATE	PAGE NUMBER
November 13, 2025	Linn	December 9, 2025	2
November 13, 2025	Linn	December 9, 2025	3
November 13, 2025	Linn	December 9, 2025	4
November 18, 2025	Linn	December 9, 2025	5
November 18, 2025	Linn	December 9, 2025	6
November 18, 2025	Calhoun	December 11, 2025	7
December 2, 2025	Cedar	January 6, 2025	8
November 25, 2025	Audubon	January 7, 2026	9
December 2, 2025	Montgomery	January 20, 2026	10

BULLETIN REPORTING FORM

County:	Linn County	Project No.:	M-376746K(26)
Proposal Guarantee:	\$6,250.00	DBE or TSB Goal:	
Date of Letting:	12/9/2025	Time of Letting:	11:00 AM
Bid Turn-In Location:	County Auditor	Type of Project:	Railroad crossing surface improvement
Contact Phone No.:	319-892-6400	Contact FAX No.:	319-892-6419

Specific Description of Project:

Surface improvement as part of a railroad crossing improvement project.

QUANTITY		
158	TON	GRANULAR SHOULDERS, TYPE B
1247.9	SY	PAVEMENT SCARIFICATION
149.3	TON	HOT MIX ASPHALT STANDARD TRAFFIC, SURFACE COURSE, 1/2 IN. MIX, NO SPECIAL FRICTION REQUIREMENT
9	TON	ASPHALT BINDER, PG 58-28S, STANDARD TRAFFIC
9.23	STA	PAINTED PAVEMENT MARKINGS, HIGH-BUILD WATERBORNE
1	EACH	PAINTED SYMBOLS AND LEGENDS, HIGH-BUILD WATERBORNE
1	EACH	SYMBOLS AND LEGENDS REMOVED
1	LS	TRAFFIC CONTROL
32	CDAY	PORTABLE DYNAMIC MESSAGE SIGN (PDMS)
1	LS	MOBILIZATION
2	DAY	RAILROAD FLAGGERS

Date: 11/13/2025 Local Agency Official: Brad Ketels, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Linn County	Project No.:	M-BRIDGE 517 REHAB(26)
Proposal Guarantee:	\$4,000.00	DBE or TSB Goal:	
Date of Letting:	12/9/2025	Time of Letting:	11:00 AM
Bid Turn-In Location:	County Auditor	Type of Project:	Bridge Rehabilitation
Contact Phone No.:	319-892-6400	Contact FAX No.:	319-892-6419

Specific Description of Project:

Bridge rehabilitation on Bridge 517 on McNamara Road.

QUANTITY	UNIT	DESCRIPTION
1	LS	REMOVAL OF DEBRIS FROM WATERWAY AREAS
12	CY	EXCAVATION, CLASS 10, CHANNEL
28	TON	MACADAM STONE BASE
30	TON	GRANULAR SURFACING ON ROAD, CLASS A CRUSHED STONE
31	LB	MISCELLANEOUS HARDWARE
225	LF	REMOVE AND REINSTALL FORMED STEEL BEAM GUARDRAIL
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
30	LF	STEEL HP PILE CAP

Date: 11/13/2025 Local Agency Official: Brad Ketels, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Linn County	Project No.:	L-BRIDGE 1007(26)
Proposal Guarantee:	\$25,000.00	DBE or TSB Goal:	
Date of Letting:	12/9/2025	Time of Letting:	11:00 AM
Bid Turn-In Location:	County Auditor	Type of Project:	Bridge Replacement
Contact Phone No.:	319-892-6400	Contact FAX No.:	319-892-6419

Specific Description of Project:

Bridge replacement project on Bridge 1007 on Upper Boulder Road.

QUANTITY		
420	CY	EMBANKMENT-IN-PLACE
50	CY	EXCAVATION, CLASS 10, CHANNEL
125	CY	TOPSOIL, STRIP, SALVAGE AND SPREAD
91	CY	MODIFIED SUBBASE
171	TON	CHOKE STONE BASE
1	LS	REMOVAL OF EXISTING BRIDGE
36.5	CY	STRUCTURAL CONCRETE (BRIDGE)
37.6	CY	STRUCTURAL CONCRETE (BRIDGE)
98.4	CY	STRUCTURAL CONCRETE (BRIDGE)
3822	LB	REINFORCING STEEL, EPOXY COATED
6932	LB	REINFORCING STEEL, EPOXY COATED
8095	LB	REINFORCING STEEL, EPOXY COATED
700	LF	PILES, STEEL, HP 10 X 42
800	LF	PILES, STEEL, HP 10 X 42
210	LF	STEEL BEAM GUARDRAIL
250	TON	REVTMENT, CLASS D
2	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
168	EACH	MISC HARDWARE
360	EACH	MISC HARDWARE
15	LF	6"x6"x1/2" A36 STEEL ANGLE IRON
42	LF	6"x6"x1/2" GALVANIZED A36 ANGLE IRON
0.5	ACRE	MULCHING, BONDED FIBER MATRIX
0.5	ACRE	HYDRAULIC SEEDING
345	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 12 IN. DIA.

Date: 12/4/2025 Local Agency Official: Brad Ketels, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts,

BULLETIN REPORTING FORM

County:	Linn County	Project No.:	M-BRIDGE 813 REHAB(26)
Proposal Guarantee:	\$4,000.00	DBE or TSB Goal:	
Date of Letting:	12/9/2025	Time of Letting:	11:00 AM
Bid Turn-In Location:	County Auditor	Type of Project:	Bridge Rehabilitation
Contact Phone No.:	319-892-6400	Contact FAX No.:	319-892-6419

Specific Description of Project:

Rehabilitation of Bridge 813 on Bettys Grove Road and surfacing improvements on the bridge approaches along Bettys Grove Road and adjacent Campfire Road.

1	LS	REMOVAL OF DEBRIS FROM WATERWAY AREAS
100	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
50	CY	EXCAVATION, CLASS 10, WASTE
4.5	CY	MODIFIED SUBBASE
15	TON	GRANULAR SHOULDERS, TYPE B
75	TON	CHOKE STONE BASE
58	LB	MISCELLANEOUS HARDWARE
280	LF	REMOVE AND REINSTALL FORMED STEEL BEAM GUARDRAIL
60	TON	REVTMENT, CLASS D
930	SY	REMOVAL OF PAVEMENT
3	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
76	LF	SPREADER "C" CHANNEL
36	LF	STEEL HP PILE CAP
108	LF	TREATED LUMBER

Date: 11/18/2025 Local Agency Official: Brad Ketels, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Linn County	Project No.:	M-BRIDGE 2177 REHAB(26)
Proposal Guarantee:	\$4,000.00	DBE or TSB Goal:	
Date of Letting:	12/9/2025	Time of Letting:	11:00 AM
Bid Turn-In Location:	County Auditor	Type of Project:	Bridge Rehabilitation
Contact Phone No.:	319-892-6400	Contact FAX No.:	319-892-6419

Specific Description of Project:

Bridge rehabilitation on Bridge 2177 on Cupola Road

QUANTITY	UNIT	DESCRIPTION
1	LS	REMOVAL OF DEBRIS FROM WATERWAY AREAS
30	CY	EMBANKMENT-IN-PLACE, CONTRACTOR FURNISHED
70	CY	EXCAVATION, CLASS 10, CHANNEL
1	CY	MODIFIED SUBBASE
16	TON	GRANULAR SHOULDERS, TYPE B
1	CY	STRUCTURAL CONCRETE (BRIDGE)
60	LB	REINFORCING STEEL, EPOXY COATED
27	LB	MISCELLANEOUS HARDWARE
14	LF	PILES, STEEL, HP 10 X 42
30	LF	PILES, STEEL, HP 10 X 42
230	LF	REMOVE AND REINSTALL FORMED STEEL BEAM GUARDRAIL
75	TON	REVTMENT, CLASS D
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
0.2	ACRE	MULCHING, BONDED FIBER MATRIX
0.2	ACRE	HYDRAULIC SEEDING
200	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 12 IN. DIA.

Date: 11/18/2025 Local Agency Official: Brad Ketels, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Calhoun County	Project No.:	L-GR3040--73-13
Proposal Guarantee:	\$12,500.00	DBE or TSB Goal:	
Date of Letting:	12/11/2025	Time of Letting:	10:00 AM
Bid Turn-In Location:	County Engineer	Type of Project:	Precast Box Culvert
Contact Phone No.:	712-297-8322	Contact FAX No.:	712-297-5143

Specific Description of Project:

107	TON	SPECIAL BACKFILL
18	CY	EMBANKMENT-IN-PLACE
10	CY	EXCAVATION, CLASS 10, WASTE
138	CY	EXCAVATION, CLASS 10, CHANNEL
228	TON	GRANULAR SURFACING ON ROAD, CLASS A CRUSHED STONE
1	LS	REMOVAL OF EXISTING BRIDGE
120	CY	GRANULAR BACKFILL
488	CY	EXCAVATION, CLASS 20
40	LF	PRECAST CONCRETE BOX CULVERT, 12 FT. X 11 FT.
2	EACH	PRECAST CONCRETE BOX CULVERT STRAIGHT END SECTION, 12 FT. X 11 FT.
182	LF	CULVERT, CORRUGATED METAL ENTRANCE PIPE, 18 IN. DIA.
60	LF	CULVERT, CORRUGATED METAL ENTRANCE PIPE, 24 IN. DIA.
1	EACH	TEMPORARY STREAM DIVERSION
144	SF	PILES, STEEL SHEET
80	LF	SUBDRAIN, CORRUGATED METAL PIPE, 8 IN. DIA.
40	LF	SUBDRAIN, CORRUGATED METAL PIPE, 12 IN. DIA.
40	TON	REVETMENT, CLASS E
1	LS	CONSTRUCTION SURVEY
2	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
0.1	ACRE	SEEDING AND FERTILIZING (RURAL)
120	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 9 IN. DIA.

Date: 11/18/2025 Local Agency Official: Nick Buse, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Cedar County	Project No.:	L-202602--73-16
Proposal Guarantee:	\$12,500.00	DBE or TSB Goal:	
Date of Letting:	1/6/2026	Time of Letting:	10:30 AM
Bid Turn-In Location:	County Engineer	Type of Project:	Reinforced Concrete Box Culvert
Contact Phone No.:	563-886-6102	Contact FAX No.:	

Specific Description of Project:

10' x 8' x 44' RCB Culvert Replacement

QUANTITY	UNIT	DESCRIPTION
104.8	UNIT	CLEARING AND GRUBBING
1027	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
436	CY	EXCAVATION, CLASS 10, CHANNEL
496.4	CY	TOPSOIL, STRIP, SALVAGE AND SPREAD
194.4	TON	GRANULAR MATERIAL
490	TON	GRANULAR SURFACING ON ROAD, CLASS A CRUSHED STONE
48	TON	SURFACING, DRIVEWAY, CLASS A CRUSHED STONE
1	LS	REMOVAL OF EXISTING BRIDGE
252.3	CY	FLOODED BACKFILL
918	CY	EXCAVATION, CLASS 20
103.9	CY	STRUCTURAL CONCRETE (RCB CULVERT)
17443	LB	REINFORCING STEEL
4	EACH	APRONS, METAL, 18 IN. DIA.
96	LF	CULVERT, CORRUGATED METAL ENTRANCE PIPE, 18 IN. DIA.
1	EACH	TEMPORARY STREAM DIVERSION
144	LF	SUBDRAIN, PERFORATED PLASTIC PIPE, 4 IN. DIA.
1	EACH	SUBDRAIN OUTLET, DR-305
283.8	TON	REVETMENT, CLASS E
980	LF	REMOVAL OF FENCE, FIELD
2	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
55	TON	'TONS' ITEM-MODIFIED SUBBASE
2.6	ACRE	MULCHING
1.3	ACRE	SEEDING AND FERTILIZING (RURAL)
1.3	ACRE	STABILIZING CROP - SEEDING AND FERTILIZING
4	EACH	SILT BASINS
4	EACH	REMOVAL OF SILT BASINS
840	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 12 IN. DIA.
300	LF	REMOVAL OF PERIMETER AND SLOPE OR DITCH CHECK SEDIMENT CONTROL DEVICE
2	EACH	MOBILIZATIONS, EROSION CONTROL
1	EACH	MOBILIZATIONS, EMERGENCY EROSION CONTROL

Date: 11/25/2025 Local Agency Official: Robert Fangmann, County Engineer

BULLETIN REPORTING FORM

County:	Audubon County	Project No.:	LFM-(Mockingbird Ave)--7X-05
Proposal Guarantee:	\$25,000.00	DBE or TSB Goal:	
Date of Letting:	1/7/2026	Time of Letting:	10:30 AM
Bid Turn-In Location:	County Engineer	Type of Project:	HMA Paving
Contact Phone No.:	712-563-4286	Contact FAX No.:	712-563-2056

Specific Description of Project:

This project includes new 11-1/2 inch HMA paving. Associated items include subgrade patching, milling, class 13 excavation, PCC driveways and HMA fillets. There will be associated removals with all items.

1488.4	CY	EXCAVATION, CLASS 13, ROADWAY AND BORROW
127.3	CY	TOPSOIL, SPREAD
18.23	STA	SPECIAL COMPACTION OF SUBGRADE
195.43	TON	GRANULAR SHOULDERS, TYPE B
5527.81	SY	PAVEMENT SCARIFICATION
37.9	STA	BLADING AND SHAPING SHOULDER MATERIAL
2427.28	TON	HOT MIX ASPHALT STANDARD TRAFFIC, BASE COURSE, 3/4 IN. MIX
573.81	TON	HOT MIX ASPHALT STANDARD TRAFFIC, INTERMEDIATE COURSE, 1/2 IN. MIX
430.36	TON	HOT MIX ASPHALT STANDARD TRAFFIC, SURFACE COURSE, 1/2 IN. MIX, NO SPECIAL FRICTION REQUIREMENT
205.89	TON	ASPHALT BINDER, PG 58-28S, STANDARD TRAFFIC
1	LS	HOT MIX ASPHALT PAVEMENT SAMPLES
2427.28	EACH	PAYMENT ADJUSTMENT INCENTIVE/DISINCENTIVE FOR HMA MIXTURE LABORATORY VOIDS (FORMULA - BY PAY FACTOR)
2427.28	EACH	PAYMENT ADJUSTMENT INCENTIVE/DISINCENTIVE FOR HMA MIXTURE FIELD VOIDS (FORMULA - BY PAY FACTOR)
75	TON	GRANULAR SURFACING ON ROAD, CLASS A CRUSHED STONE
38	LF	CORRUGATED PIPE CULVERT,
184.3	SY	DRIVEWAY, P.C. CONCRETE, 5 IN.
184.3	SY	REMOVAL OF PAVED DRIVEWAY
2	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION

Date: 11/24/2025 Local Agency Official: Mitchel Rydl, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Montgomery County	Project No.:	L-RO3603--69
Proposal Guarantee:	\$12,500.00	DBE or TSB Goal:	
Date of Letting:	1/20/2026	Time of Letting:	09:15 AM
Bid Turn-In Location:	County Auditor	Type of Project:	Low Water Stream Crosssing
Contact Phone No.:	712-623-5197	Contact FAX No.:	712-623-9477

Specific Description of Project:

Remove existing timber bridge (closed to traffic), construct Low Water Stream Crossing and associated grading.

QUANTITY	UNIT	DESCRIPTION
0.4	ACRE	CLEARING AND GRUBBING
922	CY	EXCAVATION, CLASS 10, WASTE
112	CY	COMPACTING BACKFILL ADJACENT TO BRIDGES, CULVERTS OR STRUCTURES
1	LS	REMOVAL OF EXISTING STRUCTURES
21	TON	GRANULAR BACKFILL
23	CY	EXCAVATION, CLASS 20, FOR ROADWAY PIPE CULVERT
38	TON	FOUNDATION TREATMENT MATERIAL
37.6	CY	STRUCTURAL CONCRETE (MISCELLANEOUS)
3849	LB	REINFORCING STEEL
1	EACH	TEMPORARY STREAM DIVERSION
1248	SF	PILES, STEEL SHEET
26	CY	REVTMENT, CONCRETE, HAUL AND PLACE
1	LS	CONSTRUCTION SURVEY
1	LS	MOBILIZATION
164	LF	SMOOTH STEEL PIPE, PLACE ONLY

Date: 12/1/2025 Local Agency Official: Karen Albert, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired.
E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us