



LOCAL AGENCY LETTING INFORMATION

CONTENTS

DATE ADDED	COUNTY/CITY	LETTING DATE	PAGE NUMBER
June 4, 2025	Jasper	July 2, 2025	2
June 16, 2025	Jasper	July 2, 2025	3
June 5, 2025	Jasper	July 9, 2025	4
June 4, 2025	Adair	July 14, 2025	5
May 14, 2025	Montgomery	July 15, 2025	6
July 1, 2025	Monona	July 22, 2025	7
June 24, 2025	Sac	July 24, 2025	8
June 24, 2025	Cedar	July 29, 2025	9

BULLETIN REPORTING FORM

County:	Jasper County	Project No.:	RC-C050(155)--9A-50
Proposal Guarantee:	\$0.00	DBE or TSB Goal:	
Date of Letting:	7/2/2025	Time of Letting:	02:00 PM
Bid Turn-In Location:	County Engineer	Type of Project:	PCC Pavement - Grade and New
Contact Phone No.:	641-792-5862	Contact FAX No.:	641-791-7740

Specific Description of Project:

Grading and paving of 0.1 miles of existing granular surfaced road known as S 128th Ave E in Jasper County 0.3 miles west of T-33 S. Work includes, but is not limited to borrow excavation and placement on roadway to establish subgrade, cement treatment of subgrade, placement of 8 inches of PCC Pavement, Class C mix with Class 3 durability aggregate, and associated pavement removal, granular surfacing, subdrain, topsoil strip, salvage, and spread, mulching, seeding and fertilizing with rural mix and other items of work as described.

QUANTITY	UNIT	DESCRIPTION
2107	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
300	CY	TOPSOIL, STRIP, SALVAGE AND SPREAD
110	TON	GRANULAR SHOULDERS, TYPE B
1467	SY	STANDARD OR SLIP FORM PORTLAND CEMENT CONCRETE PAVEMENT, CLASS C, CLASS 3 DURABILITY, 8 IN.
30	TON	GRANULAR SURFACING ON ROAD, CLASS A CRUSHED STONE
1220	LF	SUBDRAIN, LONGITUDINAL, (SHOULDER) 4 IN. DIA.
2	EACH	SUBDRAIN OUTLET, DR-305
5	SY	REMOVAL OF PAVEMENT
1	LS	CONSTRUCTION SURVEY
2	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
1733	SY	CONSTRUCTION OF CEMENT-TREATED SUBGRADE
50	TON	CEMENT
0.4	ACRE	MULCHING
0.4	ACRE	SEEDING AND FERTILIZING (RURAL)
200	LF	SILT FENCE FOR DITCH CHECKS
200	LF	REMOVAL OF SILT FENCE OR SILT FENCE FOR DITCH CHECKS
200	LF	MAINTENANCE OF SILT FENCE OR SILT FENCE FOR DITCH CHECK
2	EACH	MOBILIZATIONS, EROSION CONTROL

Date: 5/13/2025 Local Agency Official: Michael Frietsch, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Jasper County	Project No.:	L-C050(D05)--73-50
Proposal Guarantee:	\$0.00	DBE or TSB Goal:	
Date of Letting:	7/2/2025	Time of Letting:	01:00 PM
Bid Turn-In Location:	County Engineer	Type of Project:	Material and Hauling
Contact Phone No.:	641-792-5862	Contact FAX No.:	641-791-7740

Specific Description of Project:

Bid to include the material and hauling to the site. The material will be placed in a stockpile on the site.

QUANTITY	UNIT	DESCRIPTION
250	TON	MACADAM STONE BASE
250	TON	REVETMENT, CLASS E

Date: 6/16/2025 Local Agency Official: Michael Frietsch, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Jasper County	Project No.:	L-161--73-50
Proposal Guarantee:	\$0.00	DBE or TSB Goal:	
Date of Letting:	7/9/2025	Time of Letting:	02:00 PM
Bid Turn-In Location:	County Engineer	Type of Project:	HMA Pavement with Full Depth Reclamation
Contact Phone No.:	641-792-5862	Contact FAX No.:	641-791-7740

Specific Description of Project:

Full depth reclamation with mineral stabilizing agent of an existing asphalt pavement and placement of a new HMA pavement surface from W 148th St N 0.5 miles to existing PCC pavement. Work also includes full depth reclamation with mineral stabilization and placement of new HMA surface for side road fillets, granular shoulders, PCC driveway, culvert, and other miscellaneous items of work as required.

QUANTITY	UNIT	DESCRIPTION
208	CY	EXCAVATION, CLASS 13, ROADWAY AND BORROW
7895.7	SY	FULL DEPTH RECLAMATION
215	TON	MINERAL STABILIZING AGENT
142	TON	GRANULAR SHOULDERS, TYPE B
0.5	MILE	CLEANING AND PREPARATION OF BASE
15	EACH	RELOCATION OF MAIL BOXES
440	TON	HOT MIX ASPHALT MIXTURE, WEDGE, LEVELING OR STRENGTHENING COURSE
440	TON	HOT MIX ASPHALT MIXTURE INTERLAYER BASE COURSE, 3/8 IN. MIX
880	TON	HOT MIX ASPHALT HIGH TRAFFIC, SURFACE COURSE, 1/2 IN. MIX, NO SPECIAL FRICTION REQUIREMENT
26	TON	ASPHALT BINDER, PG 58-28S, STANDARD TRAFFIC
53	TON	ASPHALT BINDER, PG 58-28H, HIGH TRAFFIC
35	TON	ASPHALT BINDER, PG 58-34E, EXTREMELY HIGH TRAFFIC
1	LS	HOT MIX ASPHALT PAVEMENT SAMPLES
10	EACH	APRONS, METAL, 24 IN. DIA.
2	EACH	APRONS, METAL, 36 IN. DIA.
348	LF	CULVERT, CORRUGATED METAL ROADWAY PIPE, 24 IN. DIA.
72	LF	CULVERT, CORRUGATED METAL ROADWAY PIPE, 36 IN. DIA.
256.3	SY	DRIVEWAY, P.C. CONCRETE, 5 IN.
297.5	SY	REMOVAL OF PAVED DRIVEWAY
1	LS	CONSTRUCTION SURVEY
3	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
1.5	ACRE	MULCHING
1.5	ACRE	SEEDING AND FERTILIZING (RURAL)

Date: 6/4/2025 Local Agency Official: Michael Frietsch, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Adair County	Project No.:	L-LBRN11L--73-01
Proposal Guarantee:	\$12,500.00	DBE or TSB Goal:	
Date of Letting:	7/14/2025	Time of Letting:	09:00 AM
Bid Turn-In Location:	County Engineer	Type of Project:	Bridge Replacement - Steel Girder
Contact Phone No.:	641-743-6111	Contact FAX No.:	

Specific Description of Project:

Project includes removing the existing single span 24' x 20' bridge and replacing with a single span 30' x 24'-6" steel girder bridge. Project also includes the supply and placement of revetment.

QUANTITY	UNIT	DESCRIPTION
1	LS	REMOVAL OF EXISTING BRIDGE
15.9	CY	STRUCTURAL CONCRETE (BRIDGE)
8131	LB	REINFORCING STEEL
560	LF	PILES, STEEL, HP 10 X 42
115	TON	REVTMENT, CLASS E
2	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
1	LS	CONSTRUCT BRIDGE AS PER PLANS
1	LS	STEEL BRIDGE MATERIAL

Date: 6/4/2025 Local Agency Official: Nick Kauffman, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Montgomery County	Project No.:	L-RO1702-69
Proposal Guarantee:	\$12,500.00	DBE or TSB Goal:	
Date of Letting:	7/15/2025	Time of Letting:	09:15 AM
Bid Turn-In Location:	County Auditor	Type of Project:	Corrugated Metal Pipe Culvert
Contact Phone No.:	712-623-5197	Contact FAX No.:	712-623-9477

Specific Description of Project:

Remove existing Steel I-Beam bridge with concrete deck and install 120" x 84'-0 Corrugated Metal Pipe (CMP) roadway culvert. CMP culvert provided by Montgomery County and stockpiled on site. Project includes all work and material necessary to remove bridge superstructure and install new provided CMP, all associated earthwork, construction of reinforced concrete slope collars and revetment.

QUANTITY	UNIT	DESCRIPTION
1	UNIT	CLEARING AND GRUBBING
644	CY	EMBANKMENT-IN-PLACE
191	CY	EXCAVATION, CLASS 10, CHANNEL
96	CY	COMPACTING BACKFILL ADJACENT TO BRIDGES, CULVERTS OR STRUCTURES
1	LS	REMOVAL OF EXISTING BRIDGE
42	TON	GRANULAR BACKFILL
529	CY	EXCAVATION, CLASS 20, FOR ROADWAY PIPE CULVERT
365	CY	EXCAVATION, CLASS 21
76	TON	FOUNDATION TREATMENT MATERIAL
24	CY	STRUCTURAL CONCRETE (MISCELLANEOUS)
2067	LB	REINFORCING STEEL
1	EACH	TEMPORARY STREAM DIVERSION
324	SF	PILES, STEEL SHEET
315	TON	REVETMENT, SPECIAL
69	CY	REVETMENT, REMOVE AND REPLACE
1	LS	CONSTRUCTION SURVEY
1	LS	MOBILIZATION
1	LS	REMOVAL OF ASBESTOS
84	LF	120" CMP, PLACE ONLY, CULVERT PROVIDED BY COUNTY

Date: 5/14/2025 Local Agency Official: Karen Albert, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Monona County	Project No.:	FM-C067(95)--55-67
Proposal Guarantee:	\$32,000.00	DBE or TSB Goal:	
Date of Letting:	7/22/2025	Time of Letting:	09:00 AM
Bid Turn-In Location:	County Engineer	Type of Project:	Granular Surfacing of Roadway
Contact Phone No.:	712-433-2284	Contact FAX No.:	712-433-1230

Specific Description of Project:

Monona County Desires to place Granular Surfacing Material on several Farm to Market routes in Eastern Monona County. Each bid item represents a segment of road that shall receive 300 tons per mile of 1.5" Road Stone. The supplied product shall be limestone meeting the gradation listed in the contract documents. All trucks shall be belly dumps or end dumps with gates and chains that can be set for uniform spreading along the designated routes. The unit price shall include all labor, materials and equipment to complete the necessary hauling to complete the project.

QUANTITY	UNIT	DESCRIPTION
2550	TON	GRANULAR SURFACING ON ROAD, CLASS D CRUSHED STONE
1950	TON	GRANULAR SURFACING ON ROAD, CLASS D CRUSHED STONE
2400	TON	GRANULAR SURFACING ON ROAD, CLASS D CRUSHED STONE
1740	TON	GRANULAR SURFACING ON ROAD, CLASS D CRUSHED STONE
1290	TON	GRANULAR SURFACING ON ROAD, CLASS D CRUSHED STONE
1590	TON	GRANULAR SURFACING ON ROAD, CLASS D CRUSHED STONE
1980	TON	GRANULAR SURFACING ON ROAD, CLASS D CRUSHED STONE
690	TON	GRANULAR SURFACING ON ROAD, CLASS D CRUSHED STONE
1500	TON	GRANULAR SURFACING ON ROAD, CLASS D CRUSHED STONE
990	TON	GRANULAR SURFACING ON ROAD, CLASS D CRUSHED STONE
600	TON	GRANULAR SURFACING ON ROAD, CLASS D CRUSHED STONE
1020	TON	GRANULAR SURFACING ON ROAD, CLASS D CRUSHED STONE
2220	TON	GRANULAR SURFACING ON ROAD, CLASS D CRUSHED STONE
2070	TON	GRANULAR SURFACING ON ROAD, CLASS D CRUSHED STONE
1410	TON	GRANULAR SURFACING ON ROAD, CLASS D CRUSHED STONE

Date: 7/1/2025 Local Agency Official: Charles Bechtold, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	<u>Sac County</u>	Project No.:	<u>LFM-RI-3201--7X-81, L-LE-3103--73-81, L-BV-2107--73-81</u>
Proposal Guarantee:	<u>\$25,000.00</u>	DBE or TSB Goal:	<u></u>
Date of Letting:	<u>7/24/2025</u>	Time of Letting:	<u>02:00 PM</u>
Bid Turn-In Location:	<u>County Engineer</u>	Type of Project:	<u>320-BRIDGES</u>
Contact Phone No.:	<u>712-662-7687</u>	Contact FAX No.:	<u>712-662-4746</u>

Specific Description of Project:

LFM-RI-3201--7X-81 BRIDGE ABUTMENT PILE BENT PROJECT ON CORY AVE, NORTH OF 320TH ST.

L-LE-3103--73-81 BRIDGE ABUTMENT PILE BENT PROJECT ON HOPE AVE., SOUTH OF 390TH ST.

L-BV-2107--73-81 BRIDGE ABUTMENT PILE BENT PROJECT ON JACKSON AVE., NORTH OF 260TH ST.

QUANTITY	UNIT	DESCRIPTION
40	TON	REVTMENT, CLASS E
2	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
1	LS	ABUTMENT REPAIRS
60	TON	REVTMENT, CLASS E
2	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
1	LS	ABUTMENT REPAIRS
64	TON	REVTMENT, CLASS E
2	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
1	LS	ABUTMENT REPAIRS

Date: 6/24/2025 Local Agency Official: Nick Buse, County Engineer

Notices must be in the Ames Office by 5:00 p.m. the Friday before the first publication in which advertising is desired. E-mail completed forms to Iowa Department of Transportation, Office of Contracts, at DOT.Contracts@iowadot.us

BULLETIN REPORTING FORM

County:	Cedar County	Project No.:	LFM-202502--7X-16
Proposal Guarantee:	\$25,000.00	DBE or TSB Goal:	
Date of Letting:	7/29/2025	Time of Letting:	10:00 AM
Bid Turn-In Location:	County Engineer	Type of Project:	Bridges
Contact Phone No.:	563-886-6102	Contact FAX No.:	

Specific Description of Project:

QUANTITY	UNIT	DESCRIPTION
866.1	CY	EXCAVATION, CLASS 10, ROADWAY AND BORROW
488.5	CY	EXCAVATION, CLASS 10, CHANNEL
555.7	CY	TOPSOIL, STRIP, SALVAGE AND SPREAD
562.5	TON	GRANULAR SURFACING ON ROAD, CLASS A CRUSHED STONE
1	LS	REMOVAL OF EXISTING BRIDGE
286	CY	EXCAVATION, CLASS 20
37.1	CY	STRUCTURAL CONCRETE (BRIDGE)
6051	LB	REINFORCING STEEL, EPOXY COATED
8	EACH	BEAMS, PRETENSIONED PRESTRESSED CONCRETE, BTB40
2167	LB	STRUCTURAL STEEL
600	LF	PILES, STEEL, HP 10 X 57
4	EACH	SUBDRAIN OUTLET, DR-305
130	LF	STEEL BEAM GUARDRAIL
4	EACH	STEEL BEAM GUARDRAIL BARRIER TRANSITION SECTION, BA-221
4	EACH	STEEL BEAM GUARDRAIL TANGENT END TERMINAL, BA-225
113	SY	ENGINEERING FABRIC
488.3	TON	REVTMENT, CLASS E
2	EACH	SAFETY CLOSURE
1	LS	TRAFFIC CONTROL
1	LS	MOBILIZATION
2	ACRE	MULCHING
1	ACRE	SEEDING AND FERTILIZING (RURAL)
1	ACRE	STABILIZING CROP - SEEDING AND FERTILIZING
4	EACH	SILT BASINS
4	EACH	REMOVAL OF SILT BASINS
800	LF	PERIMETER AND SLOPE SEDIMENT CONTROL DEVICE, 12 IN. DIA.
400	LF	REMOVAL OF PERIMETER AND SLOPE OR DITCH CHECK SEDIMENT CONTROL DEVICE
2	EACH	MOBILIZATIONS, EROSION CONTROL
1	EACH	MOBILIZATIONS, EMERGENCY EROSION CONTROL